

ROLLER CABS & CONTAINERS

LOOSE TOOLS

TRAYS

pieces

			RSC22	RSC23	RSC23C	RSC23T	RSC24/5	RSC24/6 - RSC24A/6 - C37/6 - C39/6	RSC24/7 - RSC24A/7 - RSC24AXL/7 RSC24AXLP/7 - RSC24AXL - RSC24L/7 RSC24L-CAB - C37/7 - C37A/7 - C39/7	RSC24/8 - RSC24A/8 - RSC24AXL/8 C37/8 - C39/8	RSC24AXL/9	C4 - C5 - C6T - C9MT	C25	C27S	RSC28	C30M			
without supports	5902MT	Earth moving	106	529	529	529													
	5902MT/AS	Earth moving	99	530	530	530													
	5902VI	Industrial maintenance	107	494	494	494						494	494				494		
	5904VG/3	Car repair	132				533	533	533	533									
	5905VG/1	Car repair	94									536						536	
	5905VG/2	Car repair	118									537							
	5910VI/3	Industrial maintenance	297															498	
with supports	5954VG	Car repair	138															542	
	5954VI	Industrial maintenance	133																
	5957U-P	Universal maintenance	133																
	5957VG	Car repair	174		543		543	543											
	5957VI	Industrial maintenance	162			501		501	501										
	5958U	Universal maintenance	85			516		516											
soft modules	5904VG/2M	Car repair	170				531	531	531	531	531							531	
	5904VU/1M	Universal maintenance	90				503	503	503	503	503							503	
	5904VU/2M	Universal maintenance	144				504	504	504	504	504							504	
	5927VU/M	Universal maintenance	108	514	514	514									501				
	5935ET/1MB	Electrotechnical	96																
	5935VG/1MB	Car repair	98																
	5935VI/2MB	Industrial maintenance	133																
	5945VUM	Universal maintenance	231																
	5988H/7M	Car repair	333								519	519						519	
	5988L/4M	Car repair	273					520	520	520	520	520							
	5980U/BIKE-M	Bicycle repair	106				518		518	518	518	518						518	
	5988U6/M	Universal maintenance	214							521	521	521						521	
	5988U/7M	Universal maintenance	215				510	510	510	510	510	510						510	
	5988 VHB-MQ	Electrotechnical	66				525	525	525	525	525	525						525	
	5989 VEM	Car repair	66				528	528	528	528	528	528						528	
	foam trays	5904VI/1T	Industrial maintenance	98				494	494	494	494	494							494
		5904VI/2T	Industrial maintenance	153				497			497	497							497
5904VI/3T		Industrial maintenance	144							495	495	495						495	
5904VG/2T		Car repair	99				532	532	532	532	532	532						532	
5904VG/3T		Car repair	102				534	534	534	534	534	534						534	
5904VG/5T		Car repair	153				535		535	535	535	535						535	
5904VU/2T		Universal maintenance	104				505	505	505	505	505	505						505	
5904VU/3T		Universal maintenance	146				506	506	506	506	506	506						506	
5904VU/4T		Universal maintenance	197				507	507	507	507	507	507							
5908VG/2T		Car repair	214															538	
5908VI/2T		Industrial maintenance	232								496	496						496	
5908VU/2T		Universal maintenance	161				508		508	508	508	508						508	
5910VI/3T		Industrial maintenance	261																499

ROLLER CABS & CONTAINERS

				ROLLER CABS & CONTAINERS														
				C35	C39MD - C39SM	C39T	C45PRO 2.0	RSC51	C54S - RSC55C	RSC55	RSC55PS - RSC55PSE	RSC50 2.0	C57SA - C57SD - C57SB C57SC - C57SP	C58P - C45PRO PAS	C59A - C59C	C59B	C59C	
				pieces														
LOOSE TOOLS	without supports	5902MT	Earth moving	106		☐ 529												
		5902MT/AS	Earth moving	99		☐ 530												
		5902VI	Industrial maintenance	107														
		5904VG/3	Car repair	132						☐ 533		☐ 533	☐ 533		☐ 533	☐ 533	☐ 533	
		5905VG/1	Car repair	94														
		5905VG/2	Car repair	118														
		5910VI/3	Industrial maintenance	297														
	with supports	5954VG	Car repair	138					☐ 542									
		5954VI	Industrial maintenance	133					☐ 502	☐ 502								
		5957U-P	Universal maintenance	133							☐ 515	☐ 515	☐ 515					
		5957VG	Car repair	174							☐ 543		☐ 543					
		5957VI	Industrial maintenance	162									☐ 501					☐ 501
		5958U	Universal maintenance	85			☐ 516			☐ 516	☐ 516	☐ 516		☐ 516				
	TRAYS	soft modules	5904VG/2M	Car repair	170		☐ 531	☐ 531			☐ 531		☐ 531	☐ 531		☐ 531	☐ 531	☐ 531
5904VU/1M			Universal maintenance	90		☐ 503	☐ 503	☐ 503		☐ 503		☐ 503	☐ 503		☐ 503	☐ 503	☐ 503	
5904VU/2M			Universal maintenance	144		☐ 504	☐ 504			☐ 504		☐ 504	☐ 504		☐ 504	☐ 504	☐ 504	
5927VU/M			Universal maintenance	108														
5935ET/1MB			Electrotechnical	96	☐ 522													
5935VG/1MB			Car repair	98	☐ 539													
5935VI/2MB			Industrial maintenance	133	☐ 500													
5945VUM			Universal maintenance	231			☐ 541											
5988H/7M			Car repair	333						☐ 519		☐ 519				☐ 519	☐ 519	
5988L/4M			Car repair	273		☐ 520	☐ 520			☐ 520		☐ 520	☐ 520		☐ 520	☐ 520	☐ 520	
5980U/BIKE-M		Bicycle repair	106								☐ 518	☐ 518			☐ 518	☐ 518		
5988U6/M		Universal maintenance	214		☐ 521				☐ 521		☐ 521				☐ 521	☐ 521		
5988U/7M		Universal maintenance	215		☐ 510				☐ 510		☐ 510	☐ 510		☐ 510	☐ 510	☐ 510		
5988 VHB-MQ		Electrotechnical	66		☐ 525	☐ 525	☐ 525		☐ 525			☐ 525		☐ 525	☐ 525	☐ 525		
5989 VEM		Car repair	66								☐ 528				☐ 528			
foam trays		5904VI/1T	Industrial maintenance	98		☐ 494	☐ 494	☐ 494		☐ 494		☐ 494	☐ 494		☐ 494	☐ 494	☐ 494	
		5904VI/2T	Industrial maintenance	153		☐ 497				☐ 497		☐ 497	☐ 497		☐ 497	☐ 497	☐ 497	
		5904VI/3T	Industrial maintenance	144		☐ 495				☐ 495		☐ 495	☐ 495		☐ 495	☐ 495		
		5904VG/2T	Car repair	99		☐ 532	☐ 532	☐ 532		☐ 532		☐ 532	☐ 532		☐ 532	☐ 532	☐ 532	
		5904VG/3T	Car repair	102		☐ 534	☐ 534			☐ 534		☐ 534	☐ 534		☐ 534	☐ 534	☐ 534	
	5904VG/5T	Car repair	153		☐ 535				☐ 535		☐ 535	☐ 535		☐ 535	☐ 535	☐ 535		
	5904VU/2T	Universal maintenance	104		☐ 505	☐ 505			☐ 505		☐ 505	☐ 505		☐ 505	☐ 505	☐ 505		
	5904VU/3T	Universal maintenance	146		☐ 506	☐ 506			☐ 506		☐ 506	☐ 506		☐ 506	☐ 506	☐ 506		
	5904VU/4T	Universal maintenance	197		☐ 507	☐ 507			☐ 507		☐ 507	☐ 507		☐ 507	☐ 507	☐ 507		
	5908VG/2T	Car repair	214															
	5908VI/2T	Industrial maintenance	232								☐ 496				☐ 496	☐ 496		
	5908VU/2T	Universal maintenance	161		☐ 508				☐ 508		☐ 508	☐ 508		☐ 508	☐ 508	☐ 508		
	5910VI/3T	Industrial maintenance	261															



5902VI

assortment of 107 tools

► Industrial maintenance

Quantity/Description

- 6 pin punches Ø 2 - 3 - 4 - 5 - 6 - 8 mm
- 1 centre punch Ø 3 mm
- 1 flat chisels, ribbed type 200 mm
- 26 combination wrenches 6÷32 mm
- 12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x26 - 25x28 - 30x32 mm
- 9 offset hexagon key wrenches Ø 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 1 Adjustable wrench 300 mm
- 13 1/2" square drive hexagon sockets with rail Ø 10÷22 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 1 self - locking pliers 240 mm
- 1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish 160 mm
- 1 compound leverage shears, straight blades 250 mm
- 1 electrician's scissors, straight blades 147 mm
- 1 heavy duty combination pliers, bi-material handles, industrial finish 180 mm
- 1 extra-long needle knurled nose pliers, bi-material handles, industrial finish 160 mm
- 8 screwdrivers for slotted head screws 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x125 - 6,5x150 - 8x200 - 10x200 mm
- 4 screwdrivers for cross head Phillips® screws PH0x60 - PH1x80 - PH2x100 - PH3x150 mm
- 1 engineer's hammer 500 g
- 1 dead blow hammer Ø 40 mm
- 1 engineer's scriber
- 1 measuring tape 5 m
- 1 metric feeler gauge
- 5 Set of 5 second-cut files, with handles 200 mm
- 1 hacksaw frame, aluminium handle
- 1 Metal pressure oil can 300 cc
- 1 snap - off blade utility knife 170 mm
- 1

Beta N.

- 31
- 32
- 35
- 42/S26
- 55/S12
- 96N/SC9
- 111E
- 920A/SB13
- 920/21
- 920/22
- 920/25
- 920/42
- 920/55
- 1048N
- 1052
- 1084GBM
- 1122
- 1128BMX
- 1150GBM
- 1166GBM
- 1260
- 1262
- 1370
- 1392
- 1688A
- 1692
- 1708/20
- 1719BMA...S5
- 1726BM
- 1751N
- 1771BM
- 1838SW

5902VI

059021060

Assortment recommended in combination with RSC22 - RSC23 - RSC23T - C25 - C27S



T80 T05 T06



T153 T138 T145 T236



T234 T33 T208 T68

5904VI/1T

assortment of 98 tools in ABS thermoformed trays

► Industrial maintenance

Quantity/Description

- 19 1/2" square drive hexagon sockets Ø 10÷24 - 26 - 27 - 30 - 32 mm
- 5 1/2" drive, socket drivers for hexagon screws Ø 5 - 6 - 8 - 10 - 12 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet
- 16 combination wrenches 6÷21 mm
- 5 combination wrenches 22-24-27-30-32 mm
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 1 self - locking pliers 240 mm
- 1 Heavy-duty diagonal cutting nippers 160 mm
- 1 combination pliers bright chrome-plated 180 mm
- 1 Extra-long needle nose pliers 160 mm
- 1 circlip pliers straight, internal Ø 180 mm
- 1 circlip pliers bent, internal Ø 170 mm
- 1 circlip pliers straight, external Ø 175 mm
- 1 circlip pliers bent, external Ø 175 mm
- 2 flat chisels, ribbed type 100 - 200 mm
- 5 second cut files 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
- 9 offset hexagon key wrenches Ø 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 4 screwdrivers for slotted head screws 3x75 - 4x100 - 5,5x150 - 6,5x150 mm
- 3 screwdrivers for cross head Phillips® screws PH0x60 - PH1x80 - PH2x100 mm
- 6 T-handle wrenches with hexagon male ends Ø 2,5 - 3 - 4 - 5 - 6 - 8 mm

Beta N.

- 920A **T80**
- 920ME **T80**
- 920/21 **T80**
- 920/22 **T80**
- 920/25 **T80**
- 920/42 **T80**
- 920/55 **T80**
- 42 **T05**
- 42 **T06**
- 1048N **T153**
- 1052 **T153**
- 1084 **T138**
- 1150 **T138**
- 1166 **T138**
- 1032 **T145**
- 1034 **T145**
- 1036 **T145**
- 1038 **T145**
- 35 **T234**
- 1719BMA8/S5 **T236**
- 1370 **T234**
- 1390 **T234**
- 55 **T33**
- 96/SC9 **T33**
- 1260 **T208**
- 1262 **T208**
- 951 **T68**

5904VI/1T

059041161

Assortment recommended in combination with RSC23T - RSC24 - RSC24A - RSC24L7 - RSC24L-CAB
RSC24AXL - RSC24AXLP/7 - RSC24AXXL - RSC28 - C37 - C39 - C39MD - C39SM - C39T - RSC55 - RSC50 2.0 - C59 - C57 - C58BC

5904VI/3T

assortment of 144 tools in ABS thermoformed trays

► Industrial maintenance

Quantity/Description



T05 T06 T31



T167 T202 T205



T80 T73 T68



T137 T153 T145 T146



T231 T297 T281



T279 VP6

Quantity/Description	Beta N.	TR
16 combination wrenches 6÷21 mm	42	T05
5 combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	T06
5 pin punches Ø 2 - 3 - 4 - 5 - 6 mm	31	T31
1 centre punch Ø 4 mm	32	T31
12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17	55	T31
18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm		
9 offset hexagon key wrenches Ø 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96NSC9	T31
9 screwdrivers for slotted head screws ● 3x75 - 3,5x100 - 4x100 - 4x150 - 5,5x100 - 5,5x150 - 6,5x150 - 8x150 - 10x200 mm	1260	T167
2 screwdrivers for slotted head screws, extra-short series ● 4x30 - 6,5x30 mm	1260N	T167
6 screwdrivers for cross head Phillips® screws ● PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 mm	1262	T202
7 drivers for Torx® head screws ○ T6-T7-T8-T9-T10-T15-T20	1267TX	T205
5 1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm	920ME	T80
1 1/2" drive extension bar 125 mm	920/21	T80
1 1/2" drive extension bar 255 mm	920/22	T80
1 1/2" drive universal joint	920/25	T80
1 1/2" drive sliding T-handle	920/42	T80
1 1/2" drive reversible ratchet Ⓢ	920/55	T80
19 1/2" square drive hexagon sockets ○ 10÷24 - 26 - 27 - 30 - 32 mm	920A	T80
8 double ended bi-hex tubular socket wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17	930	T73
18x19 - 20x22 mm		
1 tommy bars for tubular wrenches	940/1	T73
1 tommy bars for tubular wrenches	940/2	T73
6 T-handle wrenches with hexagon male ends ○ 2,5 - 3 - 4 - 5 - 6 - 8 mm	951	T68
1 combination pliers bright chrome-plated, bi-material handles ≡ 180 mm	1150BM	T137
1 Extra-long needle nose pliers ● 160 mm	1166BM	T137
1 Heavy-duty diagonal cutting nippers ≡ 160 mm	1084BM	T137
1 slip joint pliers, slip-proof PVC coated handles 250 mm	1048N	T153
1 self - locking pliers 240 mm	1052	T153
1 circlip pliers straight, internal ○ 180 mm	1032	T145
1 circlip pliers bent, internal ○ 170 mm	1034	T145
1 circlip pliers straight, external ● 175 mm	1036	T145
1 circlip pliers bent, external ● 175 mm	1038	T145
1 circlip pliers straight, internal ○ 140 mm	1032	T146
1 circlip pliers bent, internal ○ 225 mm	1034	T146
1 circlip pliers straight, external ● 140 mm	1036	T146
1 circlip pliers bent, external ● 225 mm	1038	T146
1 engineer's hammer 400 g	1370	T231
1 soft face hammer Ø 35 mm	1390	T231
1 second cut files 200 mm	1719BMA8/T	T231
1 second cut files 200 mm	1719BMA8/P	T231
1 second cut files 200 mm	1719BMA8/M	T231
1 digital vernier	1651DGTB	T297
1 flexible graduated rule 300 mm	1682	T297
1 measuring tape 5 m	1691BM	T297
1 riveting pliers 250 mm	1741B	T281
100 aluminium rivets 2,9x6 mm	1741RV..K	T281
100 aluminium rivets 3,2x8 mm	1741RV..K	T281
100 aluminium rivets 3,8x10 mm	1741RV..K	T281
100 aluminium rivets 4x12 mm	1741RV..K	T281
100 aluminium rivets 4,8x12 mm	1741RV..K	T281
1 tin snips 250 mm	1112	T279
1 electrician's scissors, straight blades 145 mm	1128BM	T279
1 hacksaw frame, aluminium handle	1726	T279
(5) blades for hacksaw .	1728BM	T279
1 Metal pressure oil can 200 cc	1751N	T279
empty thermoformed tray	VP6	VP6

► **Industrial maintenance**

Quantity/Description

Beta N. TR



T80 T05 T06




T91 T68 T40 T41



T199 T202 T201 T204



T234 T271 T153 T236



T145 T137 T31



T279 VP5



T273 T270

- 5 1/2" drive, socket drivers for hexagon screws \odot 5 - 6 - 8 - 10 - 12 mm 920ME T80
- 1 1/2" drive extension bar 125 mm 920/21 T80
- 1 1/2" drive extension bar 255 mm 920/22 T80
- 1 1/2" drive universal joint 920/25 T80
- 1 1/2" drive sliding T-handle 920/42 T80
- 1 1/2" drive reversible ratchet \oplus 920/55 T80
- 19 1/2" square drive hexagon sockets \odot 10+24 - 26 - 27 - 30 - 32 mm 920A T80
- 16 combination wrenches 6+21 mm 42 T05
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm 42 T06
- 13 1/4" hexagon sockets \odot 4+14 mm 900 T91
- 6 1/4" socket drivers for hexagon screws \odot 2,5 - 3 - 4 - 5 - 6 - 8 mm 900ME T91
- 1 1/4" drive extension bar 50 mm 900/20 T91
- 1 1/4" drive extension bar 150 mm 900/21 T91
- 1 1/4" drive spinner handle 900BG/30 T91
- 1 1/4" drive universal joint 900/25 T91
- 1 1/4" drive swivel T-handle 900/42 T91
- 1 1/4" reversible ratchet \oplus 900/55 T91
- 6 T-handle wrenches with hexagon male ends \odot 2,5 - 3 - 4 - 5 - 6 - 8 mm 951 T68
- 7 double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm 90 T40
- 5 double ended offset ring wrenches 20x22 - 21x23 - 24x26 - 25x28 - 27x29 mm 90 T41
- 7 screwdrivers for slotted head screws \bullet 2,5x50 - 3x75 - 3,5x100 - 4x125 1260 T199
- 5,5x100 - 5,5x150 - 6,5x150 mm
- 6 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 mm 1262 T202
- 3 screwdrivers for slotted head screws \bullet 8x200 - 10x150 - 10x200 mm 1260 T201
- 2 screwdrivers for slotted head screws, extra-short series \bullet 4x30 - 6,5x30 mm 1260N T201
- 2 screwdrivers for cross head Phillips® screws \oplus PH3x150 - PH4x200 mm 1262 T204
- 2 screwdrivers for cross head Phillips® screws, extra - short series \oplus PH1x30 - PH2x30 mm 1262N T204
- 2 flat chisels, ribbed type 100 - 200 mm 35 T234
- 1 engineer's hammer 300 g 1370 T234
- 1 soft face hammer \varnothing 35 mm 1390 T234
- 1 riveting pliers 250 mm 1741 T271
- 100 aluminium rivets 2,9x6 mm 1741RV...K T271
- 100 aluminium rivets 3,2x8 mm 1741RV...K T271
- 100 aluminium rivets 3,8x10 mm 1741RV...K T271
- 100 aluminium rivets 4x12 mm 1741RV...K T271
- 100 aluminium rivets 4,8x12 mm 1741RV...K T271
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm 1048N T153
- 1 self - locking pliers 240 mm 1052 T153
- 5 Set of 5 second-cut files, with handles 200 mm 1719BMA...S5 T236
- 1 circlip pliers straight, internal \odot 180 mm 1032 T145
- 1 circlip pliers bent, internal \odot 170 mm 1034 T145
- 1 circlip pliers straight, external \bullet 175 mm 1036 T145
- 1 circlip pliers bent, external \bullet 175 mm 1038 T145
- 1 combination pliers bright chrome-plated, bi-material handles \equiv 180 mm 1150BM T137
- 1 Extra-long needle nose pliers \bullet 160 mm 1166BM T137
- 1 Heavy-duty diagonal cutting nippers \nless 160 mm 1084BM T137
- 5 pin punches \varnothing 2 - 3 - 4 - 5 - 6 mm 31 T31
- 1 centre punch \varnothing 4 mm 32 T31
- 12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm 55 T31
- 9 offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm 96N/SC9 T31
- 1 tin snips 250 mm 1112 T279
- 1 electrician's scissors, straight blades 145 mm 1128BM T279
- 1 hacksaw frame, aluminium handle 1726 T279
- 5 blades for hacksaw 1728BM T279
- 1 Metal pressure oil can 200 cc 1751N T279
- 1 empty thermoformed tray VP5 VP5
- 1 adjustable tap wrench M3+M12 435/1,5 T273
- 1 adjustable tap wrench M5+M21 435/3 T273
- 1 reversible ratcheting tap wrench 2,0+5,0 mm (M3+M8) 436/1 T273
- 1 reversible ratcheting tap wrench 4,6+8,0 mm (M5+M12) 436/2 T273
- 1 die stock 25,4 mm 444/1 T273
- 1 die stock 38,1 mm 444/2 T273
- 1 screw pitch gauge 0,25+6 W 62+4x1" 1707 T273
- 26 coarse pitch hand taps M3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 - 12 - 14 - 16 - 18 - 20 430 T270
- 14 fine pitch hand taps M6x0,75 - M8x1 - M10x1,25 433 T270
- M12x1,5 - M14x1,5 - M16x1,5 - M18x1,5
- 7 round dies, coarse pitch M3 - 4 - 5 - 6 - 7 - 8 - 9 440 T270
- 6 round dies, coarse pitch M10 - 12 - 14 - 16 - 18 - 20 440A T270
- 2 round dies, fine pitch M6x0,75 - M8x0,75 441 T270
- 5 round dies, fine pitch M10x1,25 - M12x1,5 - M14x1,5 - M16x1,5 - M18x1,5 441A T270

5904VI/2T

assortment of 153 tools in ABS thermoformed trays

► Industrial maintenance



T05 T06 T31



T40 T83 T91



T167 T168



T153 T138 T145 T68



T236 T234 T271 T294

Quantity/Description

- 16 combination wrenches 6÷21 mm
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm
- 5 pin punches Ø 2 - 3 - 4 - 5 - 6 mm
- 1 centre punch Ø 4 mm
- 12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm
- 9 offset hexagon key wrenches Ø 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 7 double ended offset ring wrenches 6÷29 mm
- 19 1/2" square drive hexagon sockets Ø 10÷24 - 26 - 27 - 30 - 32 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet
- 13 1/4" hexagon sockets Ø 4÷14 mm
- 6 1/4" socket drivers for hexagon screws Ø 2,5÷8 mm
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet
- 9 screwdrivers for slotted head screws ● 3x75 - 3x100 - 4x100 - 4x150 - 5,5x100 - 5,5x150 - 6,5x150 - 8x150 - 10x200 mm
- 2 screwdrivers for slotted head screws, extra-short series ● 4x30 - 6,5x30 mm
- 7 screwdrivers for cross head Phillips® screws ● PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 - PH3x150 mm
- 2 screwdrivers for cross head Phillips® screws, extra - short series ● PH1x30 - PH2x30 mm
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 1 self - locking pliers 240 mm
- 1 Heavy-duty diagonal cutting nippers < 160 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 1 combination pliers bright chrome-plated = 180 mm
- 1 circlip pliers straight, internal ○ 180 mm
- 1 circlip pliers bent, internal ○ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 6 T-handle wrenches with hexagon male ends ○ 2,5 - 3 - 4 - 5 - 6 - 8 mm
- 5 second cut files 200 mm
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 1 riveting pliers
- 100 aluminium rivets 2,9x6 mm
- 100 aluminium rivets 3,2x8 mm
- 100 aluminium rivets 3,8x10 mm
- 100 aluminium rivets 4x12 mm
- 100 aluminium rivets 4,8x12 mm
- 1 measuring tape 5 m
- 1 mini hacksaw frame
- 1 18 mm snap-off spare blades (10 pieces) for utility knives 1771, 1771BM, 1771HD
- 1 snap - off blade utility knife 170 mm

Beta N.	TR
42	T05
42	T06
31	T31
32	T31
55	T31
96NSC9	T31
90	T40
920A	T83
920/21	T83
920/22	T83
920/25	T83
920/42	T83
920/55	T83
900	T91
900ME	T91
900/20	T91
900/21	T91
900/25	T91
900BG/30	T91
900/42	T91
900/55	T91
1260	T167
1260N	T167
1262	T168
1262N	T168
1048N	T153
1052	T153
1084	T138
1166	T138
1150	T138
1032	T145
1034	T145
1036	T145
1038	T145
951	T68
1719BMA8/S5	T236
35	T234
1370	T234
1390	T234
1741	T271
1741RV..K	T271
1741RV..K	T271
1741RV..K	T271
1741RV..K	T271
1741RV..K	T271
1692	T294
1725CR	T294
1771RL	T294
1771	T294

5910VI/3
assortment of 297 tools



► **Industrial maintenance**

Quantity/Description	Beta N.
6 Ø 2 - 3 - 4 - 5 - 6 - 8 mm	31/B6N
1 centre punch Ø 4 mm	32
2 flat chisels, ribbed type 125 - 250 mm	35
1 cape chisel, ribbed type 200 mm	37
30 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-32-35-36-38-41 mm	42
14 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x26 - 25x28 - 27x29 - 30x32 - 36x41 mm	55
13 double ended offset ring wrenches 6x7+30x32 mm	90
14 offset hexagon key wrenches Ø 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm	96N
1 Adjustable wrench 250 mm	111E
1 heavy duty pipe wrench 300 mm	362
25 twist drills with cylindrical shanks, short series 1+13x0,5 mm	412/SP25
37 assortment of HSS taps and dies, metric thread	447/C37
1 ZERO-RESET click-type torque wrenches Ⓞ 1/2", 40±200 Nm	666/20
1 1/2" drive swivel T-handle	920/40
4 1/2" drive, socket drivers for hexagon screws Ø 10-12-14-17 mm	920ME
25 20 sockets and 5 accessories	920A/C20X
17 assortment of 12 sockets and 5 accessories 3/4"	928A/C12
12 double ended hexagon/bi - hex offset socket wrenches 8 - 10 - 11 - 13 - 14 - 17 - 19 - 22 - 24 - 27 - 30 - 32 mm	932
14 T-handle wrenches with hexagon male ends 2+14 mm	951/S14
5 T handle wrenches with swivelling hexagon male ends Ø 3 - 4 - 5 - 6 - 8 mm	953
3 circlip pliers straight, internal Ⓞ 180 - 225 - 300 mm	1032
3 circlip pliers bent, internal Ⓞ 170 - 210 - 290 mm	1034
3 circlip pliers straight, external ● 140x1,3 - 175 - 225 mm	1036
3 circlip pliers bent, external ● 135x1,3 - 175 - 220 mm	1038
2 slip joint pliers, slip-proof PVC coated handles 250 - 300 mm	1048N
1 self locking pliers, double adjustment	1051
1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish ⚡ 160 mm	1084GBM
1 toggle lever assisted end cutting nippers ⚡ 180 mm	1092V
1 tin snips 300 mm	1112
1 tin snip, straight narrow blades 250 mm	1114
1 electrician's scissors, straight blades 147 mm	1128BMX
1 heavy duty combination pliers, bi-material handles, industrial finish ■ 180 mm	1150GBM
1 extra-long needle knurled nose pliers, bi-material handles, industrial finish ● 160 mm	1166GBM
1 extra-long bent needle knurled nose pliers, bi-material handles, industrial finish ● 160 mm	1168GBM
9 screwdrivers for slotted head screws ● 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x125 - 6,5x150 - 8x200 - 10x200 - 12x250 mm	1260
2 screwdrivers for slotted head screws, extra-short series ● 4x30 - 6,5x30 mm	1260N
5 screwdrivers for cross head Phillips® screws Ⓢ PH0x100 - PH1x120 - PH2x150 - PH3x150 - PH4x200 mm	1262
2 screwdrivers for cross head Phillips® screws, extra - short series Ⓢ PH1x30 - PH2x30 mm	1262N
7 drivers for Torx® head screws Ⓢ T6 - T8 - T10 - T15 - T20 - T25 - T30	1267TX
2 engineer's hammer 300 - 600 g	1370
2 soft face hammer Ø 35 - 60 mm	1390
5 tapered extractors M3+M18	1430/S5
1 two - leg universal puller 23+70 mm	1500N/1
1 two - leg universal puller 23+100 mm	1500N/2
1 sliding gauge	1650
1 semirigid stainless steel rule 300 mm	1683
1 engineer's scriber	1688A
1 measuring tape 5 m	1692
1 metric feeler gauge	1708/13
1 flexible magnetic pick-up tool 1,8 kg	1712E/2
5 second cut files 200 mm	1719BMA8/S5
1 hacksaw frame, aluminium handle	1726BM
1 riveting pliers	1741
1 Metal pressure oil can 200 cc	1751N

► **Industrial maintenance**

Quantity/Description



T05 T06 T31



T40 T41 T80



T167 T168 +96N



T279
T137 T145 T234 T236



Quantity/Description	Beta N.	TR
16 combination wrenches 6÷21 mm	42	T05
5 combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	T06
5 pin punches Ø 2 - 3 - 4 - 5 - 6 mm	31	T31
1 centre punch Ø 4 mm	32	T31
13 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17	55	T31
18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm		
9 offset hexagon key wrenches Ø 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96NSC9	T31
5 double ended offset ring wrenches 20x22 - 21x23 - 24x26 - 25x28 - 27x29 mm	90	T41
7 double ended offset ring wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 mm	90	T40
5 1/2" drive, socket drivers for hexagon screws Ø 5 - 6 - 8 - 10 - 12 mm	920ME	T80
1 1/2" drive extension bar 125 mm	920/21	T80
1 1/2" drive extension bar 255 mm	920/22	T80
1 1/2" drive universal joint	920/25	T80
1 1/2" drive sliding T-handle	920/42	T80
1 1/2" drive reversible ratchet	920/55	T80
19 1/2" square drive hexagon sockets Ø 10÷24 - 26 - 27 - 30 - 32 mm	920A	T80
9 screwdrivers for slotted head screws ● 3x75 - 3x100 - 4x100 - 4x150 - 5,5x100 - 5,5x150 - 6,5x150 - 8x150 - 10x200 mm	1260	T167
2 screwdrivers for slotted head screws, extra-short series ● 4x30 - 6,5x30 mm	1260N	T167
7 screwdrivers for cross head Phillips® screws ⊕ PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 - PH3x150 mm	1262	T168
2 screwdrivers for cross head Phillips® screws, extra - short series ⊕ PH1x30 - PH2x30 mm	1262N	T168
4 offset hexagon key wrenches Ø 13-14-17-19 mm	96N	T168
1 tin snips 250 mm	1112	T279
1 electrician's scissors, straight blades 145 mm	1128BM	T279
1 hacksaw frame, aluminium handle	1726	T279
(5) blades for hacksaw	1728BM	T279
1 Metal pressure oil can 200 cc	1751N	T279
1 combination pliers bright chrome-plated, bi-material handles = 180 mm	1150BM	T137
1 Extra-long needle nose pliers ● 160 mm	1166BM	T137
1 Heavy-duty diagonal cutting nippers ⚡ 160 mm	1084BM	T137
1 circlip pliers straight, internal ○ 180 mm	1032	T145
1 circlip pliers bent, internal ○ 170 mm	1034	T145
1 circlip pliers straight, external ● 175mm	1036	T145
1 circlip pliers bent, external ● 175mm	1038	T145
2 flat chisels, ribbed type 100 - 200 mm	35	T234
1 engineer's hammer 300 g	1370	T234
1 soft face hammer Ø 35 mm	1390	T234
1 second cut files 200 mm	1719BMA8/S5	T236
4 combination wrenches 35-36-38-41 mm	42	
1 double open end wrenches 36x41 mm	55	
1 Adjustable wrench 250 mm	111E	
1 heavy duty pipe wrench 300 mm	362	
25 twist drills with cylindrical shanks, short series	412/SP25	
37 assortment of HSS taps and dies, metric thread	447/C37	
1 ZERO-RESET click-type torque wrenches ⊕ 40÷200 Nm	666/20	
17 assortment of 12 sockets and 5 accessories 3/4"	928A/C12	
14 T-handle wrenches with hexagon male ends	951/S14	
5 T handle wrenches with swivelling hexagon male ends Ø 3-4-5-6-8 mm	953	
1 circlip pliers straight, internal ○ 300 mm	1032	
1 circlip pliers bent, internal ○ 290 mm	1034	
1 circlip pliers straight, external ● 225 mm	1036	
1 circlip pliers bent, external ● 220 mm	1038	
1 slip joint pliers, slip-proof PVC coated handles 300 mm	1048N	
1 self locking pliers, double adjustment	1051	
1 toggle lever assisted end cutting nippers ⚡ 180 mm	1092V	
1 engineer's hammer 600 g	1370	
1 soft face hammer Ø 60 mm	1390	
5 tapered extractors M3-M18	1430/S5	
1 two - leg universal puller	1500/3	
1 sliding gauge	1650	
1 semirigid stainless steel rule	1683	
1 engineer's scriber	1688	
1 measuring tape 5 m	1692	
1 metric feeler gauge	1708/13	
1 flexible magnetic pick-up tool	1712E/2	

5935VI/2MB

assortment of 133 tools for tool chest C35, in EVA foam trays

► Industrial maintenance

Quantity/Description

- 21 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
- 8 double open end wrenches 6x7-8x9-10x11-12x13-14x15
16x17-18x19-20x22 mm
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 19 1/2" square drive hexagon sockets ○ 10-11-12-13-14-15-16-17
18-19-20-21-22-23-24-26-27-30-32 mm
- 1 1/2" wobble extension bar 125 mm
- 1 1/2" wobble extension bar 150 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet ⊕
- 1 Adjustable wrench 250 mm
- 1 self - locking pliers 240 mm
- 1 Heavy-duty diagonal cutting nippers ✂ 160 mm
- 1 combination pliers bright chrome-plated, bi-material handles = 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 1 circlip pliers straight, internal ○ 180 mm
- 1 circlip pliers bent, internal ○ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 13 1/4" hexagon sockets ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" reversible ratchet ⊕
- 1 1/4" drive swivel T-handle
- 7 screwdrivers for slotted head screws ● 2,5x50-3x75-3,5x100-4x100-5,5x125-6,5x150-8x200 mm
- 2 screwdrivers for slotted head screws, extra-short series ● 4x30-6,5x30 mm
- 7 screwdrivers for cross head Phillips® screws ⊕ PH0x60-PH0x100-PH1x80-PH1x120-
PH2x100-PH2x150-PH3x150 mm
- 2 screwdrivers for cross head Phillips® screws, extra - short series ⊕ PH1x30-PH2x30 mm
- 1 mains testing screwdriver ● 4x30-6,5x30 mm
- 9 ball head offset hexagon key wrenches ○
- 6 T-handle wrenches with hexagon male ends ○ 2,5-3-4-5-6-8 mm
- 5 pin punches Ø 2-3-4-5-6 mm
- 1 centre punch Ø 4 mm
- 1 flat chisels, ribbed type 200 mm
- 1 tin snips 250 mm
- 1 electrician's scissors, straight blades 147 mm
- 1 engineer's hammer 500 g
- 1 soft face hammer Ø 45 mm
- 1 second-cut square files 200 mm
- 1 second-cut triangular files 200 mm
- 1 second-cut flat files 200 mm
- 1 second-cut half-round files 200 mm
- 1 second-cut round files 200 mm
- 1 hacksaw frame, aluminium handle 440 mm


Beta N.	TR
42	MB12
55	MB12
1048N	MB12
920A	MB37
920AN/125	MB37
920AN/250	MB37
920/25	MB37
920/42	MB37
920/55	MB37
111E	MB37
1052	MB37
1084BM	MB37
1150BM	MB37
1166BM	MB37
1032	MB37
1034	MB37
1036	MB37
1038	MB37
900	MB37
900/20	MB37
900/21	MB37
900/25	MB37
900BG/30	MB37
900/55	MB37
900/42	MB37
1260	MB44
1260N	MB44
1262	MB44
1262N	MB44
1253	MB44
96BPC/SC9	MB44
951	MB44
31	MB55
32	MB55
35	MB55
1112	MB55
1128BMX	MB55
1370	MB55
1390	MB55
1719BMA...Q	MB55
1719BMA...T	MB55
1719BMA...P	MB55
1719BMA...M	MB55
1719BMA...R	MB55
1726	MB55



MB12



MB37



MB44



MB55



► Industrial maintenance

Quantity/Description	Beta N.
6 pin punches Ø 2 - 3 - 4 - 5 - 6 - 8 mm	31/SP6
6 2 drift punches, 1 centre punch, 3 flat chisels with metal holder	38/SP6
18 combination wrenches 6-7-8-10-11-12-13-14-15-16-17-19-21-22-24-27-30-32 mm	42
12 double open end wrenches 6x7 ÷ 30x32 mm	55/S12X
8 offset hexagon key wrenches 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96T/S8
8 offset key wrenches, for Torx® head screws ⊕ T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40	97TX/SC8
1 Adjustable wrench 250 mm	111E
13 1/2" square drive bi-hex sockets with rail ⌀ 10÷22 mm	920B/SB13
8 1/2" square drive bi-hex sockets with rail ⌀ 23÷32 mm	920B/SB8
4 1/2" socket drivers for slotted head screws ● 1,2x6,5 - 1,2x8 - 1,6x9 - 2x12 mm	920LP
3 1/2" socket drivers for Phillips® screws ⊕ PH2 - 3 - 4	920PH
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 255 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive reversible ratchet ⊕	920/55
1 pry bar	963
2 circlip pliers straight, internal ⌀ 140 - 180 mm	1032
2 circlip pliers bent, internal ⌀ 130 - 170 mm	1034
2 circlip pliers straight, external ● 140 - 175 mm	1036
2 circlip pliers bent, external ● 135 - 175 mm	1038
1 slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1 self locking pliers, double adjustment	1051
1 Heavy-duty diagonal cutting nippers ⚡ 160 mm	1084BM
1 toggle lever assisted end cutting nippers ⚡ 180 mm	1092V
1 tin snips 250 mm	1112
1 tin snip, straight narrow blades 250 mm	1114
1 electrician's scissors, straight blades 147 mm	1128BMX
1 combination pliers bright chrome-plated, bi-material handles = 180 mm	1150BM
1 Extra-long needle nose pliers ● 160 mm	1166BM
1 Extra-long bent needle nose pliers ● 160 mm	1168BM
7 screwdrivers for slotted head screws ● 2,5x50 - 3x75 - 4x100 - 5,5x125 - 6,5x150 - 8x200 - 10x200 mm	1260
4 screwdrivers for cross head Phillips® screws ⊕ PH0x60 - PH1x80 - PH2x100 - PH3x150 mm	1262
3 engineer's hammer 300 - 600 - 1000 g	1370
1 soft face hammer Ø 35 mm	1390
1 measuring tape 5 m	1692
1 flexible magnetic pick-up tool 1,8 kg	1712E/2
1 two cutting edges scraper 150 mm	1717A
1 three - cutting edges scraper 200 mm	1717B
5 second cut files 200 mm	1719BMA8/S5
1 hacksaw frame, aluminium handle	1725
1 metal oil can 200 cc	1751
1 flat chisels, ribbed type 200 mm	35
1 cape chisel, ribbed type 200 mm	37
11 double ended hexagon/bi - hex offset socket wrenches 8 - 10 - 11 - 12 - 13 - 14 - 16 - 17 - 19 - 22 - 24 mm	932
1 self - locking pliers 240 mm	1052
1 self - locking pliers 280 mm	1060
1 self - locking pliers 290 mm	1062
1 dead blow hammer Ø 50 mm	1392
1 two - leg universal puller 25÷130 mm	1500N/2
1 sliding gauge	1650
1 semirigid stainless steel rule 300 mm	1683
1 engineer's scribe	1688A
1 metric feeler gauge	1708/13
1 fold - away knife	1777BM
1 snap - off blade utility knife 170 mm	1771BM
1 Diagonal cutting nippers ⚡ 160 mm	1082BM

► Industrial maintenance

Quantity/Description	Beta N.
5 pin punches Ø 2-3-4-5-6 mm	31
1 centre punch Ø 4 mm	32
2 flat chisels, ribbed type 200-250 mm	35
18 combination wrenches 6-14 - 16 - 17 - 18 - 19 - 21 - 22 - 24 - 27 - 30 mm	42
12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm	55
12 offset hexagon key wrenches Ø 2-10 mm	96/SC12
1 Adjustable wrench 250 mm	111E
1 pipe wrench Swedish pattern 320 mm	374
20 1/2" square drive hexagon sockets Ø 10+24 - 26 - 27 - 28 - 30 - 32 mm	920A
6 1/2" drive, socket drivers for hexagon screws Ø 5 - 6 - 8 - 10 - 12 - 14 mm	920ME
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 255 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive swivel T-handle	920/40
1 1/2" drive sliding T-handle	920/42
1 1/2" drive reversible ratchet	920/55
6 T-handle wrenches with hexagon male ends Ø 2,5 - 3 - 4 - 5 - 6 - 8 mm	951
2 circlip pliers straight, internal Ø 140 - 180 mm	1032
1 circlip pliers bent, internal Ø 170 mm	1034
2 circlip pliers straight, external Ø 140x1,3 - 175 mm	1036
1 circlip pliers bent, external Ø 175 mm	1038
1 slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1 self - locking pliers 240 mm	1052
1 Heavy-duty diagonal cutting nippers ≤ 160 mm	1084BM
1 toggle lever assisted end cutting nippers ≤ 180 mm	1092V
1 tin snips 250 mm	1112
1 electrician's scissors, straight blades 147 mm	1128BMX
1 combination pliers bright chrome-plated, bi-material handles = 180 mm	1150BM
1 Extra-long needle nose pliers Ø 160 mm	1166BM
1 mains testing screwdriver	1253
2 screwdrivers for slotted head screws Ø 8x150 - 10x200 mm	1260
2 screwdrivers for slotted head screws, extra-short series Ø 4x30 - 6,5x30 mm	1260N
2 screwdrivers for cross head Phillips® screws PH3x150 - PH4x200 mm	1262
2 screwdrivers for cross head Phillips® screws, extra - short series PH1x30 - PH2x30 mm	1262N
8 set of screwdrivers	1263/D8
2 engineer's hammer 300 - 500 g	1370
1 soft face hammer Ø 45 mm	1390
1 measuring tape 5 m	1692
1 flexible magnetic pick-up tool 0,5 kg	1712E/1
5 second cut files 200 mm	1719BMA8/S5
1 hacksaw frame, aluminium handle	1726BM
1 plastic oil can 250 cc	1754



5904VU/1M

assortment of 90 tools in EVA foam trays

► Universal use

Quantity/Description

- 16 combination wrenches 6÷21 mm
- 8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
- 9 offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 6 drivers for Torx® head screws \odot T8-T10-T15-T20-T25-T30
- 3 screwdrivers for slotted head screws \bullet 3x75-4x100-6,5x150 mm
- 3 screwdrivers for cross head Phillips® screws \oplus PH0x60-PH1x80-PH2x100 mm
- 8 offset hexagon key wrenches \odot 2-2,5-3-4-5-6-7-8 mm
- 1 1/2" wobble extension bar 125 mm
- 1 1/2" wobble extension bar 250 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \oplus
- 19 1/2" square drive hexagon sockets \odot 10÷24 - 26 - 27 - 30 - 32 mm
- 1 Heavy-duty diagonal cutting nippers ∇ 160 mm
- 1 combination pliers bright chrome-plated \equiv 180 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 1 self - locking pliers 240 mm
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer \varnothing 35 mm
- 1 circlip pliers straight, internal \odot 180 mm
- 1 circlip pliers bent, internal \odot 170 mm
- 1 circlip pliers straight, external \bullet 175 mm
- 1 circlip pliers bent, external \bullet 175 mm

Beta N.	TR
42	M05
55	M33
96/SC9	M33
1267TX	M204
1260	M201
1262	M201
96T	M50
920AN/125	M83
920AN/250	M83
920/25	M83
920/42	M83
920/55	M83
920A	M83
1084	M137
1150	M137
1166	M137
1048N	M153
1052	M153
35	M234
1370	M234
1390	M234
1032	M145
1034	M145
1036	M145
1038	M145



M05 M33 M204 M201



M50 M83



M137 M153 M234 M145

5904VU/1M

059041201

Assortment recommended in combination with RSC23T - RSC24 - RSC24A - RSC24AXL - RSC24AXLP/7 - RSC24AXXL - RSC24L7 - RSC24L-CAB - RSC28 - C37 - C39 - C39T - C39SM - C39MD - RSC51 - RSC55 - RSC50 2.0 - C59 - C58BC - C57

5904VU/2M

assortment of 144 tools in EVA foam trays

► Universal use

Quantity/Description

- 16 combination wrenches 6÷21 mm
- 8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
- 9 offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 3 screwdrivers for slotted head screws \bullet 3x75-4x100-6,5x150 mm
- 3 screwdrivers for cross head Phillips® screws \oplus PH0x60-PH1x80-PH2x100 mm
- 6 drivers for Torx® head screws \odot T8-T10-T15-T20-T25-T30
- 8 offset hexagon key wrenches \odot 2-2,5-3-4-5-6-7-8 mm
- 1 1/2" wobble extension bar 125 mm
- 1 1/2" wobble extension bar 250 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \oplus
- 19 1/2" square drive hexagon sockets \odot 10÷24 - 26 - 27 - 30 - 32 mm
- 1 Heavy-duty diagonal cutting nippers ∇ 160 mm
- 1 combination pliers bright chrome-plated \equiv 180 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 1 self - locking pliers 240 mm
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 mechanic's hammers 300 g
- 1 nylon face hammers, wooden shafts \varnothing 35 mm
- 1 circlip pliers straight, internal \odot 180 mm
- 1 circlip pliers bent, internal \odot 170 mm
- 1 circlip pliers straight, external \bullet 175 mm
- 1 circlip pliers bent, external \bullet 175 mm
- 1 empty foam tray
- 1 measuring tape 5 m
- 1 mini hacksaw frame
- 1 18 mm snap-off spare blades (10 pieces) for utility knives 1771, 1771BM, 1771HD
- 1 snap - off blade utility knife 170 mm
- 5 bits for slotted head screws, coloured \bullet 0,5x3 - 0,6x4,5 - 0,8x5,5 - 1x5,5 - 1,2x6,5 mm
- 8 hexagon bits for power drivers, coloured \odot 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 5 bits for cross head Phillips® screws, coloured \oplus PH0 - PH1 - PH2 - PH3 - PH4
- 4 bits for cross head Pozidriv® - Supadriv® screws, coloured \oplus PZ1 - PZ2 - PZ3 - PZ4
- 11 bits for Torx® head screws, coloured \odot T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40
- 8 bits for Tamper Resistant Torx® head screws, coloured \oplus T9-T10-T15-T20-T25-T27-T30-T40
- 1 magnetic bit holder with handle 230 mm
- 1 reversible bit ratchet \oplus 100 mm
- 5 second cut files 200 mm
- 1 adaptors for drivers
- 1 magnetic bit holder extension bar

Beta N.	TR
42	M05
55	M33
96/SC9	M33
1260	M201
1262	M201
1267TX	M204
96T	M50
920AN/125	M83
920AN/250	M83
920/25	M83
920/42	M83
920/55	M83
920A	M83
1084	M137
1150	M137
1166	M137
1048N	M153
1052	M153
35	M237
1370T	M237
1390N	M237
1032	M145
1034	M145
1036	M145
1038	M145
VPM3	VPM3
1692	M294
1725CR	M294
1771RL	M294
1771	M294
860LP	M85
860PE	M85
860PH	M85
860PZ	M85
860TX	M85
860RTX	M85
851SR	M85
860/55	M85
1719BMA8/S5	M236
892/0	M85
882P	M85



M05 M33 M204 M201



M50 M83



M137 M153 M237 M145



VPM3 M294 M85 M236

5904VU/2T

assortment of 104 tools in ABS thermoformed trays


► Universal use



T199 T202 T83



T145 T153 T138 T234



T68 T33 T05 T06



T284

Quantity/Description

- 7 screwdrivers for slotted head screws ● 2,5x50 - 3x75 - 3,5x100 - 4x125
5,5x100 - 5,5x150 - 6,5x150 mm
- 6 screwdrivers for cross head Phillips® screws ● PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 mm
- 19 1/2" square drive hexagon sockets ○ 10-11-12-13-14-15-16-17-18-19
20-21-22-23-24-26-27-30-32 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle 305 mm
- 1 1/2" drive reversible ratchet Ⓞ
- 1 circlip pliers straight, internal ○ 180 mm
- 1 circlip pliers bent, internal ○ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 1 self - locking pliers 240 mm
- 1 Heavy-duty diagonal cutting nippers < 160 mm
- 1 combination pliers bright chrome-plated = 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 2 flat chisels, ribbed type 100-200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 6 T-handle wrenches with hexagon male ends ○ 2,5-3-4-5-6-8 mm
- 8 double open end wrenches 6x7-8x9-10x11-12x13-14x15
16x17-18x19-20x22 mm
- 9 offset hexagon key wrenches ○ 1,5÷10 mm
- 16 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17
18-19-20-21 mm
- 5 combination wrenches 22-24-27-30-32 mm
- 1 electrician's scissors, straight blades 147 mm
- 1 Multiuse scissors
- 1 second-cut square files 200 mm
- 1 second-cut flat files 200 mm
- 1 second-cut triangular files 200 mm
- 1 second-cut half-round files 200 mm
- 1 second-cut round files 200 mm
- 1 hacksaw frame, aluminium handle
- 1 blades for hacksaw
- 1 snap - off blade utility knife 170 mm
- 1 185 mm

Beta N.	TR
1260	T199
1262	T202
920A	T83
92021	T83
92022	T83
92025	T83
92042	T83
92055	T83
1032	T145
1034	T145
1036	T145
1038	T145
1048N	T153
1052	T153
1084	T138
1150	T138
1166	T138
35	T234
1370	T234
1390	T234
951	T68
55	T33
96/SC9	T33
42	T05
42	T06
1128BMX	T284
1130BMX	T284
1719BMA...Q	T284
1719BMA...P	T284
1719BMA...T	T284
1719BMA...M	T284
1719BMA...R	T284
1726BM	T284
1728BM	T284
1771BM	T284
1778V18	T284

5904VU/3T

assortment of 146 tools in ABS thermoformed trays

► Universal use

Quantity/Description

- 16 combination wrenches 6+21 mm
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm
- 5 pin punches Ø 2 - 3 - 4 - 5 - 6 mm
- 1 centre punch Ø 4 mm
- 12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm
- 9 offset hexagon key wrenches ⌀ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 6 offset hexagon key wrenches ⌀ 2 - 2,5 - 3 - 4 - 5 - 6 mm
- 6 drivers for Torx® head screws, with handles ⌀ T10-T15-T20-T25-T27-T30
- 5 1/2" drive, socket drivers for hexagon screws ⌀ 5 - 6 - 8 - 10 - 12 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet Ⓢ
- 19 1/2" square drive hexagon sockets ⌀ 10+24 - 26 - 27 - 30 - 32 mm
- 13 1/4" hexagon sockets ⌀ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 6 1/4" socket drivers for hexagon screws ⌀ 2,5-3-4-5-6-8 mm
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle 115 mm
- 1 1/4" reversible ratchet Ⓢ
- 1 circlip pliers straight, internal ⌀ 180 mm
- 1 circlip pliers bent, internal ⌀ 170 mm
- 1 circlip pliers straight, external ⌀ 175 mm
- 1 circlip pliers bent, external ⌀ 175 mm
- 1 combination pliers bright chrome-plated = 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 1 Heavy-duty diagonal cutting nippers ⚡ 160 mm
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 1 self - locking pliers 240 mm
- 4 screwdrivers for slotted head screws ● 3x75 - 4x100 - 5,5x150 - 6,5x150 mm
- 3 screwdrivers for cross head Pozidriv®-Supadriv® screws Ⓢ PZ0 - PZ1 - PZ2
- 7 drivers for Torx® head screws Ⓢ T6-T7-T8-T9-T10-T15-T20
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 5 second cut files 200 mm

Beta N.	TR
42	T05
42	T06
31	T31
32	T31
55	T31
96N/SC9	T31
96T	T52
97TTX	T55
920ME	T80
920/21	T80
920/22	T80
920/25	T80
920/42	T80
920/55	T80
920A	T80
900	T91
900ME	T91
900/20	T91
900/21	T91
900/25	T91
900BG/30	T91
900/42	T91
900/55	T91
1032	T145
1034	T145
1036	T145
1038	T145
1150	T138
1166	T138
1084	T138
1048N	T153
1052	T153
1260	T198
1269PZ	T198
1267TX	T205
35	T234
1370	T234
1390	T234
1719BMA8/S5	T236



T05 T06 T31



T52 T55 T80



T91 T145 T138 T153



T198 T205 T234 T236

5904VU/4T

assortment of 197 tools in ABS thermoformed trays

► Universal use



T01

T83



T91

T156

T40

T211



T213

T216

T234

T259



Quantity/Description

- 1 drift punches Ø 4 mm
- 1 pin punches Ø 4 mm
- 1 centre punch Ø 4 mm
- 54 assortment of 52 hexagon bits, 10 mm, and 2 accessories
- 17 combination wrenches 6-7-8-10-11-12-13-14-16-17-18-19-21-22-24-27-30 mm
- 7 double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm
- 19 1/2" square drive hexagon sockets ○ 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 250 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle 305 mm
- 1 1/2" drive reversible ratchet Ⓢ
- 13 1/4" hexagon sockets ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 6 1/4" socket drivers for hexagon screws ○ 2,5-3-4-5-6-8 mm
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle 115 mm
- 1 1/4" reversible ratchet Ⓢ
- 1 Diagonal cutting nippers ⚗ 160 mm
- 1 combination pliers bright chrome-plated ⚗ 180 mm
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 7 screwdriver for slotted head screws ● 2,5x50 - 3x75 - 3,5x100 - 4x125-5,5x100 - 5,5x150 - 6,5x150 mm
- 6 screwdriver for cross head Phillips® screws ⚙ PH0x60 - PH1x80 - PH1x120- PH2x100 - PH2x150 - PH3x150 mm
- 7 screwdrivers for Torx® head screws, with handles ○ T6-T7-T8-T9-T10-T15-T20
- 2 flat chisels, ribbed type 100-200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 7 ball head offset hexagon key wrenches burnished ○ 2,5-3-4-5-6-8-10 mm
- 1 offset hexagon key wrenches ○ 12 mm
- 31 bits with magnetic quick release bit holder in plastic case ● ○ ⊕ ⊕ ⊕
- 1 socket holder

Beta N.	TR
	30
	31
	32
867/C52	
	42
	90
920A	T83
	920/21
920/22	T83
920/25	T83
920/42	T83
920/55	T83
900	T91
900ME	T91
900/20	T91
900/21	T91
900/25	T91
900BG/30	T91
900/42	T91
900/55	T91
1082	T156
1150	T156
1048N	T156
1201E	T211
	1202E
	T213
1207E/TX	T216
35	T234
1370	T234
1390	T234
96BP	T259
96N	T259
860MIX/A31	T259
895/1	T259

5904VU/4T

059241100

Assortment recommended in combination with items RSC23T - RSC24 - RSC24A - RSC24AXL - RSC24AXLP/7 - RSC24AXXL - RSC24L/7 - RSC24L-CAB - C37 - C39 - C39T - C39SM - C39MD - RSC55 - RSC50 2.0 - C59 - C58BC - C57

► **Universal use**



T05 T06 T31



T40 T52 T55 T91



T82 T138 T153



T145 T170 T171 T172



T173 T234 T236 VP4

Quantity/Description

- 16 combination wrenches 6+21 mm
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm
- 5 pin punches Ø 2 - 3 - 4 - 5 - 6 mm
- 1 centre punch Ø 4 mm
- 12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17
18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm
- 9 offset hexagon key wrenches 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 7 double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm
- 6 offset hexagon key wrenches 2-2,5-3-4-5-6 mm
- 6 drivers for Torx® head screws, with handles T10-T15-T20-T25-T27-T30
- 19 1/2" square drive hexagon sockets 10-11-12-13-14-15-16-17-18-19-20-21
22-23-24-26-27-30-32 mm
- 5 1/2" drive, socket drivers for hexagon screws 5-6-8-10-12 mm
- 1 1/2" wobble extension bar 125 mm
- 1 1/2" wobble extension bar 250 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle 305 mm
- 1 1/2" drive reversible ratchet
- 13 1/4" hexagon sockets 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 6 1/4" socket drivers for hexagon screws 2,5-3-4-5-6-8 mm
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle 115 mm
- 1 1/4" reversible ratchet
- 1 Heavy-duty diagonal cutting nippers 160 mm
- 1 combination pliers bright chrome-plated 180 mm
- 1 Extra-long needle nose pliers 160 mm
- 1 circlip pliers straight, internal 180 mm
- 1 circlip pliers bent, internal 170 mm
- 1 circlip pliers straight, external 175 mm
- 1 circlip pliers bent, external 175 mm
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 1 self - locking pliers 240 mm
- 7 screwdrivers for slotted head screws 2,5x50-3x75-3,5x100-4x125-5,5x100-5,5x150-6,5x150 mm
- 3 screwdrivers for slotted head screws 8x150-8x200-10x200 mm
- 2 screwdriver for slotted head screws, extra-short series 4x30-6,5x30 mm
- 6 screwdrivers for cross head Phillips® screws PH0x60-PH0x100-PH1x80-PH1x120-
PH2x100-PH2x150 mm
- 2 screwdrivers for cross head Phillips® screws PH3x150-PH4x200 mm
- 2 screwdriver for cross head Phillips® screws, extra-short series PH1x30-PH2x30 mm
- 1 flat chisels, ribbed type 100-200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 1 second-cut square files 200 mm
- 1 second-cut triangular files 200 mm
- 1 second-cut flat files 200 mm
- 1 second-cut half-round files 200 mm
- 1 second-cut round files 200 mm
- 1 empty thermoformed trays

Beta N.	TR
42	T05
42	T06
31	T31
32	T31
55	T31
96NSC9	T31
90	T40
96T	T52
97TTX	T55
920A	T82
920ME	T82
920AN/125	T82
920AN/250	T82
920/25	T82
920/42	T82
920/55	T82
900	T91
900ME	T91
900/20	T91
900/21	T91
900/25	T91
900BG/30	T91
900/42	T91
900/55	T91
1084	T138
1150	T138
1166	T138
1032	T145
1034	T145
1036	T145
1038	T145
1048N	T153
1052	T153
1290	T170
1290	T171
1290N	T171
1292	T172
1292	T173
1292N	T173
35	T234
1370	T234
1390	T234
1719BMA...Q	T236
1719BMA...T	T236
1719BMA...P	T236
1719BMA...M	T236
1719BMA...R	T236
VP4	

5914VU/M

assortment of 109 tools for tool trolley C14, in EVA foam trays

► universal use

Quantity/Description

- 31
- 1 socket holder
- 13 1/4" hexagon sockets 4-4,5-5,5-6-7-8-9-10-11-12-13-14 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet
- 16 1/2" square drive hexagon sockets 10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
- 1 1/2" drive universal joint
- 1 1/2" wobble extension bar
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet
- 16 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22 mm
- 9 offset hexagon key wrenches 1,5-2-2,5-3-4-5-6-8-10 mm
- 1 Adjustable wrench 250 mm
- 1 electrician's scissors, straight blades 147 mm
- 1 measuring tape 5 m
- 1 snap - off blade utility knife 170 mm
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 1 Diagonal cutting nippers 160 mm
- 1 combination pliers bright chrome-plated, bi-material handles 180 mm
- 1 Extra-long needle nose pliers 160 mm
- 3 screwdrivers for slotted head screws 3,5x100-5,5x125-6,5x150 mm
- 3 screwdrivers for cross head Phillips® screws PH0x60-PH1x80-PH2x100 mm

Beta N.	TR
861MIX/A31	MCT1
895/1	MCT1
900	MCT1
900/...	MCT1
900/25	MCT1
900BG/30C	MCT1
900/42	MCT1
900/55	MCT1
920A	MCT1
920/25	MCT1
920AN/125	MCT1
920/42	MCT1
920/55	MCT1
42	MCT2
96/SC9	MCT2
111E	MCT2
1128BMX	MCT2
1692/5	MCT2
1771	MCT2
1048N	MCT3
1082BM	MCT3
1150BM	MCT3
1166BM	MCT3
1260	MCT3
1262	MCT3



MC T1



MC T2



MC T3

5914VU/M

059140112

Assortment recommended in combination with tool trolley C14

NB: for correct closure of upper module of tool trolley, tool panel under cover should be removed.


5988U/7M

assortment of 215 tools in EVA foam trays


► Universal use



M01



M100



M213



M33 M86 M136 M234

Quantity/Description

- 22 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32-36 mm
- 8 double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm
- 9 offset hexagon key wrenches ⌀ 1,5+10 mm
- 7 hexagon bits ⌀ 4-5-6-7-8-10-12 mm
- 7 hexagon bits ⌀ 4-5-6-7-8-10-12 mm
- 5 bits with XZN® profile ⌀ 5-6-8-10-12 mm
- 5 bits with XZN® profile ⌀ 5-6-8-10-12 mm
- 7 bits for Torx® head screws ⚙ T20-T25-T30-T40-T45-T50-T55
- 6 bits for Torx® head screws ⚙ T25-T30-T40-T45-T50-T55
- 7 bits for Tamper Resistant Torx® head screws ⚙ T20-T25-T30-T40-T45-T50-T55
- 1 bit holder sockets for item 867
- 1 bit holder sockets for item 867
- 1 socket holder
- 1 socket holder
- 1 socket holder
- 13 1/4" hexagon sockets ⌀ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 9 hexagon hand sockets, long series ⌀ 5-6-7-8-9-10-11-12-13 mm
- 5 1/4" socket drivers for hexagon screws ⌀ 3-4-5-6-7 mm
- 4 1/4" socket drivers for slotted head screws ⚙ 0,8x4-1x5,5-1,2x6,5-1,2x8 mm
- 4 1/4" socket drivers for cross head Phillips® screws ⚙ PH1-PH2-PH3-PH4
- 7 socket drivers for Torx® head screws ⚙ T10-T15-T20-T25-T27-T30-T40
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 100 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet ⚙
- 21 1/2" square drive hexagon sockets ⌀ 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
- 1 adaptor, 1/2" female and 3/8" male drives
- 1 1/2" drive universal joint
- 1 1/2" wobble extension bar 125 mm
- 1 1/2" wobble extension bar 250 mm
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet ⚙
- 8 1/2" sockets for Torx® head screws ⚙ 10-12-14-16-18-20-22-24 mm
- 11 hexagon hand sockets ⌀ 10-12-13-14-15-16-17-18-19-21-22 mm
- 1 Heavy-duty diagonal cutting nippers ⚗ 160 mm
- 1 combination pliers bright chrome-plated, bi-material handles = 180 mm
- 1 Extra-long needle nose pliers ⚗ 160 mm
- 6 screwdriver for slotted head screws ⚙ 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
- 1 screwdriver for slotted head screws, extra-short series ⚙ 4x30 mm
- 4 screwdriver for cross head Phillips® screws ⚙ PH0x60-PH1x80-PH2x100-PH3x150 mm
- 1 screwdriver for cross head Phillips® screws, extra-short series ⚙ PH1X30 mm
- 12 screwdrivers for Torx® head screws, with handles ⚙ T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45
- 1 mains testing screwdriver ⚙
- 2 flat chisels, ribbed type 100-200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm

Beta N.	TR
42	M01
55	M33
96/SC9	M33
867PE	M86
867PE/L	M86
867XZN	M86
867XZNL	M86
867TX	M86
867TXL	M86
867RTX	M86
867/1	M86
867/2	M86
895/1	M100
895/3	M100
895/6	M100
900	M100
900L	M100
900ME	M100
900LP	M100
900PH	M100
900TX	M100
900/20	M100
900/20L	M100
900/21	M100
900/25	M100
900B/30	M100
900/42	M100
900/55	M100
920A	M100
920/15	M100
920/25	M100
920AN/125	M100
920AN/250	M100
920/42	M100
920/55	M100
920FTX	M100
920AL	M100
1084BM	M136
1150BM	M136
1166BM	M136
1201E	M213
1201EN	M213
1202E	M213
1202EN	M213
1207E/TX	M213
1253	M213
35	M234
1370	M234
1390	M234

5915VU/0

Assortment of 35 tools

► Universal use

Quantity/Description

- 1 centre punch 4 mm
- 1 flat chisels, ribbed type 125 mm
- 8 double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm
- 7 Offset hexagon key wrenches \varnothing 1,5-2-2,5-3-4-5-6 mm
- 1 Adjustable wrench 150 mm
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 1 diagonal cutting nippers, slip-proof double layer PVC coated handles, industrial finish \pm 160 mm
- 1 electrician's scissors, straight blades 147 mm
- 1 heavy duty combination pliers, slip-proof double layer PVC coated handles, industrial finish \equiv 180 mm
- 1 extra-long needle knurled nose pliers, slip-proof double layer PVC coated handles, industrial finish \bullet 160 mm
- 4 screwdriver for slotted head screws \bullet 3x75-4x100-5,5x100-6,5x150 mm
- 3 screwdriver for cross head Phillips® screws \oplus PH0x60-PH1x80-PH2x100 mm
- 1 engineer's hammer 300 g
- 1 measuring tape 3 m
- 1 snap - off blade utility knife 170 mm
- 1 car service knife
- 1 high-brightness LED torch, made of sturdy anodized aluminium, up to 500 lumens

Beta N.
32
35
55
96/BGS7
111E
1048N
1082G
1128BMX
1150G
1166G
1201E
1202E
1370
1692/3
1771
1778SOS
1833S



5915VU/0

059151021

Assortment recommended in combination with C5 - C5S - C6T - C9MT

5915VU/1

Assortment of 45 tools

► Universal use

Quantity/Description

- 2 drift punches \varnothing 2-3 mm
- 1 centre punch \varnothing 4 mm
- 2 flat chisels 125-150 mm
- 1 cape chisels, standard type 150 mm
- 14 combination wrenches 6+14 - 17 - 19 - 21 - 22 - 24 mm
- 9 offset hexagon key wrenches \varnothing 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 1 Adjustable wrench 250 mm
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 1 diagonal cutting nippers, slip-proof double layer PVC coated handles, industrial finish \pm 160 mm
- 1 electrician's scissors, straight blades 147 mm
- 1 heavy duty combination pliers, slip-proof double layer PVC coated handles, industrial finish \equiv 180 mm
- 1 extra-long needle knurled nose pliers, slip-proof double layer PVC coated handles, industrial finish \bullet 160 mm
- 4 screwdriver for slotted head screws \bullet 3x75 - 4x100 - 5,5x100 - 6,5x150 mm
- 3 screwdriver for cross head Phillips® screws \oplus PH0x60 - PH1x80 - PH2x100 mm
- 1 engineer's hammer 300 g
- 1 measuring tape 5 m
- 1 snap - off blade utility knife 170 mm

Beta N.
30
32
34
36
42
96/SC9
111E
1048N
1082G
1128BMX
1150G
1166G
1201E
1202E
1370
1692
1771



5915VU/1

059151024

Assortment recommended in combination with C8 - C9 - C10 - C10S - C11 - CP15 - CP15L - C16 - CP17 - CP17L - C18

5915VU/2

Assortment of 49 tools

► Universal use

Quantity/Description

- 8 6x7 - 8x9 - 10x11 - 12x13 - 14x15
16x17 - 18x19 - 20x22 mm
- 9 offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 13 1/4" hexagon sockets \odot 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet $\text{\textcircled{R}}$
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 1 electrician's scissors, straight blades 147 mm
- 1 heavy duty combination pliers,
slip-proof double layer PVC coated handles,
industrial finish $\text{\textcircled{I}}$ 180 mm
- 4 screwdriver for slotted head screws \bullet 3x75 - 4x100 - 5,5x150 - 6,5x150 mm
- 3 screwdriver for cross head Phillips® screws \bullet PH0x60 - PH1x80 - PH2x100 mm
- 1 engineer's hammer 300 g
- 1 measuring tape 3 m
- 1 18 mm snap-off spare blades (10 pieces) for utility knives 1771, 1771BM, 1771HD
- 1 snap - off blade utility knife 170 mm

- | Beta N. |
|----------|
| 55/B8N |
| 96/SC9 |
| 900 |
| 900/21 |
| 900/25 |
| 900BG/30 |
| 900/42 |
| 900/55 |
| 1048N |
| 1128BMX |
| 1150G |
| 1201E |
| 1202E |
| 1370 |
| 1692 |
| 1771RL |
| 1771 |

5915VU/2

059151027

Assortment recommended in combination with C7 - CP15 - C20 - C20L

5915VU/3

assortment of 74 tools

► Universal use

Quantity/Description

- 1 pin punches \varnothing 4 mm
- 1 centre punch \varnothing 4 mm
- 1 flat chisels 150 mm
- 14 combination wrenches 6-7-8-10-11-12-13-14-15-16-17-19-22-24 mm
- 9 offset hexagon key wrenches \odot 1,5+10 mm
- 3 offset hexagon key wrenches \odot 4 - 5 - 6 mm
- 1 Adjustable wrench 250 mm
- 13 1/2" square drive hexagon sockets \odot 8+17 - 19 - 22 - 24 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet $\text{\textcircled{R}}$
- 8 double ended hexagon tubular socket wrenches,
light series 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
- 2 tommy bars for tubular wrenches
- 1 Slip joint pliers, boxed joints 250 mm
- 1 self - locking pliers 240 mm
- 1 heavy duty diagonal cutting nippers,
slip-proof double layer PVC coated handles,
industrial finish $\text{\textcircled{I}}$ 160 mm
- 1 electrician's scissors, straight blades 147 mm
- 1 heavy duty combination pliers,
slip-proof double layer PVC coated handles,
industrial finish $\text{\textcircled{I}}$ 180 mm
- 1 extra-long needle knurled nose pliers,
slip-proof double layer PVC coated handles,
industrial finish \bullet 160 mm
- 4 screwdriver for slotted head screws \bullet 3x75 - 4x100 - 5,5x150 - 6,5x150 mm
- 3 screwdriver for cross head Phillips® screws \bullet PH0x60 - PH1x80 - PH2x100 mm
- 1 engineer's hammer 400 g
- 1 measuring tape 5 m
- 1 hacksaw frame, aluminium handle
- 1 plastic oil can 150 cc
- 1 snap - off blade utility knife 170 mm

- | Beta N. |
|---------|
| 31 |
| 32 |
| 34 |
| 42 |
| 96/SC9 |
| 96T |
| 111E |
| 920A |
| 920/21 |
| 920/22 |
| 920/25 |
| 920/42 |
| 920/55 |
| 935 |
| 940 |
| 1048VN |
| 1052 |
| 1084G |
| 1128BMX |
| 1150G |
| 1166G |
| 1201E |
| 1202E |
| 1370 |
| 1692 |
| 1726 |
| 1754 |
| 1771 |

5915VU/3

059151028

Assortment recommended in combination with C7 - C9 - C10 - C10S - C11 - CP15L - C16 - CP17 - CP17L - C19 - C19L - C20 - C20L

5915VU/4

Assortment of 80 tools

► Universal use

Quantity/Description

- 1 pin punches Ø 4 mm
- 1 centre punch Ø 4 mm
- 1 flat chisels 150 mm
- 15 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-19-22-24 mm
- 9 offset hexagon key wrenches \odot 1,5+10 mm
- 1 Adjustable wrench 250 mm
- 13 1/2" square drive hexagon sockets \odot 8+17 - 19 - 22 - 24 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \oplus
- 17 double ended hexagon/bi - hex offset socket wrenches 6+22 mm
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 1 self - locking pliers 240 mm
- 1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish ∇ 160 mm
- 1 electrician's scissors, straight blades 147 mm
- 1 heavy duty combination pliers, bi-material handles, industrial finish \equiv 180 mm
- 1 extra-long needle knurled nose pliers, bi-material handles, industrial finish \bullet 160 mm
- 4 screwdriver for slotted head screws \bullet 3x75 - 4x100 - 5,5x150 - 6,5x150 mm
- 3 screwdriver for cross head Phillips® screws \oplus PH0x60 - PH1x80 - PH2x100 mm
- 1 riveting hammer 32 mm
- 1 measuring tape 5 m
- 1 hacksaw frame, aluminium handle
- 1 plastic oil can 150 cc
- 1 snap - off blade utility knife 170 mm

- | Beta N. |
|---------|
| 31 |
| 32 |
| 34 |
| 42 |
| 96/SC9 |
| 111E |
| 920A |
| 920/22 |
| 920/25 |
| 920/42 |
| 920/55 |
| 932/S17 |
| 1048N |
| 1052 |
| 1084GBM |
| 1128BMX |
| 1150GBM |
| 1166GBM |
| 1201E |
| 1202E |
| 1370F |
| 1692 |
| 1726 |
| 1754 |
| 1771 |

5915VU/4

059151045

Assortment recommended in combination with C20 - C20L

5915VU/5

assortment of 111 tools

► Universal use

Quantity/Description

- 1 pin punches Ø 4 mm
- 1 centre punch Ø 4 mm
- 1 flat chisels 150 mm
- 17 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
- 8 double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm
- 9 ball head offset hexagon key wrenches \odot 1,5-2-2,5-3-4-5-6-8-10 mm
- 1 Adjustable wrench 250 mm
- 39 11 hexagon sockets, 20 bits and 8 accessories
- 13 11 sockets and 2 accessories
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 1 self - locking pliers 240 mm
- 1 diagonal cutting nippers, slip-proof double layer PVC coated handles, industrial finish ∇ 160 mm
- 1 construction worker's pincers 220 mm
- 1 electrician's scissors, straight blades 147 mm
- 1 heavy duty combination pliers, slip-proof double layer PVC coated handles, industrial finish \equiv 180 mm
- 1 extra-long needle knurled nose pliers, slip-proof double layer PVC coated handles, industrial finish \bullet 160 mm
- 4 screwdriver for slotted head screws \bullet 3x75 - 4x100 - 5,5x100 - 6,5x150 mm
- 3 screwdriver for cross head Phillips® screws \oplus PH0x60 - PH1x80 - PH2x100 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 1 measuring tape 3 m
- 1 second cut files
- 1 hacksaw frame, aluminium handle 440 mm
- 1 snap - off blade utility knife 170 mm
- 1 LED inspection torch, made of sturdy anodized aluminium

- | Beta N. |
|------------|
| 31 |
| 32 |
| 34 |
| 42 |
| 55/S8 |
| 96BPC/SC9 |
| 111E |
| 900/C11 |
| 920A/C11 |
| 1048N |
| 1052 |
| 1082G |
| 1098 |
| 1128BMX |
| 1150G |
| 1166G |
| 1201E |
| 1202E |
| 1370 |
| 1390 |
| 1692/3 |
| 1719BMA8/M |
| 1726 |
| 1771BM |
| 1833XS/2 |

5915VU/5

059151046

Assortment recommended in combination with C12 - C41S - C41H - C42S - C42H



5915VU/AS

assortment of 68 tools

► Universal use

Quantity/Description

- 1 pin punches Ø 4 mm
- 1 centre punch Ø 4 mm
- 1 flat chisels 150 mm
- 13 combination wrenches 1/4 - 5/16 - 3/8 - 7/16 - 1/2 - 9/16 - 5/8 - 11/16 - 3/4 - 13/16 - 7/8 - 15/16 - 1"
- 8 double ended offset ring wrenches 1/4"±1"
- 9 offset hexagon key wrenches, burnished ○ 3/64"±3/8"
- 1 Adjustable wrench 250 mm
- 11 1/2" square drive bi - hex sockets ○ 3/8 - 7/16 - 1/2 - 9/16 - 5/8 - 11/16 - 3/4 - 13/16 - 7/8 - 15/16 - 1"
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet ⊕
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 1 self - locking pliers 240 mm
- 1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish ¶ 160 mm
- 1 electrician's scissors, straight blades 147 mm
- 1 heavy duty combination pliers, bi-material handles, industrial finish ≡ 180 mm
- 1 extra-long needle knurled nose pliers, bi-material handles, industrial finish ● 160 mm
- 4 screwdriver for slotted head screws ● 3x75 - 4x100 - 5,5x150 - 6,5x150 mm
- 3 screwdriver for cross head Phillips® screws ⊕ PH0x60 - PH1x80 - PH2x100 mm
- 1 engineer's hammer 300 g
- 1 measuring tape 5 m
- 1 hacksaw frame, aluminium handle
- 1 plastic oil can 150 cc
- 1 snap - off blade utility knife 170 mm

Beta N.

- 31
- 32
- 34
- 42AS
- 90AS/8
- 96AS/SC9
- 111E
- 920AS
- 920/21
- 920/22
- 920/25
- 920/42
- 920/55
- 1048N
- 1052
- 1084GBM
- 1128BMX
- 1150GBM
- 1166GBM
- 1201E
- 1202E
- 1370
- 1692
- 1726
- 1754
- 1771

5915VU/AS

059151032

Assortment recommended in combination with C10 - C20 - C20L



MC10



MC20

5927VU/M

assortment of 108 tools in EVA foam trays

► Universal use

Quantity/Description

- 16 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22 mm
- 1 Heavy-duty diagonal cutting nippers ¶ 160 mm
- 9 offset hexagon key wrenches ○ 1,5-2-2,5-3-4-5-6-8-10 mm
- 1 combination pliers bright chrome-plated, bi-material handles ≡ 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 3 screwdriver for slotted head screws ● 3,5x100-5,5x150-6,5x150 mm
- 3 screwdriver for cross head Phillips® screws ⊕ PH0x3x60-PH1x4,5x80-PH2x6x100 mm
- 31 ● ○ ⊕ ⊕ ⊕ ⊕
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 1 engineer's hammer 300 mm
- 1 centre punch 4 mm
- 1 cape chisels, standard type 4 mm
- 13 1/4" hexagon sockets ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet ⊕
- 16 1/2" square drive hexagon sockets ○ 10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
- 1 1/2" drive universal joint
- 1 1/2" wobble extension bar 125 mm
- 1 1/4" drive swivel T-handle
- 1 1/2" drive reversible ratchet ⊕
- 1 socket holder

Beta N. TR

- 42 MC10
- 1084BM MC10
- 96/SC9 MC10
- 1150BM MC10
- 1166BM MC10
- 1201E MC10
- 1202E MC10
- 861MX/A31 MC20
- 1048N MC20
- 1370 MC20
- 32 MC20
- 36 MC20
- 900 MC20
- 900/21 MC20
- 900/25 MC20
- 900BG/30C MC20
- 900/42 MC20
- 900/55 MC20
- 920A MC20
- 920/25 MC20
- 920AN/125 MC20
- 900/42 MC20
- 920/55 MC20
- 895/1 MC20

5927VU/M

059271021

Assortment recommended in combination with RSC22 - C27S - RSC23 - RSC23C

5957U-P

assortment of 133 tools



► Universal use

Quantity/Description	Beta N.
6 pin punches 2 ÷ 8 mm	31/SP6
6 2 drift punches, 1 centre punch, 3 flat chisels with metal holder	38/SP6
17 combination wrenches 6÷22 - 24 - 27 - 30 mm	42/S17X
12 double open end wrenches 6x7 ÷ 30x32 mm	55/S12X
8 offset hexagon key wrenches 2 ÷ 10 mm	96T/S8
8 offset key wrenches, for Torx® head screws ⚙ T9 ÷ T40	97TX/SC8
1 Adjustable wrench 250 mm	111E
13 1/2" square drive hexagon sockets with rail ⌀ 10 ÷ 22 mm	920A/SB13
8 1/2" square drive hexagon sockets with rail ⌀ 23 ÷ 32 mm	920A/SB8
7 socket drivers for cross head Phillips® screws ⚙	920LH/SB7
⊕ 1,2x65 - 1,2x8 - 1,6x9 - 2x12mm - PH1-PH2-PH3	
1 circlip pliers straight, internal ⌀ 180 mm	1032
1 circlip pliers bent, internal ⌀ 170 mm	1034
1 circlip pliers straight, external ● 175 mm	1036
1 circlip pliers bent, external ● 175 mm	1038
1 slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1 self - locking pliers 240 mm	1052
1 tin snips 250 mm	1112
1 electrician's scissors, straight blades 147 mm	1128BMX
8 set of screwdrivers 2,5x50 - 3x75 - 4x100 - 5,5x125	1263/D8
6,5x150 - PH0 - PH1 - PH2	
2 engineer's hammer 300 - 600 g	1370
1 soft face hammer Ø 35 mm	1390
1 measuring tape 5 m	1692/5
1 flexible magnetic pick-up tool	1712E/2
1 two cutting edges scraper 150 mm	1717A
1 three - cutting edges scraper 200 mm	1717B
5 second cut files 200 mm	1719BMA8/S5
1 Metal pressure oil can 200 cc	1751N
1 snap - off blade utility knife 170 mm	1771BM
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 250 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive reversible ratchet ⚙	920/55
1 pry bar	963
1 Diagonal cutting nippers ⚡ 160 mm	1082BM
1 Heavy-duty diagonal cutting nippers ⚡ 160 mm	1084BM
1 toggle lever assisted end cutting nippers ⚡ 180 mm	1092V
1 combination pliers bright chrome-plated, bi-material handles ≡ 180 mm	1150BM
1 Extra-long needle nose pliers ● 160 mm	1166BM
1 Extra-long bent needle nose pliers ● 160 mm	1168BM
2 screwdrivers for slotted head screws ● 8x200 - 10x200 mm	1260
2 screwdrivers for cross head Phillips® screws ⚙ PH3 8x150mm	1262
1 sliding gauge	1650
1 hacksaw frame, aluminium handle 420 mm	1725

5957U-P

059571004

Assortment recommended in combination with C57SA - C57SB - C57SP - C55PS - C55PSE - RSC55 - RSC50 2.0 I - RSC50 2.0 L

5958U

Assortment of 85 tools



► Universal use

Quantity/Description	Beta N.
17 combination wrenches 6÷22 mm	42
12 offset hexagon key wrenches \varnothing 2÷10 mm	96N/SC12
13 1/2" square drive hexagon sockets with rail \varnothing 10÷22 mm	920A/SB13
8 1/2" square drive hexagon sockets with rail \varnothing 23÷32 mm	920A/SB8
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 255 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive reversible ratchet \odot	920/55
1 circlip pliers straight, internal \varnothing 180 mm	1032
1 circlip pliers straight, external \bullet 175 mm	1036
1 slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1 self - locking pliers 240 mm	1052
1 Heavy-duty diagonal cutting nippers ∇ 160 mm	1084BM
1 electrician's scissors, straight blades 147 mm	1128BMX
1 combination pliers bright chrome-plated, bi-material handles \equiv 180 mm	1150BM
1 Extra-long needle nose pliers \bullet 160 mm	1166BM
7 screwdrivers for slotted head screws \bullet 3x75 - 3,5x100 - 4x125 5,5x150 - 6,5x150 - 8x200 - 10x200 mm	1260
4 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH1x80 PH2x100 - PH3x150 mm	1262/S4
1 engineer's hammer 300 g	1370
1 soft face hammer \varnothing 35 mm	1390
1 measuring tape 5 m	1692
5 Set of 5 second-cut files, with handles 200 mm	1719BMA...S5
1 hacksaw frame, aluminium handle	1725
1 plastic oil can 150 cc	1754
1 snap - off blade utility knife 170 mm	1771

5958U

059581008

Assortment recommended in combination with C58P - C45PRO 2.0 - RSC55 - RSC50 2.0 E - RSC50 2.0 F - RSC50 2.0 G - RSC50 2.0 H
- RSC50 2.0 I - RSC50 2.0 L

5980U/BIKE

assortment of 90 tools

► Bicycle repairs

Quantity/Description	Beta N.
5 combination wrenches 8-9-10-13-14 mm	42
9 ball head offset hexagon key wrenches burnished \odot 1,5-2-2,5-3-4-5-6-8-10 mm	96BP/SC9
8 offset hexagon key wrenches 2-2,5-3-4-5-6-8-10 mm	96T/S8
8 drivers for Torx® head screws, with handles \odot T8-T10-T15-T20-T25-T27-T30-T40	97TTX/S8
1 Wide opening adjustable wrenches, chrome-plated, short series 170 mm	111CM
1 pipe cutter for copper and light alloy pipes	334
1 click-type torque wrenches with reversible ratchets 2±10 Nm	605E
13 \odot 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	900/SB13
1 1/4" drive extension bar	900/21
1 1/4" drive universal joint	900/25
1 1/4" reversible ratchet \oplus	900/55
1 diagonal cutting nippers, slip-proof double layer PVC coated handles, industrial finish ∇ 160 mm	1082G
1 electrician's scissors, straight blades 145 mm	1128BM
1 heavy duty combination pliers, slip-proof double layer PVC coated handles, industrial finish \equiv 180 mm	1150G
1 extra-long needle knurled nose pliers, slip-proof double layer PVC coated handles, industrial finish \bullet 180 mm	1166G
7 3x75-4x125-5,5x150-6,5x150-PH0x60-PH1x80-PH2x100 mm	1203E/D
1 engineer's hammer 300 g	1370
1 soft face hammer \varnothing 35 mm	1390
1 sliding gauge 150 mm	1650
1 measuring tape 3 m	1692/3
1 second-cut flat files 200 mm	1719BMA...P
1 second-cut half-round files 200 mm	1719BMA...M
1 second-cut round files 200 mm	1719BMA...R
1 hacksaw frame, aluminium handle 300 mm	1725
1 snap - off blade utility knife 170 mm	1771
1 chain wear indicator 120 mm	3935
1 missing link pliers 170 mm	3937
7 set of 7 simple cone wrenches 13-14-15-16-17-18-19 mm	3952/S7
1 pedal wrench 15 mm	3953
1 spoke wrench, black, 3,2 mm \square	3961 3,2
1 spoke wrench, green, 3,3 mm \square	3961 3,3
1 spoke wrench, red, 3,5 mm \square 3	3961 3,5
1 professional spoke wrench, 3,2 - 4,0 mm \square 3,2 - 4,0 mm	3961U
1 sprocket removal wrench with chain whip 289 mm	3967
1 tyre lever 200 mm	3969
3 kit with 3 tyre levers, made of plastic 113 mm	3969K3
1 lever for pushing back disc brake pads 222 mm	3991
1 disc brake straightener 234 mm	3992



5980U/BIKE-M

assortment of 106 bicycle repair and maintenance tools




Quantity/Description



M05 M50 M55



M137 M234 M236 M294



M213



M400



M401

- | Quantity/Description | Beta N. | TR |
|--|--------------|------|
| 16 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21 mm | 42 | M05 |
| 8 offset hexagon key wrenches 2-2,5-3-4-5-6-7-8 mm | 96T | M50 |
| 5 drivers for Torx® head screws, with handles TX10-TX15-TX20-TX25-TX30 | 97TTX | M55 |
| 1 Heavy-duty diagonal cutting nippers 160 mm | 1084 | M137 |
| 1 combination pliers bright chrome-plated 160 mm | 1150 | M137 |
| 1 Extra-long needle nose pliers 160 mm | 1166 | M137 |
| 6 screwdriver for slotted head screws 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm | 1201E | M213 |
| 1 screwdriver for slotted head screws, extra-short series 4x30 mm | 1201EN | M213 |
| 4 screwdriver for cross head Phillips® screws PH0x60-PH1x80-PH2x100-PH3x150 mm | 1202E | M213 |
| 1 screwdriver for cross head Phillips® screws, extra-short series 4,5x30 mm | 1202EN | M213 |
| 12 screwdrivers for Torx® head screws, with handles TX6-TX7-TX8-TX9-TX10-TX15-TX20-T25-TX27-TX30-TX40-TX45 | 1207E/TX | M213 |
| 1 mains testing screwdriver | 1253 | M213 |
| 1 engineer's hammer 300 g | 1370 | M234 |
| 1 soft face hammer Ø 35 mm | 1390 | M234 |
| 2 flat chisels, ribbed type 100-200 mm | 35 | M234 |
| 1 Set of 5 second-cut files, with handles 200 mm | 1719BMA...S5 | M236 |
| 1 measuring tape 5 m | 1692 | M294 |
| 1 mini hacksaw frame 250 mm | 1725CR | M294 |
| 1 snap - off blade utility knife 170 mm | 1771 | M294 |
| 1 18 mm snap-off spare blades (10 pieces) for utility knives 1771, 1771BM, 1771HD | 1771RL | M294 |
| 1 professional chain tool compatible with chains from 5 to 11 speeds | 3932U | M400 |
| 1 chain wear indicator | 3935 | M400 |
| 1 missing link pliers | 3937 | M400 |
| 7 simple cone wrench 13-14-15-16-17-18-19 mm | 3952 | M400 |
| 1 spoke wrench, black, 3,2 mm □ 3,2 mm | 3961 3.2 | M400 |
| 1 spoke wrench, green, 3,3 mm □ 3,3 mm | 3961 3.3 | M400 |
| 1 spoke wrench, red, 3,5 mm □ 3,5 mm | 3961 3.5 | M400 |
| 1 professional spoke wrench, 3,2 - 4,0 mm □ 3,2-4,0 mm | 3961U | M400 |
| 1 tyre lever | 3969 | M400 |
| 1 kit with 3 tyre levers, made of plastic | 3969K3 | M400 |
| 1 16-notch bottom bracket removal socket 39 mm | 3973/1 | M400 |
| 1 16-notch bottom bracket removal socket 41 mm | 3973/2 | M400 |
| 1 16-notch bottom bracket removal socket 46 mm | 3973/3 | M400 |
| 1 20-notch bottom bracket removal socket with central pin, nickel-plated 31,5 mm | 3973/4 | M400 |
| 1 BMX freewheel removal wrench, 2 grafts 35 mm | 3984/1 | M400 |
| 1 Shimano freewheel removal wrench 22,8 mm | 3984/2 | M400 |
| 1 Shimano freewheel removal wrench, cassette with guide pin 23,5 mm | 3984/3 | M400 |
| 1 Campagnolo freewheel removal wrench, with guide pin 23 mm | 3984/4 | M400 |
| 1 lever for pushing back disc brake pads | 3991 | M400 |
| 1 disc brake straightener | 3992 | M400 |
| 1 derailleur hanger alignment gauge | 3921 | M401 |
| 1 crank extractor | 3948 | M401 |
| 1 pedal wrench | 3953 | M401 |
| 2 open end wrenches for universal headsets 30x32-32x36 mm | 3955 | M401 |
| 1 sprocket removal wrench with chain whip | 3967 | M401 |
| 1 wrench for Shimano plastic bolts | 3971 | M401 |

5988H/7M

assortment of 333 tools in EVA foam trays

► Car repairs

Quantity/Description



M125



M25



M105



M166



M231



M62



M78

- 13 hexagon hand sockets ○ 8-9-10-11-12-13-14-15-16-17-19-21-22 mm
- 16 hexagon hand sockets ○ 10-12-13-14-15-16-17-18-19-21-22-23-24-27-30-32 mm
- 7 1/2" sockets for Torx® head screws ○ E12-E14-E16-E18-E20-E22-E24
- 10 1/2" socket drivers for hexagon screws ○ 5-6-6L-7-8-8L-10-10L-12-12L mm
- 13 1/2" drive, socket drivers for Torx® head screws ○ T20-T25-T27-T30-T30L-T40-T40L-T45-T50-T50L-T55-T60-T60L
- 8 1/2" socket drivers with XZN® profile ○ 5-6-6L-8-8L-10-10L-12L mm
- 17 double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm
- 1 quick release adaptor, 1/4", for 10 mm ratcheting wrenches
- 1 quick release adaptor, 3/8", for 13 mm ratcheting wrenches
- 1 quick release adaptor, 1/2", for 19 mm ratcheting wrenches
- 12 reversible ratcheting combination wrenches 8-9-10-11-12-13-14-15-16-17-18-19 mm
- 9 ball head offset hexagon key wrenches ○ 1,5-2-2,5-3-4-5-6-8-10 mm
- 1 socket holder ○ 1/4-□1/4
- 1 socket holder ○ 1/4-□3/8
- 1 socket holder ○ 5/16-□1/2
- 13 1/4" hexagon sockets ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 9 hexagon hand sockets, long series ○ 5-6-7-8-9-10-11-12-13 mm
- 4 1/4" socket drivers for slotted head screws ● 0,8x4-1x5,5-1,2x6,51,2x8 mm
- 5 1/4" socket drivers for hexagon screws ○ 3-4-5-6-7 mm
- 4 1/4" socket drivers for cross head Phillips® screws ● PH1-PH2-PH3-PH4
- 7 socket drivers for Torx® head screws ○ T10-T15-T20-T25-T27-T30-T40
- 1 adaptor, 1/4" female and 3/8" male drives □1/4-■3/8
- 3 1/4" drive extension bar 50-100-150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet ⊕
- 1 1/4" drive spinner handle
- 17 3/8" hexagon hand sockets ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
- 1 adaptor, 3/8" female and 1/4" male drivers □3/8-■1/4
- 1 adaptor, 1/2" female and 3/8" male drives □3/8-■1/2
- 1 3/8" extension bar 125 mm
- 1 3/8" extension bar 250 mm
- 1 3/8" drive universal joint
- 1 3/8" drive sliding T - handle
- 1 3/8" drive reversible ratchet ⊕
- 21 1/2" square drive hexagon sockets ○ 8-10-11-12-13-4-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
- 2 1/2" wobble extension bar 125-250 mm
- 1 adaptor, 1/2" female and 3/8" male drives □1/2-■3/8
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet ⊕
- 3 3/8" square drive spark plug sockets ○ 16-17,8-20,8 mm
- 31 ● ○ ⊕ ⊕ ⊕ ⊕
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 1 Diagonal cutting nippers ✂ 160 mm
- 1 combination pliers bright chrome-plated, bi-material handles ■ 180 mm
- 1 Extra-long flat knurled nose pliers ■ 160 mm
- 5 screwdrivers for slotted head screws ● 3x75-4x100-5,5x100-6,5x150-8x150 mm
- 1 screwdriver for slotted head screws, extra-short series ● 6,5x30 mm
- 3 screwdrivers for cross head Phillips® screws ● PH1-PH2-PH3
- 1 screwdriver for cross head Phillips® screws, extra-short series ● PH2
- 4 drivers for Torx® head screws, with handles ○ T20-T25-T27-T30
- 6 pin punches 2-3-4-5-6-8 mm
- 1 centre punch 4 mm
- 3 flat chisels 125-150-75 mm
- 1 cape chisels, standard type 125 mm
- 2 engineer's hammer 500-1000 g
- 1 telescopic magnet with flexible head
- 1 soft face hammer Ø 35 mm
- 1 measuring tape 5 m
- 1 circlip pliers straight, internal ○ 180 mm
- 1 circlip pliers bent, internal ○ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 1 smooth half - round long needle nose pliers ● 140 mm
- 1 diagonal cutting nippers ✂ 125 mm
- 4 micro-screwdrivers for slotted head screws ● 2,0-2,5-3,0-3,5 mm
- 2 micro-screwdrivers for cross-head Phillips® screws ● 0-00
- 9 drivers for Torx® head screws, with handles ○ T10-T15-T20-T25-T27-T30-T40-T45-T50
- 1 self - locking pliers 240 mm
- 1 adjustable self locking pliers, long jaws 175 mm
- 1 plastic hose pliers
- 1 plastic hose pliers
- 1 plastic hose pliers
- 1 sliding gauge
- 1 metric feeler gauge
- 1 packing scraper
- 7 double swivel end socket wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm
- 1 1/2" drive swivel handle
- 1 pry bar with handle 450 mm
- 1 telescopic joint inspection mirror 670 mm
- 1 second cut files 200 mm
- 1 second cut files 200 mm
- 1 second cut files 200 mm
- 1 second cut files 200 mm
- 1 second cut files 200 mm
- 1 Steel wire brush

Beta N.	TR
910AL	M125
920AL	M125
920FTX	M125
920PE	M125
920TX	M125
920XZN	M125
42	M25
90	M25
123Q1/4	M25
123Q3/8	M25
123Q1/2	M25
142	M25
96BPC/SC9	M105
895/1	M105
895/3	M105
895/6	M105
900	M105
900L	M105
900LP	M105
900ME	M105
900PH	M105
900TX	M105
900T	M105
900/16	M105
900/...	M105
900/25	M105
900/42	M105
900/55	M105
900/55	M105
900BG/30	M105
910A	M105
910/15	M105
910/16	M105
910/21	M105
910/22	M105
910/25	M105
910/42	M105
910/55	M105
920A	M105
920AN	M105
920/15	M105
920/25	M105
920/42	M105
920/55	M105
956E	M105
861MIX/A31	M166
1048N	M166
1082BM	M166
1150BM	M166
1162BM	M166
1290	M166
1290N	M166
1292	M166
1292N	M166
1297TX	M166
31	M231
32	M231
34	M231
36	M231
1370	M231
1712TX	M231
1390	M231
1692	M125
1032	M62
1034	M62
1036	M62
1038	M62
1177BM	M62
1188BM	M62
1257LP	M62
1257PH	M62
97TTX	M62
1052	M78
1058	M78
1481PL/A	M78
1481PL/B	M78
1481PL/C	M78
1650	M78
1708/20	M78
1716P	M78
80	M78
920/36A	M78
965	M78
1715	M231
1719BMA8/M	M231
1719BMA8/P	M231
1719BMA8/Q	M231
1719BMA8/R	M231
1719BMA8/T	M231
1737NX	M231

5988H/7M

059881087

Assortment recommended in combination with RSC24/8 - RSC24A/8 - RSC24XL with 8-9 drawers - RSC24AXL - RSC28 C37/8 - C39/8 - C59B - C55C8 - C55M8 - RSC55 - RSC50 2.0 - C58BC

5988L/4M

assortment of 273 tools in EVA foam trays

► Car repairs

Quantity/Description

- 13 1/4" hexagon sockets ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 9 hexagon hand sockets, long series ○ 5-6-7-8-9-10-11-12-13 mm
- 9 ball head offset hexagon key wrenches ○ 1,5-2-2,5-3-4-5-6-8-10 mm
- 1 socket holder
- 1 socket holder
- 1 socket holder
- 5 1/4" socket drivers for hexagon screws ○ 3-4-5-6-7 mm
- 4 1/4" socket drivers for slotted head screws ● 0,8x4-1x5,5-1,2x6,5-2x8 mm
- 4 1/4" socket drivers for cross head Phillips® screws ⊕ PH1-PH2-PH3-PH4
- 7 socket drivers for Torx® head screws ⊕ T10-T15-T20-T25-T27-T30-T40
- 1 adaptor, 1/4" female and 3/8" male drives □ 1/4 - ■ 3/8
- 3 1/4" drive extension bar 50-100-150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet ⊕
- 17 3/8" hexagon hand sockets ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
- 1 adaptor, 3/8" female and 1/4" male drivers □ 3/8 - ■ 1/4
- 1 adaptor, 1/2" female and 3/8" male drives □ 3/8 - ■ 1/2
- 1 3/8" extension bar 125 mm
- 1 3/8" extension bar 250 mm
- 1 3/8" drive universal joint
- 1 3/8" drive sliding T - handle
- 1 3/8" drive reversible ratchet ⊕
- 17 1/2" square drive hexagon sockets ○ 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
- 1 adaptor, 1/2" female and 3/8" male drives □ 1/2 - ■ 3/8
- 1 3/8" drive universal joint
- 2 1/2" wobble extension bar 125 - 250 mm
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet ⊕
- 3 3/8" square drive spark plug sockets ○ 16-17-8-20,8 mm
- 13 hexagon hand sockets ○ 8-9-10-11-12-13-14-15-16-17-19-21-22 mm
- 10 1/2" socket drivers for hexagon screws ○ 5-6-6L-7-8-8L-10-10L-12-12L mm
- 7 1/2" sockets for Torx® head screws ⊕ E12-E14-E16-E18-E20-E22-E24
- 13 1/2" drive, socket drivers for Torx® head screws ⊕ T20-T25-T27-T30-T30L-T40-T40L-T45-T50-T50L-T55-T60-T60L
- 8 1/2" socket drivers with XZN® profile ○ 5-6-6L-8-8L-10-10L-12L mm
- 16 hexagon hand sockets ○ 10-12-13-14-15-16-17-18-19-21-22-23-24-27-30-32 mm
- 1 measuring tape 5 m
- 18 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27 mm
- 7 double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm
- 1 quick release adaptor, 1/4", for 10 mm ratcheting wrenches
- 1 quick release adaptor, 3/8", for 13 mm ratcheting wrenches
- 1 quick release adaptor, 1/2", for 19 mm ratcheting wrenches
- 12 reversible ratcheting combination wrenches 8-9-10-11-12-13-14-15-16-17-18-19 mm
- 31 ● ○ ⊕ ⊕ ⊕ ⊕
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 1 Diagonal cutting nippers £ 160 mm
- 1 combination pliers bright chrome-plated, bi-material handles ≡ 180 mm
- 1 Extra-long flat knurled nose pliers ≡ 160 mm
- 5 screwdrivers for slotted head screws ● 3x75-4x100-5,5x100-6,5x150-8x150 mm
- 1 screwdriver for slotted head screws, extra-short series ● 6,5x30 mm
- 3 screwdrivers for cross head Phillips® screws ⊕ 4,5x80-6x100-8x150 mm
- 1 screwdriver for cross head Phillips® screws, extra-short series ⊕ 6x30 mm
- 4 drivers for Torx® head screws, with handles ⊕ T20-T25-T27-T30

Beta N.	TR
900	M105
900L	M105
96BPC/SC9	M105
895/1	M105
895/3	M105
895/6	M105
900ME	M105
900LP	M105
900PH	M105
900TX	M105
900/16	M105
900/...	M105
900/25	M105
900B/G/30	M105
900/42	M105
900/55	M105
910A	M105
910/15	M105
910/16	M105
910/21	M105
910/22	M105
910/25	M105
910/42	M105
910/55	M105
920A	M105
920/15	M105
910/25	M105
920AN	M105
920/42	M105
920/55	M105
966E	M105
910AL	M125
920PE	M125
920FTX	M125
920TX	M125
920XZN	M125
920AL	M125
1692/5	M125
42	M25
90	M25
123Q/14	M25
123Q/8	M25
123Q/12	M25
142	M25
861MIX/A31	M166
1048N	M166
1082BM	M166
1150BM	M166
1162BM	M166
1290	M166
1290N	M166
1292	M166
1292N	M166
1297TX	M166



M105



M125



M25



M166

5988U6/M

assortment of 214 tools in EVA foam trays


► Universal use



M01



M30



M213



M230



M129



M100

Quantity/Description

- 22 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32-36 mm
- 11 double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
- 11 double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
- 6 screwdriver for slotted head screws ● 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
- 1 screwdriver for slotted head screws, extra-short series ● 4x30 mm
- 4 screwdriver for cross head Phillips® screws ⊕ PH0x60-PH1x80-PH2x100-PH3x150 mm
- 1 screwdriver for cross head Phillips® screws, extra-short series ⊕ PH1x30 mm
- 12 screwdrivers for Torx® head screws, with handles ⊕ T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45
- 1 mains testing screwdriver ●
- 3 drift punches Ø 2-3-4 mm
- 6 pin punches Ø 2-3-4-5-6-8 mm
- 1 centre punch Ø 4 mm
- 1 flat chisels 150 mm
- 2 flat chisels, ribbed type 200-250 mm
- 1 cape chisels, standard type 125 mm
- 1 engineer's hammer 500 g
- 1 soft face hammer Ø 35 mm
- 1 measuring tape 3 m
- 1 telescopic magnet with flexible head
- 1 second-cut square files 200 mm
- 1 second-cut triangular files 200 mm
- 1 second-cut flat files 200 mm
- 1 second-cut half-round files 200 mm
- 1 second-cut round files 200 mm
- 1 Steel wire brush
- 1 snap - off blade utility knife 170 mm
- 1 circlip pliers straight, internal ○ 180 mm
- 1 circlip pliers bent, internal ○ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 1 self - locking pliers 240 mm
- 1 Diagonal cutting nippers ✂ 160 mm
- 1 construction worker's pincers 220 mm
- 1 tin snips 250 mm
- 1 electrician's scissors, straight blades 145 mm
- 1 combination pliers bright chrome-plated, bi-material handles = 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 1 Extra-long bent needle nose pliers ● 160 mm
- 1 socket holder
- 1 socket holder
- 1 socket holder
- 13 1/4" hexagon sockets ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 9 hexagon hand sockets, long series ○ 5-6-7-8-9-10-11-12-13 mm
- 5 1/4" socket drivers for hexagon screws ○ 3-4-5-6-7 mm
- 4 1/4" socket drivers for slotted head screws ● 0,8x4-1x5,5-1,2x6,5-1,2x8 mm
- 4 1/4" socket drivers for cross head Phillips® screws ⊕ PH1-PH2-PH3-PH4
- 7 socket drivers for Torx® head screws ⊕ T10-T15-T20-T25-T27-T30-T40
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 100 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet ⊕
- 21 1/2" square drive hexagon sockets ○ 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
- 1 adaptor, 1/2" female and 3/8" male drives 125 mm
- 1 1/2" drive universal joint 250 mm
- 1 1/2" wobble extension bar
- 1 1/2" wobble extension bar
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet ⊕
- 8 1/2" sockets for Torx® head screws ⊕ 10-12-14-16-18-20-22-24 mm
- 11 hexagon hand sockets ○ 10-12-13-14-15-16-17-18-19-21-22 mm

Beta N.	TR
42	M01
55	M30
90	M30
96BPC/SC9	M30
1201E	M213
1201EN	M213
1202E	M213
1202EN	M213
1207E/TX	M213
1253	M213
30	M230
31	M230
32	M230
34	M230
35	M230
36	M230
1370	M230
1390	M230
1692	M230
1712TF	M230
1719BMA...Q	M230
1719BMA...T	M230
1719BMA...P	M230
1719BMA...M	M230
1719BMA...R	M230
1737NX	M230
1771	M230
1032	M129
1034	M129
1036	M129
1038	M129
1048N	M129
1052	M129
1082BM	M129
1098	M129
1112	M129
1128BM	M129
1150BM	M129
1166BM	M129
1168BM	M129
895/1	M100
895/3	M100
895/6	M100
900	M100
900L	M100
900ME	M100
900LP	M100
900PH	M100
900TX	M100
900/20	M100
900/20L	M100
900/21	M100
900/25	M100
900BG/30	M100
900/42	M100
900/55	M100
920A	M100
920/15	M100
920/25	M100
920AN/125	M100
920AN/250	M100
920/42	M100
920/55	M100
920FTX	M100
920AL	M100

5988U6/M

059881430

Assortment recommended in combination with RSC24 with 8 drawers - RSC24A with 8 drawers - RSC24AXL with 8-9 drawers
RSC24AXLP/7 - RSC24AXL - RSC28 - C37 with 8 drawers - C39 with 8 drawers - C39SM - C39MD - RSC55 - RSC50 2.0 - C59B - C58BC

5935ET/1MB


assortment of 96 tools for tool chest C35, in EVA foam trays



MB65



MB64



MB63

► Electrotechnical maintenance

Quantity/Description

- 1 self - locking pliers 240 mm
- 1 engineer's hammer 500 g
- 1 soft face hammer Ø 35 mm
- 1 second-cut square files 200 mm
- 1 second-cut flat files 200 mm
- 1 second-cut triangular files 200 mm
- 1 second-cut half-round files 200 mm
- 1 second-cut round files 200 mm
- 1 flat chisels, ribbed type 200 mm
- 1 circlip pliers straight, internal ⌀ 180 mm
- 1 circlip pliers bent, internal ⌀ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 1 Heavy-duty diagonal cutting nippers ⚡ 160 mm
- 1 combination pliers bright chrome-plated, bi-material handles = 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 9 ball head offset hexagon key wrenches ○ 1,5-2-2,5-3-4-5-6-8-10 mm
- 1 screwholding screwdriver for slotted head screws ● 4x125 mm
- 1 screwholding screwdriver for cross head Phillips® screws ⊕ PH1x125 mm
- 1 mains testing screwdriver ●
- 6 hexagon nut spinners with handles ○ 5,5-6-7-8-10-13 mm
- 4 screwdrivers for cross head Phillips® screws, 1000V ⊕ PH0x60-PH1x80-PH2x100-PH3x150 mm
- 6 screwdrivers for headless slotted screws, 1000V
- 2,5x75-3x100-4x100-5,5x125-6x150-8x175 mm
- 31 bits with magnetic quick release bit holder in plastic case ● ○ ⊕ ⊕ ⊕ ⊕
- 1 magnetic bit holder, insulated Ⓜ
- 8 double open end wrenches 6x7-8x9-10x11-12x13-14x15
16x17-18x19-20x22 mm
- 1 slip joint pliers, boxed joint 250 mm
- 1 diagonal cutting nippers 1000V ⚡ 140 mm
- 1 electrician's scissors, straight blades, with countersink 148 mm
- 1 cable cutter 230 mm
- 1 wire stripping pliers ⚡ 160 mm
- 1 combination pliers 1000V = 180 mm
- 1 extra long needle nose pliers, 1000V, ● 160 mm
- 1 extra long bent needle nose pliers ● 160 mm
- 1 adjustable wrench, 1000V 250 mm
- 1 utility knife, 1000V
- 1 bent knurled point spring tweezers, 1000V
- 1 crimping pliers for insulated terminals

Beta N.	TR
1052	MB65
1370	MB65
1390	MB65
1719BMA...Q	MB65
1719BMA...P	MB65
1719BMA...T	MB65
1719BMA...M	MB65
1719BMA...R	MB65
35	MB65
1032	MB65
1034	MB65
1036	MB65
1038	MB65
1084BM	MB65
1150BM	MB65
1166BM	MB65
96BPC/SC9	MB63
1250	MB63
1251	MB63
1253	MB63
943MQ	MB63
1272MQ	MB63
1274MQ	MB63
860MIX/A31	MB63
850MQ	MB63
55	MB64
1048MQ	MB64
1082MQ	MB64
1128BSX	MB64
1132MQ	MB64
1142MQ	MB64
1150MQ	MB64
1166MQ	MB64
1168MQ	MB64
110MQ	MB64
1777MQ	MB64
993MQ	MB64
1602	MB64

5980ET/A

assortment of 70 tools

► Electrotechnical maintenance

Quantity/Description	Beta N.
1 centre punch Ø 4 mm	32
1 flat chisels, ribbed type 150 mm	35
8 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	55/B8N
8 offset hexagon key wrenches, long series \odot 2÷10 mm	96LC/SC8
1 Adjustable wrench 200 mm	111E
1 magnetic bit holder, insulated \oplus	850MQ
10 10 bits with magnetic bit holder, in pocket case \bullet \oplus \odot	861MIX/A10
1 slip joint pliers, boxed joint 250 mm	1048MQ
1 Diagonal cutting nippers ∇ 160 mm	1082BM
1 electrician's scissors, straight blades, with countersink 148 mm	1128BSX
1 cable cutter 170 mm	1132BM
1 combination pliers bright chrome-plated, bi-material handles \equiv 180 mm	1150BM
1 Extra-long needle nose pliers \bullet 160 mm	1166BM
1 Extra-long bent needle nose pliers \bullet 160 mm	1168BM
1 screwholding screwdriver for slotted head screws \bullet 4x125 mm	1250
1 screwholding screwdriver for cross head Phillips® screws \oplus PH1x125 mm	1251
1 mains testing screwdriver \bullet	1253
5 screwdriver for slotted head screws \bullet 2,5x75 - 3,5x100 - 5,5x125 - 6,5x150 mm	1201E
1 screwdriver for slotted head screws, extra-short series \bullet 4x30 mm	1201EN
4 screwdriver for cross head Phillips® screws \oplus PH0x60 - PH1x120 - PH2x150 - PH3x150 mm	1202E
1 screwdriver for cross head Phillips® screws, extra-short series \oplus PH2x30 mm	1202EN
4 screwdrivers for cross head Phillips® screws, 1000V \oplus PH0x60 - PH1x80 - PH2x100 - PH3x150 mm	1272MQ
5 screwdrivers for headless slotted screws, 1000V \bullet 5,5x125 - 3x100 - 4x100 - 6,5x150 - 8x175 mm	1274MQ
1 flat chisel with side cutter	1343
1 engineer's hammer 300 g	1370
1 soft face hammer Ø 35 mm	1390
1 crimping pliers for insulated terminals	1602
1 PVC electrical tape 25 m	BMESB1925NE
1 measuring tape 5 m	1692
1 second-cut half-round files 200 mm	1719BMA...M
1 second-cut round files 200 mm	1719BMA...R
1 hacksaw frame, aluminium handle	1725
1 fold - away knife	1777BM



5980ET/A

059801083

Assortment recommended in combination with C12 - 2028VV - 2032TV - 2032VV

5980ET/B

assortment of 64 tools

► Electrotechnical maintenance

Quantity/Description

- 3 pin punches Ø 2 - 3 - 4 mm
- 1 centre punch Ø 4 mm
- 1 flat chisels 150 mm
- 8 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
- 9 ball head offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 1 deburrer 150 mm
- 6 hexagon nut spinners with handles 1000V \odot 5,5 - 6 - 7 - 8 - 10 - 13 mm
- 1 slip joint pliers, boxed joint 250 mm
- 1 diagonal cutting nippers 1000V \nlessdot 160 mm
- 1 electrician's scissors, straight blades, with countersink 148 mm
- 1 cable cutter 230 mm
- 1 wire stripping pliers \nlessdot 160 mm
- 1 combination pliers 1000V \nlessdot 180 mm
- 1 extra long needle nose pliers, 1000V, \bullet 160 mm
- 1 mains testing screwdriver \bullet
- 3 screwdrivers for cross head Phillips® screws, 1000V \oplus PH0x60 - PH1x80 - PH2x100 mm
- 4 screwdrivers for headless slotted screws, 1000V \bullet 3x100 - 4x100 - 5,5x125 - 6,5x150 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 1 crimping pliers for insulated terminals
- 1 flexible graduated rule 250 mm
- 1 engineer's scriber 250 mm
- 1 measuring tape 5 m
- 1 spirit level, made of aluminium 200 mm
- 1 electrician's chisel 10x200 mm
- 1 chalk line reel
- 1 square flexible inspection mirror 600 mm
- 1 second cut files 200 mm
- 1 second cut files 200 mm
- 1 spring puller
- 1 hacksaw frame, aluminium handle
- 1 bristle brush
- 1 fitting tool for nylon ties
- 1 plastic oil can 150 cc
- 100 nylon cable ties, black UV resistant 3,6x200 mm
- 100 nylon cable ties, black UV resistant 4,8x300 mm
- 1 snap - off blade utility knife 170 mm
- 1 soldering iron 30 W
- 1 LED inspection torch, made of sturdy anodized aluminium

Beta N.

- 31
- 32
- 34
- 55/B8N
- 96BPC/SC9
- 345SB
- 943MQ/S6
- 1048MQ
- 1082MQ
- 1128BSX
- 1132MQ
- 1142MQ
- 1150MQ
- 1166MQ
- 1253
- 1272MQ
- 1274MQ
- 1370
- 1390
- 1602
- 1682
- 1688
- 1692
- 1696
- 1701NE3
- 1705
- 1715FL/A
- 1719BMA8/M
- 1719BMA8/R
- 1723
- 1726BM
- 1738
- 1743
- 1754
- 1748N
- 1748M
- 1771BM
- 1814M
- 1833XS/2

5980ET/B

059801084

Assortment recommended in combination with C12 - 2029/VV - 2033P/VV - 2036TV

5980MQ

assortment of 46 tools

► Electrotechnical maintenance

Quantity/Description

- 7 single open end wrenches, 1000V 10 - 12 - 13 - 14 - 17 - 19 - 22 mm
- 1 adjustable wrench, 1000V 250 mm
- 6 hexagon nut spinners with handles \odot 5,5 - 6 - 7 - 8 - 10 - 13 mm
- 4 T-handle wrenches with hexagon male ends \odot 4 - 5 - 6 - 8 mm
- 1 bent knurled point spring tweezers, 1000V
- 1 slip joint pliers, boxed joint 250 mm
- 1 diagonal cutting nippers 1000V \nlessdot 160 mm
- 1 electrician's scissors 145 mm
- 1 wire stripping pliers \nlessdot 160 mm
- 1 combination pliers 1000V \nlessdot 180 mm
- 1 extra-long bent flat nose pliers \nlessdot 160 mm
- 1 extra long needle nose pliers, 1000V, \bullet 160 mm
- 1 mains testing screwdriver \bullet
- 4 screwdrivers for cross head Phillips® screws, 1000V \oplus PH0x60 - PH1x80 - PH2x100 - PH3x150 mm
- 5 screwdrivers for headless slotted screws, 1000V \bullet 3x100 - 4x100 - 5,5x125 - 6,5x150 - 8x175 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 1 measuring tape 5 m
- 1 electrician's chisel 200 mm
- 1 mini - hacksaw frame, 1000V
- 2 utility knife, 1000V
- 1 soldering iron 30 W
- 1 high-brightness LED torch, made of sturdy anodized aluminium, up to 500 lumens
- 1

Beta N.


- 52MQ
- 110MQ
- 943MQ
- 951MQ
- 993MQ
- 1048MQ
- 1082MQ
- 1128MQ
- 1142MQ
- 1150MQ
- 1164MQ
- 1166MQ
- 1253
- 1272MQ
- 1274MQ
- 1370
- 1390
- 1692
- 1701NE/3
- 1725MQ
- 1777MQ
- 1814M
- 1833S
- 1760PT/N

5980MQ

059801257

Assortment recommended in combination with 2029/VV





M49



M108



M161

5988 VHB-MQ

assortment of 66 tools in EVA foam trays

► Electrotechnical maintenance

Quantity/Description

- 12 single open end wrenches, 1000V 7-8-10-11-12-13-14-15-16-17-19-22 mm
- 12 single ring wrenches 7-8-10-11-12-13-14-15-16-17-19-22 mm
- 4 socket drivers for hexagon screws \odot 4-5-6-8 mm
- 11 bi-hex sockets \odot 7-8-10-11-12-13-14-15-16-17-19 mm
- 6 socket drivers for Torx® head screws \odot T15-T20-T25-T27-T30-T40
- 2 socket drivers with XZN® profile \odot 8-10 mm
- 1 3/8" drive extension 125 mm
- 1 3/8" drive extension 250 mm
- 1 3/8" drive, T-handle
- 1 3/8" drive reversible ratchet
- 1 electrician's scissors 145 mm
- 1 slip joint pliers, boxed joint 250 mm
- 1 diagonal cutting nippers 1000V \nless 160 mm
- 1 combination pliers 1000V \nless 180 mm
- 1 extra long flat nose pliers \nless 160 mm
- 1 extra-long bent flat nose pliers \nless 160 mm
- 4 screwdrivers for cross head Phillips® screws, 1000V \oplus PH0x60 - PH1x80 - PH2x100 - PH3x150 mm
- 4 screwdrivers for headless slotted screws, 1000V \bullet 2,5x75 - 3x100 - 4x100 - 5,5x125 mm
- 1 cable stripping knife, insulated

Beta N.	TR
52MQ	M49
89MQ	M49
910MQ/PE	M108
910MQ/B	M108
910MQ/TX	M108
910MQ/XZN	M108
910MQ/21	M108
910MQ/22	M108
910MQ/T	M108
910MQ/55	M108
1128MQ	M161
1048MQ	M161
1082MQ	M161
1150MQ	M161
1162MQ	M161
1164MQ	M161
1272MQ	M161
1274MQ	M161
1777MQ/U	M161

5988 VHB-MQ

059880300

Assortment recommended in combination with items RSC51- RSC23T - RSC24 - RSC24A - RSC24AXL - RSC24AXLP/7 - RSC24AXXL RSC24L/7 - RSC24L-CAB - RSC28 - C37 - C39 - C39SM - C39MD - C39T - RSC55 - RSC50 2.0 - C59 - C58BC - C57

5980EL/A

assortment of 57 tools

► Electronics

Quantity/Description

- 13 4÷14 mm
- 9 offset hexagon key wrenches \odot 1,5÷10 mm
- 1 bent point tweezers 130 mm
- 1 straight thin knurled point pin spring tweezers 150 mm
- 1 cross tweezers 155 mm
- 1 electrician's scissors, straight blades 147 mm
- 1 wire stripping pliers \nless 160 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 flat nose pliers \nless 140 mm
- 1 smooth half - round long bent needle nose pliers \bullet 140 mm
- 1 combination pliers \bullet 140 mm
- 1 diagonal flush cutting nippers \nless 120 mm
- 1 diagonal cutting nippers \nless 125 mm
- 1 screwholding screwdriver for slotted head screws \bullet 4x125 mm
- 1 screwholding screwdriver for cross head Phillips® screws \oplus PH0x125 mm
- 8 micro-screwdrivers
- 1 engineer's hammer 200 g
- 1 measuring tape 5 m
- 1 telescopic joint inspection mirror
- 3 needle files
- 1 spring puller
- 1 bristle brush
- 1 Pen oiler
- 1 snap - off blade utility knife 170 mm
- 1 self-locking round end knurled tool made of stainless steel
- 1 soldering iron 25 W
- 1 de - soldering pump
- 1 LED inspection torch, made of sturdy anodized aluminium

Beta N.
73/B13N
96N/SC9
991
992
998
1128BMX
1142BM
1166BM
1172BM
1178BM/P
1178BM
1185BM
1188BM
1250
1251
1257LPH/S8
1370
1692
1715
1720/S3
1723
1738
1756
1771
1002
1814M
1830T
1833XS/2

5980EL/A

059801081

Assortment recommended in combination with 2032TV - 2028/VV - 2033P/VV

5980EL/B

assortment of 98 tools

► Electronics

Quantity/Description	Beta N.
13 4÷14 mm	73/B13N
9 offset hexagon key wrenches \odot 1,5÷10 mm	96/SC9
8 offset key wrenches for Torx® head screws \odot T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40	977X/BG8
1 Adjustable wrench 150 mm	111E
18 set of 13 hexagon sockets and 5 accessories, 1/4" square drive	900/C13-5
1 straight thin knurled point spring tweezers 130 mm	990
1 bent point tweezers 130 mm	991
1 extra slim short end spring tweezers 120 mm	999A
1 electrician's scissors, straight blades 147 mm	1128BMX
1 front wire stripping pliers, self - adjusting 170 mm	1149F
1 combination pliers bright chrome-plated, bi-material handles \equiv 180 mm	1150BM
1 flat nose pliers \equiv 140 mm	1172BM
1 smooth half - round long needle nose pliers \bullet 140 mm	1177BM
1 smooth half - round long bent needle nose pliers \bullet 140 mm	1178BM/P
1 diagonal flush cutting nippers, rounded tips ζ 120 mm	1184BM
1 diagonal flush cutting nippers, slim tips ζ 120 mm	1186BM
1 end flush oblique cutting nippers ζ 130 mm	1191BM
8 micro-screwdrivers	1257LPH/S8
1 mains testing screwdriver \bullet	1253
1 screwdriver for slotted head screws, extra-short series \bullet 6,5x30 mm	1290N
3 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH1x80 - PH2x100 mm	1292
2 screwdriver for cross head Phillips® screws, extra-short series \oplus PH1x30 - PH2x30 mm	1292N
5 screwdrivers for headless slotted screws \bullet 2,5x60 - 3x75 - 4x100 - 5x125 - 6,5x150 mm	1294
1 engineer's hammer 200 g	1370
1 flexible graduated rule 150 mm	1682
1 engineer's scribe 220 mm	1688
1 measuring tape 5 m	1692
1 telescopic joint inspection mirror 670 mm	1715
1 Needle files \bullet	1720R
1 Needle files \blacktriangle	1720T
1 Needle files \blacksquare	1720P
1 spring puller	1723
1 bristle brush	1738
1 Pen oiler	1756
1 snap - off blade utility knife 170 mm	1771BM
1 fold - away knife	1777BM
1 self-locking round end knurled tool made of stainless steel	1002
1 soldering iron 25W	1814M
1 de - soldering pump	1830T
1 LED inspection torch, made of sturdy anodized aluminium	1833XS/2





5980ID/1
assortment of 24 tools

► **Plumbing maintenance**

Quantity/Description

Beta N.

- | | | |
|---|--|-------------|
| 1 | Adjustable wrench 250 mm | 111E |
| 1 | Ø 3÷28 mm | 332/2 |
| 1 | pipe cutter for copper and light alloy pipes Ø 3÷30 mm | 334 |
| 1 | Ø 0÷42 mm | 342 |
| 1 | 140 mm | 345SB2 |
| 2 | 320-410 mm | 376 |
| 2 | slip joint pliers, slip-proof PVC coated handles 175-250 mm | 1048N |
| 1 | electrician's scissors, straight blades 147 mm | 1128BMX |
| 1 | heavy duty combination pliers, bi-material handles, industrial finish 180 mm | 1150GBM |
| 4 | screwdriver for slotted head screws | 1201E |
| | ● 3x75-4x100-5,5x150-8x150 mm | |
| 2 | screwdriver for cross head Phillips® screws PH1x80-PH2x100 | 1202E |
| 1 | engineer's hammer 500 g | 1370 |
| 1 | folding ruler made of fibreglass precision class III 2 m | 1690F |
| 1 | measuring tape 5 m | 1692/5 |
| 1 | spirit level, made of aluminium 200 mm | 1696 |
| 1 | second-cut half-round files 200 mm | 1719BMA...M |
| 1 | Flat rasp 200 mm | 1719BM/RL |
| 1 | hacksaw frame, aluminium handle | 1725 |

5980ID/1

059801086

 **Beta**

5989 VEM


assortment of 81 repair and maintenance tools for hybrid and electric vehicles

► Car repair

Quantity/Description

- 1 insulating mat
- 4 plastic posts with fillable bases
- 1 megohmmeter for high voltage insulating testing
- 1 voltage and continuity tester, 1000 V
- 1 spare leads for digital multimeters and amperometric clamps
- 1 Composite insulating gloves Gr. 10
- 1 Pneumatic tester for insulated gloves
- 1 plastic barrier chain
- 2 aluminium warning signs A1, A2
- 2 prohibition signs D2, D3
- 12 single open end wrenches, 1000V 7-8-10-11-12-13-14-15-16-17-19-22 mm
- 12 single ring wrenches 7-8-10-11-12-13-14-15-16-17-19-22 mm
- 4 socket drivers for hexagon screws \circ 4-5-6-8 mm
- 11 bi-hex sockets \circ 7-8-10-11-12-13-14-15-16-17-19 mm
- 6 socket drivers for Torx® head screws \circ TX15-TX20-TX25-TX27-TX30-TX40
- 2 socket drivers
 - with XZN® profile \circ M8-M10
- 1 3/8" drive extension 140 mm
- 1 3/8" drive extension 265 mm
- 1 3/8" drive, T-handle 200 mm
- 1 3/8" drive reversible ratchet 203 mm
- 1 slip joint pliers, boxed joint 250 mm
- 1 diagonal cutting nippers 1000V \sphericalangle 160 mm
- 1 electrician's scissors 145 mm
- 1 combination pliers 1000V \equiv 180 mm
- 1 extra long flat nose pliers \equiv 160 mm
- 1 extra-long bent flat nose pliers \equiv 160 mm
- 4 screwdrivers for cross head Phillips® screws, 1000V \oplus PH0-PH1-PH2-PH3
- 4 screwdrivers for headless slotted screws, 1000V \bullet 2,5x75-3x100-4x100-5.5x125 mm
- 1 cable stripping knife, insulated 190 mm

Beta N.	TR
1995MQ/T	
7104 90	
1760OHM/2	
1760PT/N	
1760DGT-R3	
1997MQ/GM	
1996VPG	
7105 6	
7109A	
7109D	
52MQ	M49
89MQ	M49
910MQ/PE	M108
910MQ/B	M108
910MQ/TX	M108
910MQ/XZN	M108
910MQ/21	M108
910MQ/22	M108
910MQ/T	M108
910MQ/55	M108
1048MQ	M161
1082MQ	M161
1128MQ	M161
1150MQ	M161
1162MQ	M161
1164MQ	M161
1272MQ	M161
1274MQ	M161
1777MQ/U	M161



M49



M108



M161



5902MT

assortment of 106 tools for agricultural, building and earth-moving machinery

► Earth-moving

Quantity/Description

Quantity/Description	Beta N.
2 drift punches Ø 3 - 4 mm	30
2 pin punches Ø 6 - 8 mm	31
1 centre punch Ø 4 mm	32
2 flat chisels, ribbed type 150 - 200 mm	35
18 combination wrenches 6+14 - 17 - 19 - 22 - 24 - 27 - 30 - 32 - 36 - 41 mm	42
10 double ended offset ring wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 24x27 - 30x32 mm	90
10 offset hexagon key wrenches ⌀ 1,5+12 mm	96N/B10
17 1/2" square drive hexagon sockets ⌀ 10+22 - 24 - 27 - 30 - 32 mm	920A
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 255 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive push-through square ratchet Ⓢ	920/50
11 3/4" square drive hexagon socket ⌀ 22 - 24 - 27 - 30 - 32 - 36 - 41 - 46 - 50 - 55 - 60 mm	928A
1 3/4" drive extension bar 200 mm	928/21
1 3/4" drive swivel handle	928/36A
1 3/4" drive sliding T - handle	928/42
1 3/4" drive reversible ratchet Ⓢ	928/55
1 pry bar	964
1 slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1 adjustable self locking pliers, curved jaws	1055
1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish ⚡ 160 mm	1084GBM
1 electrician's scissors, straight blades 147 mm	1128BMX
1 heavy duty combination pliers, bi-material handles, industrial finish ≡ 180 mm	1150GBM
1 extra-long needle knurled nose pliers, bi-material handles, industrial finish ● 160 mm	1166GBM
4 screwdrivers for slotted head screws with hexagon bolsters ● 6,5x150 - 8x175 - 10x200 - 12x250 mm	1260E
3 screwdrivers for cross head Phillips® screws with hexagon bolsters ⚡ PH2x150 - PH3x175 - PH4x200 mm	1262E
1 ball pein hammer 900 g	1377
1 soft face hammer Ø 35 mm	1390
1 metric feeler gauge	1708/20
1 three - cutting edges scraper 200 mm	1717B
5 Set of 5 second-cut files, with handles 200 mm	1719BMA...S5
1 hacksaw frame, aluminium handle	1725



5902MT

059021053

Assortment recommended in combination with RSC22 - RSC23 - RSC23C - C39T

5902MT/AS

assortment of 99 tools for earth-moving machinery (CATERPILLAR)

► Earth-moving

Quantity/Description	Beta N.
2 drift punches Ø 3 - 4 mm	30
2 pin punches Ø 6 - 8 mm	31
1 centre punch Ø 4 mm	32
2 flat chisels, ribbed type 150 - 200 mm	35
20 combination wrenches 1/4+1.1/2"	42AS
6 double ended offset ring wrenches 1/4x5/16 - 3/8x7/16 - 1/2x9/16 5/8x3/4 - 11/16x13/16 - 7/8x15/16"	90AS
11 offset hexagon key wrenches \odot 3/64+3/8"	96AS/B11
10 1/2" square drive bi - hex sockets \odot 7/16 - 1/2 - 9/16 5/8 - 11/16 - 3/4 - 13/16 - 7/8 - 15/16 - 1"	920AS
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 255 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive push-through square ratchet \oplus	920/50
12 hexagon hand sockets 1/4" \odot \square 3/4", 7/8 - 15/16 - 1 - 1.1/16 - 1.1/8 - 1.1/4 - 1.5/16 1.1/2 - 1.5/8 - 1.11/16 - 1.7/8 - 2"	928AS
1 3/4" drive extension bar 200 mm	928/21
1 3/4" drive swivel handle	928/36A
1 3/4" drive sliding T - handle	928/42
1 3/4" drive reversible ratchet \oplus	928/55
1 pry bar	964
1 slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1 adjustable self locking pliers, curved jaws	1055
1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish ∇ 160 mm	1084GBM
1 electrician's scissors, straight blades 147 mm	1128BMX
1 heavy duty combination pliers, bi-material handles, industrial finish \equiv 180 mm	1150GBM
1 extra-long needle knurled nose pliers, bi-material handles, industrial finish \bullet 160 mm	1166GBM
4 screwdrivers for slotted head screws with hexagon bolsters \bullet 6,5x150 - 8x175 - 10x200 - 12x250 mm	1260E
3 screwdrivers for cross head Phillips® screws with hexagon bolsters \oplus PH2x150 - PH3x175 - PH4x200 mm	1262E
1 ball pein hammer 900 g	1377
1 soft face hammer Ø 35 mm	1390
1 metric feeler gauge 150 - 200 mm	1708/20
1 three - cutting edges scraper 200 mm	1717B
5 Set of 5 second-cut files, with handles 200 mm	1719BMA...S5
1 hacksaw frame, aluminium handle	1725



5902MT/AS

059021054

Assortment recommended in combination with RSC22 - RSC23 - RSC23C - C39T

5904VG/2T

assortment of 99 tools in ABS thermoformed trays

► Car repairs

Quantity/Description

- 16 combination wrenches 6+21 mm
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm
- 19 1/2" square drive hexagon sockets \odot 10+24 - 26 - 27 - 30 - 32 mm
- 5 1/2" drive, socket drivers for hexagon screws \odot 5 - 6 - 8 - 10 - 12 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \odot
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 1 self-locking pliers 240 mm
- 1 Heavy-duty diagonal cutting nippers \nless 160 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 combination pliers bright chrome-plated \equiv 180 mm
- 1 circlip pliers straight, internal \odot 180 mm
- 1 circlip pliers straight, external \bullet 175 mm
- 1 circlip pliers bent, internal \odot 170 mm
- 1 circlip pliers bent, external \bullet 175 mm
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer \varnothing 35 mm
- 4 screwdrivers for slotted head screws \bullet 3x75 - 4x100 - 5,5x150 - 6,5x150 mm
- 3 screwdrivers for cross head Phillips® screws \bullet PH0x60 - PH1x80 - PH2x100 mm
- 8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
- 9 offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 6 offset hexagon key wrenches \odot 2 - 2,5 - 3 - 4 - 5 - 6 mm
- 6 drivers for Torx® head screws, with handles \odot T10 - T15 - T20 - T25 - T27 - T30

Beta N.	TR
42	T05
42	T06
920A	T80
920ME	T80
920/21	T80
920/22	T80
920/25	T80
920/42	T80
920/55	T80
1048N	T153
1052	T153
1084	T138
1166	T138
1150	T138
1032	T145
1036	T145
1034	T145
1038	T145
35	T234
1370	T234
1390	T234
1260	T208
1262	T208
55	T33
96/SC9	T33
96T	T52
97TTX	T55



T05 T06 T80



T153 T138 T145 T234



T208 T33 T52 T55

5904VG/3

assortment of 132 tools



► Car repairs

Quantity/Description	Beta N.
6 Ø 2÷8 mm	31/B6N
1 centre punch Ø 5 mm	32
1 flat chisels, ribbed type 200 mm	35
17 combination wrenches 6÷22 mm	42
8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	55
9 offset hexagon key wrenches Ø 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9
11 offset hexagon key wrenches Ø 2÷10 mm	96T/SP11
13 offset key wrenches for Torx® head screws Ⓢ T6÷T50	97TX/B13
1 Adjustable wrench 300 mm	111E
13 1/2" square drive hexagon sockets with rail Ⓢ 10÷22 mm	920A/SB13
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 255 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive push-through square ratchet Ⓢ	920/50
6 T - handle wrenches with swivelling socket Ⓢ 8 - 10 - 12 - 13 - 17 - 19 mm	952
1 pry bar with handle 450 mm	965
2 circlip pliers straight, internal Ⓢ 180 - 225 mm	1032
2 circlip pliers bent, internal Ⓢ 170 - 210 mm	1034
2 circlip pliers straight, external Ⓢ 175 - 225 mm	1036
2 circlip pliers bent, external Ⓢ 175 - 220 mm	1038
1 slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1 self - locking pliers 240 mm	1057A
1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish ⚡ 200 mm	1084GBM
1 toggle lever assisted end cutting nippers ⚡ 200 mm	1092V
1 tin snips 250 mm	1112
1 electrician's scissors, straight blades 147 mm	1128BMX
1 heavy duty combination pliers, bi-material handles, industrial finish ⚡ 180 mm	1150GBM
4 screwdrivers for slotted head screws	1260
● 3x75 - 4x100 - 5,5x125 - 6,5x150 mm	
1 screwdrivers for slotted head screws, extra-short series ● 6,5x30 mm	1260N
2 screwdrivers for slotted head screws	1260E
with hexagon bolsters ● 8x175 - 10x200 mm	
3 screwdrivers for cross head Phillips® screws	1262
⊕ PH0x100 - PH1x120 - PH2x100 mm	
1 screwdrivers for cross head Phillips® screws, extra - short series ⊕ PH2x30 mm	1262N
1 screwdrivers for cross head Phillips® screws with hexagon bolsters ⊕ PH3x175mm	1262E
1 screwdriver for cross head Phillips® screws, long series ⊕ PH2x400 mm	1262L
1 screwdriver for headless slotted screws, long series ● 6,5x400 mm	1264L
1 engineer's hammer 500 g	1370
1 soft face hammer Ø 45 mm	1390
1 adjustable oil filter wrench	1491
1 metric feeler gauge	1708/20
5 Set of 5 second-cut files, with handles 200 mm	1719BMA...S5
1 hacksaw frame, aluminium handle	1726BM
1 Metal pressure oil can 200 cc	1751N

5904VG/3

059041062

Assortment recommended in combination with RSC24 - RSC24A - RSC24XL - RSC24AXLP/7 - RSC24AXXL - RSC24L/7 - RSC24L-CAB C37 - C39 with 7 - 8 drawers - RSC55 - RSC50 2.0 - C59 - C58BC - C57

5904VG/3T

assortment of 102 tools in ABS thermoformed trays

► Car repairs

Quantity/Description

- 21 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
- 8 double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm
- 9 offset hexagon key wrenches \odot 1,5+10 mm
- 6 offset hexagon key wrenches \odot 2-2,5-3-4-5-6 mm
- 8 T - handle wrenches with swivelling socket \odot 7-8-10-12-13-14-17-19 mm
- 19 1/2" square drive hexagon sockets \odot 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle 305 mm
- 1 1/2" drive reversible ratchet \odot
- 1 Heavy-duty diagonal cutting nippers ∇ 160 mm
- 1 combination pliers bright chrome-plated, bi-material handles \equiv 180 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 circlip pliers straight, internal \odot 180 mm
- 1 circlip pliers bent, internal \odot 170 mm
- 1 circlip pliers straight, external \bullet 175 mm
- 1 circlip pliers bent, external \bullet 175 mm
- 1 self - locking pliers 240 mm
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 7 screwdrivers for slotted head screws \bullet 2,5x50 -3x75 - 3,5x100 - 4x125-5,5x100 - 5,5x150 - 6,5x150 mm
- 6 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 mm
- 2 flat chisels, ribbed type 100-200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer \varnothing 35 mm
- 1 empty thermoformed tray

Beta N.	TR
42	T05
	T06
55	T33
96/SC9	T33
96T	T52
952	T63
920A	T83
920/21	T83
920/22	T83
920/25	T83
920/42	T83
920/55	T83
1084BM	T137
1150BM	T137
1166BM	T137
1032	T145
1034	T145
1036	T145
1038	T145
1052	T153
1048N	T153
1260	T199
1262	T202
35	T234
1370	T234
1390	T234
VP5	



T199 T202 T83



T145 T153 T137 T234



T52 T33 T05 T06



T63 VP5

5904VG/3T

059041510

Assortment recommended in combination with RSC23T - RSC24 - RSC24A - RSC24AXL - RSC24AXLP/7 - RSC24AXXL - RSC24L/7 - RSC24L-CAB - RSC28 - C37 - C39 - C39MD - C39SM - C39T - RSC55 - RSC50 2.0 - C59 - C58BC - C57

5904VG/5T

assortment of 153 tools in ABS thermoformed trays

► Car repairs



T80 T05 T06



T63 VP6



T145 T170 T176 T52



T33 T171 T172 T173



T234 T137 T112 T153

Quantity/Description

- 5 1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet ☸
- 19 1/2" square drive hexagon sockets ○ 10÷24 - 26 - 27 - 30 - 32 mm
- 16 combination wrenches 6÷21 mm
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm
- 8 T - handle wrenches with swivelling socket ○ 7 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm
- 1 empty thermoformed tray
- 1 circlip pliers straight, internal ○ 180 mm
- 1 circlip pliers bent, internal ○ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 7 screwdrivers for slotted head screws ● 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x100 - 5,5x150 - 6,5x150 mm
- 5 drivers for Torx® head screws, with handles ☸ T25 - T27 - T30 - T40 - T45
- 6 offset hexagon key wrenches ○ 2 - 2,5 - 3 - 4 - 5 - 6 mm
- 8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
- 9 offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 3 screwdrivers for slotted head screws ● 8x150 - 8x200 - 10x200 mm
- 2 screwdriver for slotted head screws, extra-short series ● 4x30 - 6,5x30 mm
- 6 screwdrivers for cross head Phillips® screws ☸ PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 mm
- 2 screwdrivers for cross head Phillips® screws ☸ PH3x150 - PH4x200 mm
- 2 screwdriver for cross head Phillips® screws, extra-short series ☸ PH1x30 - PH2x30 mm
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 1 combination pliers bright chrome-plated, bi-material handles = 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 1 Heavy-duty diagonal cutting nippers † 160 mm
- 6 bits for Torx® head screws ☸ T6÷T15
- 8 bits for Torx® head screws ☸ T20÷T55
- 1 socket holder
- 1 socket holder
- 6 1/4" sockets for Torx® head screws ○ E4÷E10
- 7 1/2" sockets for Torx® head screws ○ E12÷E24
- 3 1/2" drive, socket drivers for Torx® head screws ☸ T55L - T60 - T70L
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 1 self - locking pliers 240 mm

Beta N.	TR
920ME	T80
92021	T80
92022	T80
92025	T80
92042	T80
92055	T80
920A	T80
42	T05
42	T06
952	T63
VP6	VP6
1032	T145
1034	T145
1036	T145
1038	T145
1290	T170
1297TX	T176
96T	T52
55	T33
96N/SC9	T33
1290	T171
1290N	T171
1292	T172
1292	T173
1292N	T173
35	T234
1370	T234
1390	T234
1150BM	T137
1166BM	T137
1084BM	T137
861TX	T112
866TX	T112
895/1	T112
895/6	T112
900FTX	T112
920FTX	T112
920TX	T112
1048N	T153
1052	T153

5904VG/5T

059041196

Assortment recommended in combination with RSC24 with 7 - 8 drawers - RSC24A with 7 - 8 drawers - RSC24XL with 7 - 8 drawers - RSC24AXLP/7 - RSC24AXXL - RSC24L/7 - RSC24L-CAB - RSC28 - C37 with 7 - 8 drawers - C39 with 7 - 8 drawers - C39MD - C39SM - RSC55 - RSC50 2.0 - C59 - C58BC - C57

5905VG/1

assortment of 94 tools for car body repair shops

► Car repairs

Quantity/Description	Beta N.
1 drift punches Ø 4 mm	30
6 Ø 2 - 3 - 4 - 5 - 6 - 8 mm	31/B6N
1 centre punch Ø 4 mm	32
1 flat chisels 150 mm	34
1 cape chisels, standard type 150 mm	36
17 combination wrenches 6÷22 mm	42
10 offset hexagon key wrenches \odot 1,5÷12 mm	96/B10
1 Adjustable wrenches with scales, phosphated 300 mm	111EN
12 hi-torque hexagon nut spinners, long series \odot 4÷14 mm	943BX
1 pry bar with handle 450 mm	965
1 slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1 self - locking pliers 240 mm	1052
1 adjustable self locking pliers, aluminium jaws 280 mm	1060AL
1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish ∇ 160 mm	1084GBM
1 construction worker's pincers 250 mm	1098PL
1 compound leverage shears, straight blades	1122
1 electrician's scissors, straight blades 147 mm	1128BMX
1 heavy duty combination pliers, bi-material handles, industrial finish \equiv 180 mm	1150GBM
1 screwdriver for Dzus® head screws \bullet	1201E/DZ
4 screwdrivers for slotted head screws \bullet	1260
\bullet 3x75 - 4x100 - 5,5x150 - 6,5x150 mm	
1 screwdrivers for slotted head screws, extra-short series \bullet 4x30 mm	1260N
2 screwdrivers for slotted head screws with hexagon bolsters \bullet 10x175 - 12x200 mm	1260E
3 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH1x80 - PH2x100 mm	1262
1 screwdrivers for cross head Phillips® screws, extra - short series \oplus PH1x30 mm	1262N
1 screwdrivers for cross head Phillips® screws with hexagon bolsters \oplus PH3x175 mm	1262E
7 drivers for Torx® head screws \odot T6 - T8 - T10 - T15 - T20 - T25 - T30	1267TX
1 curved dolly 1350 g	1303
1 toe dolly	1305
1 heel dolly	1306
1 general purpose dolly	1310
1 double end dolly, convex, flat head	1314
1 curved angle spoon	1326
1 heavy duty spoon	1327
1 long double-ended spoon	1330
1 body blade holder, with blade 9"	1338A
1 extra flat chisel with hand guard	1342PM
1 body hammer	1345
1 body hammer Ø 40 mm	1357Z/45
1 engineer's hammer 300 g	1370
1 soft face hammer Ø 35 mm	1390
1 measuring tape 5 m	1692



5905VG/1

059051058

Assortment recommended in combination with C25

5905VG/2

assortment of 118 tools

► Car repairs

Quantity/Description	Beta N.
6 set of 2 drift punches, 1 centre punch, 2 flat chisels and 1 cape chisel in roll-up wallet made of polyester	38/B6N
13 combination wrenches 6+14 - 17 - 19 - 22 - 24 mm	42
13 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x26 - 25x28 - 27x29 - 30x32 mm	55
3 half - moon ring wrenches 11x13 - 14x17 - 19x22 mm	83
10 offset hexagon key wrenches \varnothing 1,5+12 mm	96N/B10
6 drivers for Torx® head screws, with handles \odot T10 - T15 - T20 - T25 - T30 - T40	97TTX
2 1/2" drive impact sockets \varnothing 17 - 19 mm	720
20 1/2" square drive hexagon sockets \varnothing 10+24 - 26 - 27 - 28 - 30 - 32 mm	920A
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 255 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive reversible ratchet \odot	920/55
8 T - handle wrenches with swivelling socket \varnothing 7 - 8 - 10 - 11 - 13 - 14 - 17 - 19 mm	952
1 T - handle swivel spark plug wrenches	959
1 wheel nut wrench \varnothing 17x19x22x \blacksquare 1/2"	979
1 circlip pliers straight, internal \varnothing 180 mm	1032
1 circlip pliers bent, internal \varnothing 170 mm	1034
1 circlip pliers straight, external \bullet 175 mm	1036
1 circlip pliers bent, external \bullet 175 mm	1038
1 slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1 self - locking pliers 240 mm	1052
1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish ∇ 160 mm	1084GBM
1 compound leverage shears, straight blades 250 mm	1122
1 electrician's scissors, straight blades 147 mm	1128BMX
1 heavy duty combination pliers, bi-material handles, industrial finish \equiv 180 mm	1150GBM
1 extra-long needle knurled nose pliers, bi-material handles, industrial finish \bullet 160 mm	1166GBM
8 screwdrivers for slotted head screws \bullet 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x125 - 6,5x150 - 8x200 - 10x200 mm	1260
2 screwdrivers for slotted head screws with hexagon bolsters \bullet 10x200 - 12x250 mm	1260E
1 screwdrivers for slotted head screws, extra-short series \bullet 6,5x30 mm	1260N
4 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH1x80 - PH2x100 - PH3x150 mm	1262
1 engineer's hammer 400 g	1370
1 soft face hammer \varnothing 35 mm	1390
1 adjustable oil filter wrench	1491
1 circuit tester 3+48 V	1498



5905VG/2

059051044

Assortment recommended in combination with C25

► **Car repairs**

Quantity/Description

- 16 combination wrenches 6+21 mm
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm
- 5 pin punches Ø 2 - 3 - 4 - 5 - 6 mm
- 1 centre punch Ø 4 mm
- 12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm
- 9 offset hexagon key wrenches Ø 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 5 1/2" drive, socket drivers for hexagon screws Ø 5 - 6 - 8 - 10 - 12 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet
- 19 1/2" square drive hexagon sockets Ø 10+24 - 26 - 27 - 30 - 32 mm
- 1 circlip pliers straight, internal Ø 180 mm
- 1 circlip pliers bent, internal Ø 170 mm
- 1 circlip pliers straight, external Ø 175 mm
- 1 circlip pliers bent, external Ø 175 mm
- 1 circlip pliers straight, internal Ø 140 mm
- 1 circlip pliers straight, internal Ø 225 mm
- 1 circlip pliers straight, external Ø 140 mm
- 1 circlip pliers straight, external Ø 225 mm
- 9 screwdrivers for slotted head screws ● 3x75 - 3x100 - 4x100 - 4x150 - 5,5x100 - 5,5x150 - 6,5x150 - 8x150 - 10x200 mm
- 2 screwdrivers for slotted head screws, extra-short series ● 4x30 - 6,5x30 mm
- 7 screwdrivers for cross head Phillips® screws ⚙ PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 - PH3x150 mm
- 2 screwdrivers for cross head Phillips® screws, extra - short series ⚙ PH1x30 - PH2x30 mm
- 8 T - handle wrenches with swivelling socket ○ 7 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm
- 2 screwdriver for cross head Phillips® screws, long series ⚙ PH1x400 - PH2x400 mm
- 3 screwdriver for headless slotted screws, long series ● 3x300 - 4x400 - 5x400 mm
- 6 drivers for Torx® head screws, with handles ⚙ T10-T15-T20-T25-T27-T30
- 12 1/2" drive impact sockets ○ 10-13-17-18-19-21-22-24-27-30-32 mm
- 1 1/2" drive impact extension bar 125 mm
- 3 ○ 17-19-21
- 5 1/2" socket drivers for hexagon screws ○ 5L - 6L - 7L - 8L - 10L
- 4 1/2" drive, socket drivers for Torx® head screws ⚙ T40L - T45L - T55L - T70L
- 3 1/2" socket drivers with XZN® profile ○ M6L - M8L - M12L
- 5 second cut files 200 mm
- 1 adjustable oil filter wrench 110 mm
- 1 square oil drain plug socket ■ 10 mm
- 7 male hexagon oil drain plug sockets ○ 8-9-10-11-12-14-17 mm
- 4 male square oil drain plug sockets ○ 8-9,5-12-13 mm
- 1 male triangular oil drain plug socket Δ 9,5 mm
- 1 male oil drain plug socket with XZN® profile ○ M 16
- 1 oil plug wrenches ■ 8 x ■ 10 mm
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 1 self - locking pliers 240 mm
- 1 combination pliers bright chrome-plated ■ 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 1 Heavy-duty diagonal cutting nippers ✂ 160 mm
- 11 3/4" square drive hexagon socket ○ 22-24-27-30-32-34-36-38-41-46-50 mm
- 1 3/4" drive extension bar 200 mm
- 1 3/4" drive extension bar 380 mm
- 1 3/4" drive sliding T - handle 450 mm
- 1 3/4" drive reversible ratchet ⚙
- 1 empty thermoformed tray
- 4 offset hexagon key wrenches ○ 13-14-17-19 mm
- 1 Adjustable wrench 300 mm
- 1 pry bar with handle
- 1 tin snips 250 mm
- 1 electrician's scissors, straight blades 147 mm
- 1 engineer's hammer 1000 g
- 1 metric feeler gauge
- 1 telescopic magnet with flexible head
- 1 telescopic joint inspection mirror
- 1 three - cutting edges scraper 200 mm
- 1 hacksaw frame, aluminium handle 440 mm
- 1 Steel wire brush
- 1 Metal pressure oil can 200 cl
- 1 snap - off blade utility knife 170 mm

Beta N.	TR
42	T05
42	T06
31	T31
32	T31
55	T31
96N/SC9	T31
920ME	T80
920/21	T80
920/22	T80
920/25	T80
920/42	T80
920/55	T80
920A	T80
1032	T145
1034	T145
1036	T145
1038	T145
1032	T146
1032	T146
1036	T146
1036	T146
1260	T167
1260N	T167
1262	T168
1262N	T168
952	T63
1262L	T209
1264L	T209
97TTX	T55
720	T111
720/21	T111
720LC	T111
920PE	T113
920TX	T113
920XZN	T113
1719BMA8/S5	T236
1491	T264
1494	T264
1494E	T264
1494Q	T264
1494T	T264
1494XZN	T264
1496C	T264
35	T234
1370	T234
1390	T234
1048N	T153
1052	T153
1150	T138
1166	T138
1084	T138
928A	T105
928/21	T106
928/22	T106
928/42	T106
928/55	T106
VP6	VP6
96N	VP6
111E	VP6
965	VP6
1112	VP6
1128BMX	VP6
1370	VP6
1708/20	VP6
1712	VP6
1715	VP6
1717B	VP6
1726	VP6
1737NX	VP6
1751N	VP6
1771	VP6





MB12



MB39



MB46

5935VG/1MB

assortment of 98 tools for tool chest C35, in EVA foam trays

► Car repairs

Quantity/Description

- 21 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
- 8 double open end wrenches 6x7-8x9-10x11-12x13-14x15
16x17-18x19-20x22 mm
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 4 screwdrivers for slotted head screws ● 3x75-4x100-5x125-6,5x150 mm
- 3 screwdrivers for cross head Phillips® screws ⊕ PH0x60-PH1x80--PH2x100 mm
- 6 drivers for Torx® head screws ⊙ T8-T10-T15-T20-T25-T30
- 9 ball head offset hexagon key wrenches ○
- 6 offset hexagon key wrenches ○ 2-2,5-3-4-5-6
- 1 self - locking pliers 240 mm
- 19 1/2" square drive hexagon sockets ○ 10-11-12-13-14-15-16-17-18-19-20-21
22-23-24-26-27-30-32 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 250 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet ⊗
- 5 1/2" socket drivers for hexagon screws ○ 5-6-8-10-12 mm
- 1 circlip pliers straight, internal ⊙ 180 mm
- 1 circlip pliers bent, internal ⊙ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 1 flat chisels, ribbed type 200 mm
- 1 Heavy-duty diagonal cutting nippers ⊥ 160 mm
- 1 combination pliers bright chrome-plated, bi-material handles = 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 1 engineer's hammer 500 g
- 1 soft face hammer Ø 35 mm

Beta N.	TR
42	MB12
55	MB12
1048N	MB12
1260	MB46
1262	MB46
1267TX	MB46
96BPC/SC9	MB46
96T	MB46
1052	MB46
920A	MB39
920/21	MB39
920/22	MB39
920/25	MB39
920/42	MB39
920/55	MB39
920PE	MB39
1032	MB39
1034	MB39
1036	MB39
1038	MB39
35	MB39
1084BM	MB39
1150BM	MB39
1166BM	MB39
1370	MB39
1390	MB39

5935VG/1MB

059351321

Assortment recommended in combination with C35

5940SBK

assortment of 125 tools

► Motorcycle repairs

Quantity/Description

- 1 drift punches Ø 2 mm
- 1 centre punch Ø 4 mm
- 1 flat chisels 125 mm
- 10 combination wrenches 6 - 7 - 8 - 10 - 11 - 12 - 13 - 14 - 17 - 19 mm
- 6 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 mm
- 9 offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 1 ZERO-RESET click-type torque wrenches ⊗ 3/8", 10+50 Nm
- 54 assortment of 52 hexagon bits, 10 mm, and 2 accessories
- 17 assortment of 12 sockets and 5 accessories
- 1 adaptor, 1/2" female and 3/8" male drives
- 2 spark plug socket ○ 14 - 16 mm
- 1 extra - long nose pliers ● 283 mm
- 2 circlip pliers straight, internal ⊙ 140 - 180 mm
- 1 circlip pliers straight, external ● 140x1,3 mm
- 1 diagonal cutting nippers,
slip-proof double layer PVC coated handles,
industrial finish ⊥ 160 mm
- 1 electrician's scissors, straight blades 145 mm
- 1 heavy duty combination pliers,
slip-proof double layer PVC coated handles,
industrial finish = 180 mm
- 1 screwdriver for Dzus® head screws ●
- 1 screwdriver for slotted head screws ● 3x75 - 4x100 - 5,5x100 - 6,5x150 mm
- 3 screwdriver for cross head Phillips® screws ⊕ PH0x60 - PH1x80 - PH2x100 mm
- 1 circuit testing screwdriver ●
- 1 engineer's hammer 300 g
- 1 adjustable oil filter wrench
- 1 metric feeler gauge
- 1 mini hacksaw frame
- 1 Brass wire brush
- 1 plastic oil can 250 cc

Beta N.	TR
30	
32	
34	
42	
55	
96/SC9	
666/5	
867/C52	
920A/C12X	
910/16	
956C	
1009/LA	
1032	
1036	
1082G	
1128BM	
1150G	
1201E/DZ	
1201E	
1202E	
1254	
1370	
1491	
1708/13	
1725CR	
1737	
1754	

5940SBK

059401082

Assortment recommended for use with items C41S - C41H - C42S - C42H - C42S - C41S



MC21



MC12



5941VU/M

assortment of 64 tools for trolley C41H, in EVA foam trays

► Universal use

Quantity/Description

- 16 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22 mm
- 9 offset hexagon key wrenches \odot 1,5-2-2,5-3-4-5-6-8-10 mm
- 1 measuring tape 5 m
- 19 1/2" square drive hexagon sockets \odot 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \otimes
- 2 1/2" wobble extension bar 125-250 mm
- 1 Adjustable wrench 250 mm
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 1 diagonal cutting nippers, bi-material handles, industrial finish ∇ 160 mm
- 1 electrician's scissors, straight blades 147 mm
- 1 heavy duty combination pliers, bi-material handles, industrial finish \equiv 180 mm
- 1 extra-long needle knurled nose pliers, bi-material handles, industrial finish \bullet 160 mm
- 3 screwdrivers for slotted head screws \bullet 3,5x100-5,5x125-6,5x150 mm
- 3 screwdrivers for cross head Phillips® screws \oplus PH0-PH1-PH2
- 1 engineer's hammer 300 g
- 1 snap - off blade utility knife 170 mm

Beta N.	TR
42	MC12
96/SC9	MC12
1692/5	MC12
920A	MC21
920/25	MC21
920/42	MC21
920/55	MC21
920AN	MC21
111E	
1048N	
1082GBM	
1128BMX	
1150GBM	
1166GBM	
1260	
1262	
1370	
1771	

5941VU/M

059411002

Assortment recommended in combination with C41H

Beta



MM11



MM105



MM129



MM210



MM230

5945VUM

assortment of 199 tools in EVA foam trays

► Universal use

Quantity/Description

- 21 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
- 9 ball head offset hexagon key wrenches \odot 1,5-2-2,5-3-4-5-6-8-10 mm
- 1 socket holder \square 1/4 - \square 1/4
- 1 socket holder \square 1/4 - \square 3/8
- 1 socket holder \square 5/16 - \square 1/2
- 13 1/4" hexagon sockets \odot 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 9 hexagon hand sockets, long series \odot 5-6-7-8-9-10-11-12-13 mm
- 5 1/4" socket drivers for hexagon screws \odot 3-4-5-6-7 mm
- 4 1/4" socket drivers for slotted head screws \bullet 0,8x4-1x5,5x1,2x6,5-1,2x8 mm
- 4 1/4" socket drivers for cross head Phillips® screws \oplus PH1-PH2-PH3-PH4
- 7 socket drivers for Torx® head screws \odot T10-T15-T20-T25-T27-T30-T40
- 1 adaptor, 1/4" female and 3/8" male drives \square 1/4 - \blacksquare 3/8
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 100 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle 176 mm
- 1 1/4" drive swivel T-handle 115 mm
- 1 1/4" reversible ratchet \oplus 125 mm
- 17 3/8" hexagon hand sockets \odot 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
- 1 adaptor, 3/8" female and 1/4" male drives \square 3/8 - \blacksquare 1/4
- 1 adaptor, 1/2" female and 3/8" male drives \square 3/8 - \blacksquare 1/2
- 1 3/8" extension bar 125 mm
- 1 3/8" extension bar 250 mm
- 1 3/8" drive universal joint
- 1 3/8" drive sliding T - handle 210 mm
- 1 3/8" drive reversible ratchet \oplus 200 mm
- 21 1/2" square drive hexagon sockets \odot 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
- 1 adaptor, 1/2" female and 3/8" male drives \square 1/2 - \blacksquare 3/8
- 1 1/2" drive universal joint
- 1 1/2" wobble extension bar 125 mm
- 1 1/2" wobble extension bar 250 mm
- 1 1/2" drive sliding T-handle 305 mm
- 1 1/2" drive reversible ratchet \oplus 275 mm
- 3 3/8" square drive spark plug sockets \odot 16 mm (5/8")-17,8 (11/16")-20,8 (13/16")
- 6 screwdriver for slotted head screws \bullet 04x2,5x50-0,5x3x75-0,8x4x100-1,0x5,5x125-1,2x6,5x150-1,2x8x200 mm
- 1 screwdriver for slotted head screws, extra-short series \bullet 0,8x4x30 mm
- 4 screwdriver for cross head Phillips® screws \oplus PH0x60-PH1x80PH2x100PH3x150 mm
- 1 screwdriver for cross head Phillips® screws, extra-short series \oplus PH1x30 mm
- 12 screwdrivers for Torx® head screws, with handles \odot T06-T07-T08-T09-T10-T15-T20-T25-T27-T30-T40-T45
- 1 mains testing screwdriver \bullet 0,5x3,5x100 mm
- 1 circlip pliers straight, internal \odot 180 mm
- 1 circlip pliers bent, internal \odot 170 mm
- 1 circlip pliers straight, external \bullet 175 mm
- 1 circlip pliers bent, external \bullet 175 mm
- 1 slip joint pliers, slip-proof PVC coated handles 250 mm
- 1 self - locking pliers 240 mm
- 1 self - locking pliers 240 mm
- 1 Diagonal cutting nippers \ddagger 160 mm
- 1 construction worker's pincers 220 mm
- 1 electrician's scissors, straight blades 145 mm
- 1 combination pliers bright chrome-plated, bi-material handles \equiv 180 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 3 drift punches \varnothing 2-3-4 mm
- 6 pin punches \varnothing 2-3-4-5-6-8 mm
- 1 centre punch \varnothing 4 mm
- 1 flat chisels 150 mm
- 2 flat chisels, ribbed type 200-250 mm
- 1 cape chisels, standard type 125 mm
- 1 engineer's hammer 500 g
- 1 soft face hammer \varnothing 35 mm
- 1 measuring tape 3 m
- 1 telescopic magnet with flexible head
- 1 second-cut square files 200 mm
- 1 second-cut triangular files 200 mm
- 1 second-cut flat files 200 mm
- 1 second-cut half-round files 200 mm
- 1 second-cut round files 200 mm
- 1 Steel wire brush
- 1 snap - off blade utility knife 170 mm

Beta N.	TR
42	MM11
96BPC/SC9	MM11
895/1	MM105
895/3	MM105
895/6	MM105
900	MM105
900L	MM105
900ME	MM105
900LP	MM105
900PH	MM105
900TX	MM105
900/16	MM105
900/20	MM105
900/20L	MM105
900/21	MM105
900/25	MM105
900BG/30	MM105
900/42	MM105
900/55	MM105
910A	MM105
910/15	MM105
910/16	MM105
910/21	MM105
910/22	MM105
910/25	MM105
910/42	MM105
910/55	MM105
920A	MM105
920/15	MM105
920/25	MM105
920AN	MM105
920AN	MM105
920/42	MM105
920/55	MM105
956E	MM105
1201E	MM210
1201EN	MM210
1202E	MM210
1202EN	MM210
1207E/TX	MM210
1253	MM210
1032	MM129
1034	MM129
1036	MM129
1038	MM129
1048N	MM129
1052	MM129
1052	MM129
1082BM	MM129
1098	MM129
1128BM	MM129
1150BM	MM129
1166BM	MM129
30	MM230
31	MM230
32	MM230
34	MM230
35	MM230
36	MM230
1370	MM230
1390	MM230
1692	MM230
1712TF	MM230
1719BMA...Q	MM230
1719BMA...T	MM230
1719BMA...P	MM230
1719BMA...M	MM230
1719BMA...R	MM230
1737NX	MM230
1771	MM230

5954VG

assortment of 138 tools

► Car repairs

Quantity/Description	Beta N.
5 pin punches Ø 2-3-4-5-6 mm	31
1 centre punch Ø 4 mm	32
1 flat chisels 125 mm	34
18 combination wrenches 6+22 - 24 mm	42
8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	55
3 double ended offset ring wrenches 12x13 - 14x15 - 17x19 mm	90
13 offset hexagon key wrenches \odot 2+10 - 12 mm	96
4 1/2" drive impact sockets \odot 17 - 19 - 21 - 22 mm	720
20 1/2" square drive hexagon sockets \odot 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm	920A
1 1/2" drive extension bar	920/21
1 1/2" drive extension bar	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive reversible ratchet \odot	920/55
3 hi-torque hexagon nut spinners, long series \odot 8 - 10 - 13 mm	943BX
10 T - handle wrenches with swivelling socket \odot 6 - 7 - 8 - 10 - 11 - 12 - 13 - 14 - 17 - 19 mm	952
3 spark plug socket \odot 16 - 17,8 - 20,8 mm	956C
1 pry bar	964
1 circlip pliers straight, internal \odot	1032
1 circlip pliers bent, internal \odot	1034
1 circlip pliers straight, external \bullet	1036
1 circlip pliers bent, external \bullet	1038
1 slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1 self - locking pliers 240 mm	1052
1 adjustable self locking pliers, long jaws 175 mm	1058
1 Diagonal cutting nippers \angle 160 mm	1082BM
1 electrician's scissors, straight blades 147 mm	1128BMX
1 combination pliers bright chrome-plated, bi-material handles \equiv 180 mm	1150BM
1 Extra-long needle nose pliers \bullet 160 mm	1166BM
1 circuit testing screwdriver \bullet 6+24V	1254
1 screwdrivers for slotted head screws \bullet 8 x 200 mm	1260
1 screwdrivers for slotted head screws, extra-short series \bullet 6,5x30 mm	1260N
1 screwdrivers for cross head Phillips® screws \oplus 8 x 150 mm	1262
1 screwdrivers for cross head Phillips® screws, extra - short series \oplus PH2x30 mm	1262N
5 drivers for Torx® head screws \odot T8 - T10 - T15 - T20 - T25	1267TX
8 set of screwdrivers	1263/D8
1 engineer's hammer 300 g	1370
1 dead blow hammer Ø 35 mm	1392
1 brake spring pliers 210 mm	1470
1 crimping pliers for non insulated terminals	1603
1 measuring tape 5 m	1692
1 metric feeler gauge	1708/20
1 flexible magnetic pick-up tool 1,8 gw	1712E/2
6 needle files 160 mm	1720/B6
1 plastic oil can 150 cc	1754



5954VG

059541054

Assortment recommended in combination with C54VG



► Car repairs


Quantity/Description	Beta N.
6 pin punches Ø 2 - 3 - 4 - 5 - 6 - 8 mm	31/SP6
6 2 drift punches, 1 centre punch, 3 flat chisels with metal holder	38/SP6
17 combination wrenches 6-7-8-10-11-12-13-14-15-16-17-19-21-22-24-27-30 mm	42
12 double open end wrenches 6x7 ÷ 30x32 mm	55/S12X
8 offset hexagon key wrenches 2 ÷ 10 mm	96T/S8
1 offset hexagon key wrenches Ø 2,5 ÷ 12 mm	96N/G7
8 offset key wrenches, for Torx® head screws ⚙ T9 ÷ T40	97TX/SC8
5 offset key wrenches with XZN® profile ○ M5 ÷ M12	98XZN/B5
1 Adjustable wrench 250 mm	111E
1 ZERO-RESET click-type torque wrenches ⚙ 1/2", 40÷200 Nm	666/20
13 1/2" square drive hexagon sockets with rail ○ 10÷22 mm	920A/SB13
8 1/2" square drive hexagon sockets with rail ○ 23÷32 mm	920A/SB8
4 1/2" socket drivers for slotted head screws ● 1,2x6,5 - 1,2x8 - 1,6x9 - 2x12 mm	920LP
3 1/2" socket drivers for Phillips® screws ⚙ PH2 - 3 - 4	920PH
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 255 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive reversible ratchet ⚙	920/55
2 1/2" drive impact sockets ○ 17 - 19 mm	720
10 T - handle wrenches with swivelling socket ○ 7 - 8 - 10 - 11 - 12 - 13 - 14 - 15 - 17 - 19 mm	952
3 T - handle swivel spark plug wrenches 14 - 16 - 20,8 mm	959
1 pry bar	963
1 wheel nut wrench ○ ■ 1/2" - 17 - 19 - 22 mm	979
2 circlip pliers straight, internal ○ 140 - 180 mm	1032
2 circlip pliers bent, internal ○ 130 - 170 mm	1034
2 circlip pliers straight, external ● 140x1,3 - 175 mm	1036
2 circlip pliers bent, external ● 135x1,3 - 175 mm	1038
1 slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1 self - locking pliers 240 mm	1052
1 Diagonal cutting nippers ⚡ 160 mm	1082BM
1 Heavy-duty diagonal cutting nippers ⚡ 160 mm	1084BM
1 toggle lever assisted end cutting nippers ⚡ 180 mm	1092V
1 tin snips 250 mm	1112
1 electrician's scissors, straight blades 147 mm	1128BMX
1 combination pliers bright chrome-plated, bi-material handles = 180 mm	1150BM
1 Extra-long needle nose pliers ● 160 mm	1166BM
1 Extra-long bent needle nose pliers ● 200 mm	1168BM
2 screwdrivers for slotted head screws ● 8x200 - 10x200 mm	1260
1 screwdrivers for cross head Phillips® screws ⚙ PH3x150 mm	1262
8 set of screwdrivers	1263/D8
2 engineer's hammer 300 - 600 g	1370
1 soft face hammer Ø 35 mm	1390
11 roller stud extractors M5÷M16 mm	1433/C11
1 adjustable oil filter wrench	1491
1 circuit tester	1498
1 measuring tape 5 m	1692
1 metric feeler gauge	1708/20
1 flexible magnetic pick-up tool 1,8 kg	1712E/2
1 two cutting edges scraper 200 mm	1717A
1 three - cutting edges scraper 200 mm	1717B
5 second cut files 200 mm	1719BMA8/S5
1 hacksaw frame, aluminium handle	1725
1 metal oil can 200 cc	1751
1 snap - off blade utility knife 170 mm	1771BM
1 sliding gauge	1650

SOFT MODULES

Assortment of tools in thermoformed trays, designed for roller cabs



RSC23T
RSC24
RSC24A
RSC24AXL
RSC24AXLP/7
RSC24AXXL
RSC24L/7
RSC24L-CAB
RSC28
C30M
C37
C37A
C39
C39T
C39MD
C39SM
RSC51
C57S
C58BC
C59
RSC55
RSC50 2.0



544÷554
560÷568



M01



42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32-36 mm

4,5 kg



M01 1 024500001
MV10 1 024510010

M02



42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-32 mm

6,3 kg



M02 1 024500002
MV02 1 024510002

M05



42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21 mm

1,5 kg



M05 1 024500005
MV15 1 024510015

M06



42 22-24-27-30-32 mm

2,1 kg



M06 1 024500006
MV16 1 024510016

M13



42SLIM 8-10-11-12-13-14-15-16-17-18-19 mm

1,2 kg



M13 1 024500013
MV13 1 024510013

M25



42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27 mm
90 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm
123Q1/4
123Q3/8
123Q1/2
142 8-9-10-11-12-13-14-15-16-17-18-19 mm

5,1 kg



M25 1 024500025
MV25 1 024510873

M30



55 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
90 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
96BPC/SC9 1,5-2-2,5-3-4-5-6-8-10 mm

4,2 kg



M30 1 024500030
MV30 1 024510030



Beta

M32

27



42AS 1/4 - 9/32 - 5/16 - 3/8 - 7/16 - 1/2 - 9/16
- 19/32 - 5/8 - 11/16 - 3/4 - 13/16 - 7/8 -
15/16 - 1 - 1.1/16 - 1.1/8 - 1.1/4

○ 96BP/AS-SC9 1/16 - 3/32 - 1/8 - 5/32 - 3/16 - 7/32 - 1/4
- 5/16 - 3/8

4,5 kg

M32 1 024500032
MV31 1 024510031

M33

17



55 6x7-8x9-10x11
12x13-14x15
16x17-18x19
20x22 mm
○ 96/SC9 1,5+10 mm

1,1 kg

M33 1 024500033
MV33 1 024510033

M38

4



55 21x23-24x26
27x29-30x32 mm

1,7 kg

M38 1 024500038
MV38 1 024510038

M40

7



90 6x7-8x9-10x11
12x13-14x15
16x17-18x19 mm

810 g

M40 1 024500040
MV40 1 024510040

M44

12



141 8-9-10-11-12
13-14-15-16
17-18-19 mm

1,3 kg

M44 1 024500044
MV44 1 024510044

M45

12



142 8-9-10-11-12
13-14-15-16
17-18-19 mm

1,3 kg

M45 1 024500045
MV45 1 024510045

M46

12



142SN 8-9-10-11-12
13-14-15-16
17-18-19 mm

1,4 kg

M46 1 024500046
MV46 1 024510046

M49

24



52MQ 7 - 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17
- 19 - 22 mm
89MQ 7 - 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17
- 19 - 22 mm

3,3 kg

M49 1 024500049
MV49 1 024510049

M50

8



○ 96T 2-2,5-3-4-5
6-7-8 mm

1,1 kg

M50 1 024500050
MV50 1 024510051

Beta

M52

5



96T 2,5-3-4-5-6 mm

330 g



M52	1 024500052
MV52	1 024510052

M53

5



96TBP 2,5-3-4-5-6 mm

350 g



M53	1 024500053
MV52	1 024510052

M55

5



97TTX T10-T15-T20-T25-T30

330 g



M55	1 024500055
MV55	1 024510055



M60

23



96T 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm
 97BTX/SC8 T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40
 944BX 5-6-7-8-10-13 mm


1,9 Kg



M60	1 024500060
MV60	1 024510060

M62

21



97TTX T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50
 1032 180 mm
 1034 170 mm
 1036 175 mm
 1038 175 mm
 1177BM 140 mm
 1188BM 125 mm
 1257LP 2-2,5-3-3,5 mm
 1257PH 0-00

2,3 kg



M62	1 024500875
MV62	1 024510875

M63

8



952 7 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm


3,4 kg



M63	1 024500063
MV63	1 024510063

M65

16



950 8 - 10 - 12 - 13 - 14 - 17 - 19 mm
 951 2,5 - 3 - 4 - 5 - 6 - 8 - 10 - 12 - 14 mm


3,6 Kg



M65	1 024500065
MV65	1 024510065

M67

6



950 7-8-10-12-13-17 mm


1,8 kg



M67	1 024500067
MV67	1 024510067

M69

9



951 2,5-3-4-5-6-8 10-12-14 mm

1,8 kg



M69	1 024500069
MV69	1 024510069





M75 16

933 7-8-9-10-11-12-13-14-15
16-17-18-19-21-22-24 mm

5,5 kg

M75	1	024500075
MV75	1	024510075




M78 17

80 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 mm

920/36A
965 450 mm
1052 240 mm
1058 175 mm
1481PL/A
1481PL/B
1481PL/C
1650 150 mm
1708/20
1716P

4,4 kg

M78	1	024500878
MV77	1	024510878



M82 29

920A 10-11-12-13-14
15-16-17-18-19
20-21-22-23-24
26-27-30-32 mm

920ME 5-6-8-10-12 mm

920AN/125 125 mm
920AN/250 250 mm
920/25
920/42 305 mm
920/55

4,1 kg

M82	1	024500082
MV84	1	024510084



M83 24

920A 10-11-12-13-14
15-16-17-18-19
20-21-22-23-24
26-27-30-32 mm

920AN/125 125 mm
920AN/250 250 mm
920/25 255 mm
920/42 305 mm
920/55

3,7 kg

M83	1	024500083
MV87	1	024510087



M85 45

851SR 230 mm

860LP 0,5x3 - 0,6x4,5 - 0,8x5,5 - 1x5,5 - 1,2x6,5 mm

860PE 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm

860PH PH0 - PH1 - PH2 - PH3 - PH4

860PZ PZ1 - PZ2 - PZ3 - PZ4


860TX T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40

860RTX T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40

860/55 100 mm
882P 80 mm
892 1/4 - 1/4

450 g

M85	1	024500085
MV85	1	024510085



M86 46

867PE 4-5-6-7-8-10-12 mm
867PE/L 4-5-6-7-8-10-12 mm
867XZN 5-6-8-10-12 mm
867XZN/L 5-6-8-10-12 mm

867TX T20 - T25 - T30 - T40 - T45 - T50 - T55

867TX/L T25 - T30 - T40 - T45 - T50 - T55

867RTX T20 - T25 - T30 - T40 - T45 - T50 - T55

867/1
867/2

1,4 kg

M86	1	024500086
MV86	1	024510086



M91 25

900 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm

900ME 2,5-3-4-5-6-8 mm

900/20 50 mm
900/21 150 mm
900/25 1/4 - 1/4
900BG/30
900/42
900/55

560 g

M91	1	024500091
MV89	1	024510089



M92 22

910A 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm

910/21 125 mm
910/22 250 mm
910/25
910/42
910/55

1,5 kg

M92	1	024500092
MV93	1	024510093



M94 26

900AS/L 3/16 - 7/32 - 1/4 - 9/32 - 5/16 - 11/32 - 3/8 - 7/16 - 1/2 - 9/16

900AS 3/16 - 7/32 - 5/32 - 1/4 - 9/32 - 5/16 - 11/32 - 3/8 - 7/16 - 1/2 - 9/16

900AN 50-100mm
900/25
900/55
900/42

930 g

M94	1	024500094
MV95	1	024510095



M96 22

920A/AS 3/8 - 7/16 - 1/2 - 9/16 - 19/32 - 5/8 - 11/16 - 3/4 - 25/32 - 13/16 - 7/8 - 15/16 - 1 - 1.1/16 - 1.1/18 - 1.3/16 - 1.1/4


920/25
920AN 125-250mm
920/42
920/55

3,8 kg

M96	1	024500096
MV97	1	024510097

M100


98



- 895/1
- 895/3
- 895/6
- 900 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 900L 5-6-7-8-9-10-11-12-13 mm
- 900ME 3-4-5-6-7 mm
- 900LP 0,8x4 - 1x5,5 - 1,2x6,5 - 1,2x8 mm
- ⊕ 900PH PH1-PH2-PH3-PH4
- ⊗ 900TX T10 - T15 - T20 - T25 - T27 - T30 - T40
- 900/20 50 mm
- 900/20L 100 mm
- 900/21 150 mm
- 900/25
- 900BG/30
- 900/42
- ⊗ 900/55
- 920A 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
- 920/15
- 920/25
- 920AN/125 125 mm
- 920AN/250 250 mm
- 920/42
- ⊗ 920/55
- 920FTX 10-12-14-16-18-20-22-24 mm
- 920AL 10-12-13-14-15-16-17-18-19-21-22

6,7 kg

14" 12"



M100 1 024500100
MV104 1 024510104

M105

116



- 900 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 900L 5-6-7-8-9-10-11-12-13 mm
- 96BPC/SC9 1,5-2-2,5-3-4-5-6-8-10 mm
- 895/1
- 895/3
- 895/6
- 900ME 3-4-5-6-7 mm
- 900LP 0,8x4 - 1x5,5 - 1,2x6,5 - 1,2x8 mm
- ⊕ 900PH PH1-PH2-PH3-PH4
- ⊗ 900TX T10 - T15 - T20 - T25 - T27 - T30 - T40
- 900/16 □ 1/4 - ■ 3/8
- 900/... 50-100-150 mm
- 900/25
- 900BG/30
- 900/42
- ⊗ 900/55
- 910A 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
- 910/15 □ 3/8 - ■ 1/4
- 910/16 □ 3/8 - ■ 1/2
- 910/21 125 mm
- 910/22 250 mm
- 910/25
- 910/42
- ⊗ 910/55
- 920A 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
- 1/2 - ■ 3/8
- 920/15
- 920/25
- 920AN 125-250 mm
- 920/42
- ⊗ 920/55
- 956E 16-17,8-20,8 mm

7,7 kg

14" 3/8" 12"



M105 1 024500871
MV107 1 024510107

M108

27



- 910MQ/PE 4-5-6-8 mm
- 910MQ/B 7-8-10-11-12-13-14-15-16-17-19 mm
- ⊗ 910MQ/TX T15 - T20 - T25 - T27 - T30 - T40
- 910MQ/XZN 8-10 mm
- 910MQ/21 140 mm
- 910MQ/22 265 mm
- 910MQ/T
- 910MQ/55

2,7 kg



M108 1 024500108
MV108 1 024510108

M110

36



- ⊗ 850MQ
- ⊗ 861TX/A10
- 920MQ/A 8-9-10-11-12-13-14-15-16-17-18-19-20 mm
- 920MQ/PE 5-6-8-10-12 mm
- 920MQ/21 125 mm
- 920MQ/22 250 mm
- 920MQ/55A
- 943MQ 6-7-8-10 mm

3,1 kg



M110 1 024500110
MV110 1 024510110

M112

32



- ⊗ 861TX ● 1/4-T6+T15
- ⊗ 866TX ● 5/16-T20+T55
- 895/1 ○ 1/4x□1/4
- 895/6 ○ 5/16x□1/2
- ⊗ 900FTX □ 1/4-E4+E10
- ⊗ 920FTX □ 1/2-E12+E24
- ⊗ 920TX □ 1/2-T55L-T60-T70L

1,3 kg

14" 12"



M112 1 024500112
MV112 1 024510112

M115

54



- ⊗ 666/20 40+200 Nm
- 920A 13-14-15-16-17-18-19-20-21-22-24-26-27-30-32 mm
- ⊗ 920FTX 12-14-16-18-20-22-24 mm
- 920PE 6-7-8-8L-10-10L-12-12L-14-14L
- ⊗ 920TX T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55 - T60 - T20L - T25L - T27L - T30L - T40L - T45L - T50L
- 920/21 125 mm
- 920/22 255 mm
- 920/25
- 920/42 305 mm
- ⊗ 920/55

7,8 kg

12"



M115 1 024500115
MV117 1 024510117

Beta

M118

33



- 1927P
- 720L 13-17-19-21-22-24 mm
- 720ME 5-6-8-10-12-14-17-19 mm
- 720 10-12-13-14-15-16-17
- 18-19-21-22-24-27-30-32 mm
- 720LC 17-19-21 mm

1,8 g



M118	1	024500118
MV118	1	024510118

SUITABLE FOR 140 MM DRAWERS

M120

75



- 920A 10-11-12-13-14-15-16-17-18-19-20-21
- 22-24-26-27-30-32 mm
- 920AN/125 125 mm
- 920AN/250 250 mm
- 920/25
- 920/42
- 920AL 10-12-13-14-15-16-17-18-19-22-24-27-30-32 mm
- 920FTX 10-12-14-16-18-20-22-24 mm
- 920/55
- 920PE 5-5L-6-6L-7-7L-8-8L-10-10L-12-12L-14-14L
- 920TX T20-T25-T27-T30-T40-T45-T50-T55-T60
- T20L-T25L-T27L-T30L-T40L-T45L-T50L

6,9 Kg

12"



M120	1	024500120
MV119	1	024510119

M121

46



- 920BP 5L-6L-8L-10L-5XL-6XL-8XL mm
- 920TX T20-T25-T27-T30-T40L-T45L-T50L-T55L-T60L-T70L
- 920XZN 4-5-6-6L-8-8L-10-10L-12-12L-14-14L-16-18 mm
- 920ES 7-9-10-11-12L-14L-16L-7XL-9XL-10XL-11XL-12XL-14XL-16XL mm

920/36A

6,3 Kg

12"



M121	1	024500121
MV121	1	024510121

M125

68



- 910AL 8-9-10-11-12-13-14-15-16-17-19-21-22 mm
- 920PE 5-6-6L-7-8-8L-10-10L-12-12L mm
- 920FTX E12-E14-E16-E18-E20-E22-E24
- 920TX T20-T25-T27-T30-T30L-T40-T40L-T45-T50-T50L-T55-T60-T60L
- 920XZN 5-6-6L-8-8L-10-10L-12L mm
- 920AL 10-12-13-14-15-16-17-18-19-21-22-23-24-27-30-32 mm

1692/5

7,9 kg

38" 12"



M125	1	024500872
MV125	1	024510872

M126

26



- 928A 19-21-22-24-26-27-28-30-32-34-35-36-38-41-46 mm
- 928ME 14-17-19-22 mm
- 928/15 □ 3/4 - ■ 1/2
- 928/16 □ 3/4 - ■ 1
- 928/21 200 mm
- 928/22 380 mm
- 928/25
- 928/42 450 mm
- 928/55

12,4 kg

34"



M126	1	024500126
MV139	1	024510139

M127

23



- 728 19-21-22-24-27-30-32-33-34-35-36-38-40-41-46
- 728FTX 20-22-24 mm
- 728/15 □ 3/4 - ■ 1/2
- 728/16 □ 3/4 - ■ 1
- 728/21 175 mm
- 728/22 250 mm
- 728/25

12,5 kg

34"



M127	1	024500127
MV127	1	024510127

M128

50



- 720 10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
- 720L 10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
- 720TX T30-T40-T45-T50-T55
- 720ME 5-6-8-10-12-14-17-19 mm
- 720LC 17-19-21 mm
- 720/21 125 mm
- 720/25

8,9 kg

12"



M128	1	024500128
MV128	1	024510128

M129

13



- 1032 180 mm
- 1034 170 mm
- 1036 175 mm
- 1038 175 mm
- 1048N 250 mm
- 1052 240 mm
- 1082BM 160 mm
- 1098 220 mm
- 1112 250 mm
- 1128BM 145 mm
- 1150BM 180 mm
- 1166BM 160 mm
- 1168BM 160 mm

3,4 Kg



M129	1	024500129
MV138	1	024510138

M133

3



- 1082G 160 mm
- 1150G 180 mm
- 1166G 160 mm

650 g



M133	1	024500133
MV133	1	024510133

M134

3



- 1082GBM 160 mm
- 1150GBM 180 mm
- 1166GBM 160 mm

750 g



M134	1 024500134
MV134	1 024510134

M135

3



- 1082MQ 160 mm
- 1150MQ 180 mm
- 1166MQ 160 mm

750 g



M135	1 024500135
MV135	1 024510135

M136

3



- 1084BM 160 mm
- 1150BM 180 mm
- 1166BM 160 mm

750 g



M136	1 024500136
MV131	1 024510131

M137

3



- 1084 160 mm
- 1150 180 mm
- 1166 160 mm

650 g



M137	1 024500137
MV132	1 024510132

M145

4



- 1032 180 mm
- 1034 170 mm
- 1036 175 mm
- 1038 175 mm

640 g



M145	1 024500145
MV145	1 024510145

M153

2



- 1048N 250 mm
- 1052 240 mm

1 kg



M153	1 024500153
MV154	1 024510154

M161

15



- 1128MQ 145 mm
- 1048MQ 250 mm
- 1082MQ 160 mm
- 1150MQ 180 mm
- 1162MQ 160 mm
- 1164MQ 160 mm
- 1272MQ PH0x60 - PH1x80 - PH2x100 - PH3x150 mm
- 1274MQ 2,5x75 - 3x100 - 4x100 - 5,5x125 mm
- 1777MQ/U

3,0 kg



M161	1 024500161
MV161	1 024510161



M162

8



- 1241 5,5x100 - 6,5x125 - 8x150 - 10x200 mm
- 1242 PH1x100 - PH2x100 - PH3x150 - PH4x200 mm

1,4 kg



M162	1 024500162
MV162	1 024510162

M166

49



861MIX/A31

- 1048N 250 mm
- 1082BM 160 mm
- 1150BM 180 mm
- 1162BM 160 mm
- 1290 3x75 - 4x100 - 5,5x100 - 6,5x150 - 8x150 mm
- 1290N 6,5x30 mm
- 1292 4,5x80 - 6x100 - 8x150 mm
- 1292N 6x30 mm
- 1297TX T20-T25-T27-T30

2,9 kg



M166	1 024500879
MV880	1 024510880


M170

7



- 1290 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x100 - 5,5x150 - 6,5x150 mm

500 g



M170	1 024500170
MV170	1 024510170

M172



1292

PH0x60
PH0x100
PH1x80
PH1x120
PH2x100
PH2x150 mm



450 g



M172	1	024500172
MV172	1	024510172

M174



1297TX

T8 - T10 - T15 - T20
- T25 - T30



450 g



M174	1	024500174
MV174	1	024510174

M180



1290

3x75
4x100
5,5x150
6,5x150 mm
PH0x60
PH1x80
PH2x100 mm



500 g



M180	1	024500180
MV180	1	024510180



M195



- 1260 2,5x50 - 3x75 - 4x100 - 5,5x125 - 6,5x150 - 8x200 mm
- 1260N 4x30 mm
- 1262 PH0x60 - PH1x80 - PH2x100 - PH3x150 mm
- 1262N PH1X30 mm
- 1267TX T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45
- 1253 3,5x100 mm

2,3 kg



M195	1	024500195
MV195	1	024510195

M201



- 1260 3x75 - 4x100 - 6,5x150 mm
- 1262 PH0x60 - PH1x80 - PH2x100 mm

500 g



M201	1	024500201
MV201	1	024510201

M204



- 1267TX T8 - T10 - T15 - T20 - T25 - T30

450 g



M204	1	024500204
MV204	1	024510204

M208



1260

3x75
3,5x100
4x125
5,5x150
6,5x150 mm
PH0x60
PH1x80
PH2x100 mm
4x30 mm
PH1x30 mm

1262

1260N

1262N

750 g



M208	1	024500208
MV208	1	024510208

M209



1260N

4x30 mm

1264

2,5x60 - 3x100 - 4x125 - 5x150 - 6,5x150 mm

1262

PH0x60 - PH1x80 - PH2x100 mm

1262N

PH1x30 mm

820 g



M209	1	024500209
MV208	1	024510209

M213



- 1201E 2,5x50 - 3x75 - 4x100 - 5,5x125 - 6,5x150 - 8x200 mm
- 1201EN 4x30 mm
- 1202E PH0x60 - PH1x80 - PH2x100 - PH3x150 mm
- 1202EN PH1X30 mm
- 1207E/TX T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45
- 1253 3,5x100 mm

1,8 Kg



M213	1	024500213
MV210	1	024510210



M214

7



- 1201E 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x100 - 5,5x150 - 6,5x150 mm

500 g



M214 1 024500214
MV211 1 024510211

M216

6



- 1202E PH0x60 - PH1x80 - PH1x120 - PH2x100 - PH2x150 - PH3x150 mm

450 g



M216 1 024500216
MV212 1 024510212

M217

7



- 1207E/TX T6 - T7 - T8 - T9 - T10 - T15 - T20

500 g



M217 1 024500217
MV215 1 024510215

M218

7



- 1201E 3x75 - 4x100 - 5,5x150 - 6,5x150 mm
- 1202E PH0x60 - PH1x80 - PH2x100 mm

500 g



M218 1 024500218
MV220 1 024510220

M222

7



- 1272MQ PH0x60 mm
- 1272MQF PH1x80 - PH2x100 mm
- 1274MQF 3,5x100 - 4,5x100 - 5,5x125 - 6,5x150 mm

540 g



M222 1 024500222
MV222 1 024510222

M226

7



- 1274MQ 3x100 - 4x100 - 5,5x125 - 6,5x150 mm
- 1272MQ PH0x60 - PH1x80 - PH2x100 mm

500 g



M226 1 024500226
MV226 1 024510226

M227

5



- 944BX 6-7-8-10-13 mm

420 g



M227 1 024500227
MV227 1 024510227

M230

25



- 30 Ø 2-3-4 mm
- 31 Ø 2-3-4-5-6-8 mm
- 32 Ø 4 mm
- 34 150 mm
- 35 200-250 mm
- 36 125 mm
- 1370 500 g
- 1390 Ø 35 mm
- 1692 3 m
- 1712TF
- 1719BMA/Q 200 mm
- ▲ 1719BMA/T 200 mm
- 1719BMA/P 200 mm
- ▶ 1719BMA/M 200 mm
- 1719BMA/R 200 mm
- 1737NX
- 1771 170 mm

3,2 Kg



M230 1 024500230
MV230 1 024510230

M231

22



- 31 2-3-4-5-6-8 mm
- 32 4 mm
- 34 125-150-175 mm
- 36 125 mm
- 1370 500-1000 g
- 1390 Ø 35 mm
- 1712TF 590 mm
- 1715 670 mm
- 1719BMA8/Q 200 mm
- ▲ 1719BMA8/T 200 mm
- 1719BMA8/P 200 mm
- ▶ 1719BMA8/M 200 mm
- 1719BMA8/R 200 mm
- 1737NX

4,7 kg



M231 1 024500877
MV231 1 024510877



M234



35 100-200 mm
1370 300 g
1390 Ø 35 mm

1,3 kg



M234 1 024500234
MV232 1 024510232

M236



■ 1719BMA/Q 200 mm
▲ 1719BMA/T 200 mm
■ 1719BMA/P 200 mm
▶ 1719BMA/M 200 mm
● 1719BMA/R 200 mm

870 g



M236 1 024500236
MV236 1 024510236

M237



35 100-200 mm
1370T 300 mm
1390N Ø 35 mm

1,3 kg



M237 1 024500237
MV232 1 024510232

M240



31BM Ø 2-3-4-5-6-8 mm
32 Ø 4 mm

850 g



M240 1 024500240
MV240 1 024510240



M264



1491 Ø 65+110 mm
■ 1494 ■ 10 mm
○ 1494E ○ 8 - 9 - 10 - 11 - 12 - 14 - 17 mm
○ 1494Q ○ 8-9,5-12-13 mm
△ 1494T △ 9,5
○ 1494XZN ○ 16
1496C ■ 8x ■ 10 mm

2,1 kg



M264 1 024500264
MV264 1 024510264

M284



1128BMX 147 mm
1130BMX 185 mm
■ 1719BMA...Q 200 mm
▲ 1719BMA...P 200 mm
▶ 1719BMA...M 200 mm
● 1719BMA...R 200 mm
1726BM 400 mm
1728BM (5)
1771BM 170 mm
1778V18 185 mm

2,4 Kg



M284 1 024500284
MV284 1 024510284

M292



111E 250 mm
1128BMX 147 mm
1692/5 5 m
1771 170 mm

500 g



M292 1 024500292
MV293 1 024510293

M294



1692/5 5 m
1725CR 260 mm
1771 170 mm
1771RL

500 g



M294 1 024500294
MV294 1 024510294

M295



1650
1682 300 mm
1707
1708/20

450 g



M295 1 024500295
MV295 1 024510295



M400

29



- 3932U
- 3935 120 mm
- 3937 170 mm
- 3952 13 - 14 - 15 - 16 - 17 - 18 - 19 mm
- 3961 3,2
- 3961 3,3
- 3961 3,5
- 3961U 3,2 - 4,0 mm
- 3969 200 mm (x2)
- 3969K3 113 mm
- 3973/1
- 3973/2
- 3973/3
- 3973/4
- 3984/1 Ø35 mm
- 3984/2 Ø22,8 mm
- 3984/3 Ø23,5 mm
- 3984/4 Ø23 mm
- 3991 222 mm
- 3992 234 mm

3,1 kg



- M400 1 024500400
- MV400 1 024510400

M401

7




- 3921 440 mm
- 3948
- 3953
- 3955 30x32 - 32x36 mm
- 3967 289 mm
- 3971



2,7 kg



- M401 1 024500401
- MV401 1 024510401




RSC22
RSC23
RSC23C
C27S



554
569

C41S
C41H



554

MC10

34



- 42 6-7-8-9-10-11-12
13-14-15-16-17
18-19-21-22 mm
- 96/SC9 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- ⌘ 1084BM 160 mm
- ≡ 1150G 180 mm
- 1166G 160 mm
- 1201E 3,5x100 - 5,5x150 - 6,5x150 mm
- ⊕ 1202E PH0x60 - PH1x80 - PH2x100 mm

3,5 kg



- MC10 1 027500011
- MCV10 1 027510010

MC12

26



- 42 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17
18 - 19 - 21 - 22 mm
- 96/SC9 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 1692/5 5 m

2,2 kg



- MC12 1 041500012
- MCV11 1 041510011

MC20

74



- 861MIX/A31
- 895/1
- 1048N 250 mm
- 1370 300 g
- 32 Ø 4 mm
- 36 Ø 4 mm
- 900 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- 900/21 150 mm
- 900/25
- 900BG/30C
- 900/42
- 900/55
- 920A 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24
- 27 - 30 - 32 mm

- 920/25
- 920AN/125 125 mm
- 920/42
- 920/55

6 kg

12"



- MC20 1 027500020
- MCV24 1 027510024

MC21

24



- 920A 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20
- 21 - 22 - 23 - 24 - 26 - 27 - 30 - 32 mm
- 920/25
- 920/42
- ⊕ 920/55
- 920AN 125-250 mm

4,3 kg


12"



- MC21 1 041500021
- MCV17 1 041510017




C35



555-556

MB12



42	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm
55	6x7-8x9-10x11 12x13-14x15 16x17-18x19 20x22 mm
1048N	250 mm

5,4 kg



MB12	1	024504212
MBV13	1	024524213

MB37



920A	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 26 - 27 - 30 - 32 mm
920/21	125 mm
920/22	150 mm
920/25	
920/42	
920/55	
111E	250 mm
1052	240 mm
1084BM	160 mm
1150BM	180 mm
1166BM	160 mm
1032	180 mm
1034	170 mm
1036	175 mm
1038	175 mm
900	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
900/20	50 mm
900/21	150 mm
900/25	
900BG/30	
900/55	
900/42	

7,0 kg



MB37	1	024504237
MBV27	1	024524227

MB39



920A	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 26 - 27 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/55	
920PE	5-6-8-10-12 mm
1032	180 mm
1034	170 mm
1036	175 mm
1038	175 mm
35	200 mm
1084BM	160 mm
1150BM	180 mm
1166BM	160 mm
1370	500 g
1390	35 mm

7,2 kg



MB39	1	024504239
MBV29	1	024524229

MB44



1260	2,5x50 - 3x75 - 3,5x100 - 4x100 - 5,5x125 - 6,5x150 - 8x200 mm
1260N	4x30-6,5x30 mm
1262	PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 - PH3x150 mm
1262N	PH1x30-PH2x30 mm
1253	
96BPC/SC9	
951	2,5-3-4-5-6-8 mm

2,8 kg



MB44	1	024504244
MBV44	1	024524244

MB46



1260	3x75 - 4x100 - 5,5x125 - 6,5x150 mm
1262	PH0x60 - PH1x80 - PH2x100 mm
1267TX	T8 - T10 - T15 - T20 - T25 - T30
96BPC/SC9	
96T	2-2,5-3-4-5-6
1052	240 mm

2,8 kg



MB46	1	024504246
MBV46	1	024524246

MB47



1260	3x75 - 4x100 - 5,5x125 - 6,5x150 mm
1262	PH0x60 - PH1x80 - PH2x100 mm
1260N	4x30 mm
1262N	PH1x30 mm
96T	2,5-3-4-5-6-8 mm
96BPC/SC9	
920A	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 26 - 27 - 30 - 32 mm
920/21	125 mm
920/22	250 mm
920/25	
920/42	
920/55	

5,6 kg

12"



MB47	1	024504247
MBV70	1	024524270

MB58

17



31	Ø 2-3-4-5-6 mm
32	Ø 4 mm
35	200 mm
1112	250 mm
1128BMX	147 mm
1370	500 g
1390	Ø 45 mm
■ 1719BMA...Q	200 mm
▲ 1719BMA...T	200 mm
■ 1719BMA...P	200 mm
▶ 1719BMA...M	200 mm
● 1719BMA...R	200 mm
1726	440 mm

4,5 kg



MB58	1 024504258
MBV55	1 024524255

MB59

15



■ 1719BMA...Q	200 mm
▲ 1719BMA...T	200 mm
■ 1719BMA...P	200 mm
▶ 1719BMA...M	200 mm
● 1719BMA...R	200 mm
31	Ø 4-6 mm
32	Ø 4 mm
35	125-200 mm
1370	300 g
1390	Ø 35 mm
1692	5 m
1725	420 mm
1833XS/2	

3,4 kg



MB59	1 024504259
MBV57	1 024524257

MB65

16



1719BMA...Q	200 mm
1719BMA...P	200 mm
1719BMA...T	200 mm
1719BMA...M	200 mm
1719BMA...R	200 mm
35	200 mm
○ 1032	180 mm
○ 1034	170 mm
○ 1036	175 mm
● 1038	175 mm
1052	240 mm
⚡ 1084BM	160 mm
≡ 1150BM	180 mm
● 1166BM	160 mm
1370	500 g
1390	Ø 35 mm


4,8 kg



MB65	1 024504265
MBV61	1 024524261

MB63

60



○ 96BPC/SC9	
● 1250	4x125 mm
⊕ 1251	PH1x125 mm
● 1253	
○ 943MQ	5,5-6-7-8-10-13 mm
⊕ 1272MQ	PH0x60 - PH1x80 - PH2x100 - PH3x150 mm
● 1274MQ	2,5x75 - 3x100 - 4x100 - 5,5x125 - 6,5x150 - 8x175 mm
● 860LP	0,5x3 - 0,6x4 - 0,8x5,5 - 1,0x5,5 - 1,2x6,5 mm
○ 860PE	2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
⊕ 860PH	PH0 - PH1 - PH2 - PH3 - PH4
⊕ 860PZ	PZ1 - PZ2 - PZ3 - PZ4
⊕ 860RTX	T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40
882MSR 50	○ 1/4 ● 1/4
● 850MQ	

3,2 kg



MB63	1 024504263
MBV63	1 024524263

MB64

20



55	6x7-8x9-10x11 - 12x13-14x15 - 16x17-18x19 - 20x22 mm
1048MQ	250 mm
⚡ 1082MQ	140 mm
1128BSX	148 mm
1132MQ	230 mm
⊕ 1150MQ	180 mm
● 1166MQ	160 mm
● 1168MQ	160 mm
110MQ	250 mm
1777MQ	
993MQ	
1602	

4,1 kg



MB64	1 024504264
MBV62	1 024524262



C45PRO 2.0

566 mm
406 mm
532 mm
34 mm

1

MM

MM11



42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
 ○ 96BPC/SC9 1,5-2-2,5-3-4-5-6-8-10 mm

4,5 kg



MM11	1	024580011
MMV10	1	024590010

MM26



42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27 mm
 111E 250 mm

123Q1/4
123Q3/8
123Q1/2

142 8-9-10-11-12-13-14-15-16-17-18-19 mm


4,3 kg



MM26	1	024580026
MMV26	1	024590026



MM30



55 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
 90 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
 ○ 96BPC/SC9 1,5-2-2,5-3-4-5-6-8-10 mm

4,9 kg



MM30	1	024580030
MMV30	1	024590030

MM60



○ 96T 2-2,5-3-4-5-6-7-8-10 mm
 ○ 97BTX/SC8 T9-T10-T15-T20-T25-T27-T30-T40
 ○ 944BX 5-6-7-8-10-13 mm

2,2 Kg



MM60	1	024580060
MMV60	1	024590060

MM63



○ 952 7-8-10-12-13-14-17-19 mm

3,4 kg



MM63	1	024580063
MMV63	1	024590063

MM100



- 895/1
- 895/3
- 895/6
- 900 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 900L 5-6-7-8-9-10-11-12-13 mm
- 900ME 3-4-5-6-7 mm
- 900LP 0,8x4-1x5,5-1,2x6,5-1,2x8 mm
- ⊕ 900PH PH1-PH2-PH3-PH4
- ⊗ 900TX T10-T15-T20-T25-T27-T30-T40
- 900/20 50 mm
- 900/20L 100 mm
- 900/21 150 mm
- 900/25
- 900BG/30
- 900/42
- ⊗ 900/55
- 920A 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
- 920/15
- 920/25
- 920AN/125 125 mm
- 920AN/250 250 mm
- 920/42
- ⊗ 920/55
- 920FTX 10-12-14-16-18-20-22-24 mm
- 920AL 10-12-13-14-15-16-17-18-19-21-22

6,7 Kg

14" 12"



MM100	1	024580100
MMV104	1	024590104



Beta

MM105

107



- 895/1 □1/4-□1/4
- 895/3 □1/4-□3/8
- 895/6 □5/16-□1/2
- 900 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- 900L 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm
- 900ME 3-4-5-6-7 mm
- 900LP 0,8x4 - 1x5,5 - 1,2x6,5 - 1,2x8
- 900PH PH1 - PH2 - PH3 - PH4
- 900TX T10 - T15 - T20 - T25 - T27 - T30 - T40
- 900/16 50-100-150 mm
- 900/25 176 mm
- 900BG/30 115 mm
- 900/42 125 mm
- 900/55 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 mm
- 910A □3/8-■1/4
- 910/15 □3/8-■1/2
- 910/16 125 mm
- 910/21 250 mm
- 910/22 210 mm
- 910/25 200 mm
- 910/42 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 26 - 27 - 28 - 30 - 32 mm
- 920A □1/2-■3/8
- 920/15 125-250 mm
- 920/25 305 mm
- 920AN 275 mm
- 920/42 16 mm (5/8") - 17,8 (11/16") - 20,8 (13/16")
- 920/55 14" 38" 12"
- 956E 14" 38" 12"

7,2 kg

MM105 1 024580105
MMV107 1 024590107

MM129

12



- 1032 180 mm
- 1034 170 mm
- 1036 175 mm
- 1038 175 mm
- 1048N 250 mm
- 1052 240 mm
- 1082BM 160 mm
- 1098 220 mm
- 1128BM 145 mm
- 1150BM 180 mm
- 1166BM 160 mm
- 1168BM 160 mm

2,9 Kg

MM129 1 024580129
MMV129 1 024590129

MM210

25



- 1201E 2,5x50 - 3x75 - 4x100 - 5,5x125 - 6,5x150 - 8x200 mm
- 1201EN 4x30 mm
- 1202E PH0x60 - PH1x80 - PH2x100 - PH3x150 mm
- 1202EN PH1X30 mm
- 1207E/TX T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45
- 1253

2,1 kg

MM210 1 024580211
MMV210 1 024590210



MM230

25



- 30 Ø 2-3-4 mm
- 31 Ø 2-3-4-5-6-8 mm
- 32 Ø 4 mm
- 34 150 mm
- 35 200-250 mm
- 36 125 mm
- 1370 500 g
- 1390 Ø 35 mm
- 1692 3 m
- 1712TF
- 1719BMA...Q 200 mm
- 1719BMA...T 200 mm
- 1719BMA...P 200 mm
- 1719BMA...M 200 mm
- 1719BMA...R 200 mm
- 1737NX
- 1771 170 mm

3,2 Kg

MM230 1 024580230
MMV230 1 024590230

MM400

29



- 3932U
- 3935 120 mm
- 3937 170 mm
- 3952 13 - 14 - 15 - 16 - 17 - 18 - 19 mm
- 3961 3,2
- 3961 3,3
- 3961 3,5
- 3961U 3,2 - 4,0 mm
- 3969 200 mm (x2)
- 3969K3 113 mm
- 3973/1
- 3973/2
- 3973/3
- 3973/4
- 3984/1
- 3984/2
- 3984/3
- 3984/4
- 3991 222 mm
- 3992 234 mm

3,1 kg

MM400 1 024580400
MMV400 1 024590400

MM401




- 3921 440 mm
- 3948
- 3953
- 3955 30x32 mm - 32x36 mm
- 3967 289 mm
- 3971

2,7 kg

MM401	1 024580401
MMV401	1 024590401

VPM0


EVA foam tray with tote tray



VPM0	1 088870350
------	-------------

VPM3


EVA foam tray with 4 tote trays



VPM3	1 088870353
------	-------------

VPM7

EVA foam tray with 3 tote trays, for tool chests C45PRO 2.0



VPM7	1 088870356
------	-------------

VPM8

EVA foam tray with tote tray, for mobile roller cabs and tool chests C45PRO 2.0



VPM8	1 088870357
------	-------------

VPM9


soft thermoformed tray with tote tray



VPM9	1 088870358
------	-------------


VPM7-C

EVA foam tray with 3 tote trays, for mobile roller cabs C45PRO 2.0




VPM7C	1 088870360
-------	-------------






Hard thermoformed trays T-series



Assortment of tools in thermoformed trays, designed for all roller cabs and all trolleys.



H mm	LxP mm
70	588x367



T01



42

6-7-8-10-11-12-13
14-16-17-18-19-21
22-24-27-30 mm

2,7 kg



T01	1	024240001
TV10	1	024000400



T05



42

6-7-8-9-10-11-12
13-14-15-16-17
18-19-20-21 mm

1,5 kg



T05	1	024240005
TV15	1	024000445

T06



42

22-24-27-30-32 mm

2,1 kg



T06	1	024240006
TV16	1	024000446



T23



42INOX 8 - 10 - 11 - 12 - 13 -
14 - 15 - 17 - 19 mm
 ○96BPINOX 2,5-3-4-5-6-8-10 mm



1 kg



T23	1	024240023
TV23	1	024249906

T24



42AS

5/16-3/8-7/16-1/2
9/16-5/8-11/16-3/4
3/32-1/8-5/32-3/16
1/4-5/16-3/8

○96AS/BG7

1 kg



T24	1	024240024
TV20	1	024000488



T28



42MP

6-7-8-9-10-11-12
13-14-15-16-17
18-19-20-21 mm

1,5 kg



T28	1	024240028
TV15	1	024000445

T33



55

6x7-8x9-10x11
12x13-14x15
16x17-18x19
20x22 mm
1,5+10 mm

○96/SC9

1 kg



T33	1	024240033
TV20	1	024000488



T34



55MP

6x7-8x9-10x11
12x13-14x15
16x17-18x19
20x22 mm
1,5+10 mm

○96/SC9

1 kg



T34	1	024240034
TV20	1	024000488

T40



90

6x7-8x9-10x11
12x13-14x15
16x17-18x19 mm

810 g



T40	1	024240040
TV40	1	024000456



T41



90

20x22-21x23
24x26-25x28
27x29 mm

1,5 kg



T41	1	024240041
TV41	1	024000457

T31



31

Ø 2-3-4-5-6 mm

32

Ø 4 mm

55

6x7-8x9-10x11
12x13-14x15
16x17-18x19
20x22-21x23
24x26-27x29
30x32 mm

○96N/SC9 1,5+10 mm

3 kg



T31	1	024240031
TV30	1	024000401



T45

12



142

8-9-10-11-12
13-14-15-16
17-18-19 mm

1,3 kg



T45	1	024240045
TV45	1	024000498

T46

12



142SN

8-9-10-11-12
13-14-15-16
17-18-19 mm

1,5 kg



T46	1	024240046
TV46	1	024000499

T48

12



96BPC/SC9 1,5+10 mm

142C

8-9-10-11-12
13-14-15-16
17-18-19 mm

1,4 kg



T48	1	024240048
TV47	1	024000763

T50

11



96T

2-2,5-3-3,5-4-4,5
5-6-7-8-10 mm

1,3 kg



T50	1	024240050
TV50	1	024000764

T52

6



96T

2-2,5-3-4-5-6 mm

350 g



T52	1	024240052
TV52	1	024000765

T55

6



97TTX

T10-T15-T20
T25-T27-T30

330 g



T55	1	024240055
TV55	1	024000766

T59

14



111E 250 mm

920/40

1/2

951 2,5-3-4-5-6-8 mm

953 4-5-6-8 mm

1370 300 - 500 g

4,7 kg



T59	1	024240059
TV60	1	024000420

T63

8



952

7 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm

3,8 kg



T63	1	024240063
TV63	1	024000471

T64

8



952FTX E10-E12-E14

953TX T25 - T27 - T30 - T40 - T45

3,8 kg



T64	1	024240064
TV63	1	024000471

T65

8



953

3 - 3,5 - 4 - 5 - 6 - 7 - 8 - 10 mm

2,8 kg



T65	1	024240065
TV63	1	024000471

T68

6



951

2,5-3-4-5-6-8 mm

590 g



T68	1	024240068
TV68	1	024000470

T73

10



930

6x7 - 8x9 - 10x11 -
12x13 - 14x15 - 16x17 -
18x19 - 20x22 mm

940/1 100 mm

940/2 170 mm

1,3 kg



T73	1	024240073
TV73	1	024000418

T75

16



933 7-8-9-10-11-12-13
14-15-16-17-18-19
21-22-24 mm

4,2 kg



T75 1 024240075
TV75 1 024000422

T76

16



932 7-8-9-10-11-12-13
14-15-16-17-18-19
21-22-24 mm

4,2 kg



T76 1 024240076
TV75 1 024000422

T77

10



933 6-7-8-10-11-12-13
14-17-19 mm

1,4 kg



T77 1 024240077
TV77 1 024000474

T80

29



920A 10-11-12-13-14
15-16-17-18-19
20-21-22-23-24
26-27-30-32 mm
920ME 5-6-8-10-12 mm
920/21 125 mm
920/22 255 mm
920/25 305 mm
920/42 305 mm
920/55

4,1 kg

12"



T80 1 024240080
TV80 1 024000403

T81

29



920B 10-11-12-13-14
15-16-17-18-19
20-21-22-23-24
26-27-30-32 mm
920ME 5-6-8-10-12 mm
920/21 125 mm
920/22 255 mm
920/25 305 mm
920/42 305 mm
920/55

4,1 kg

12"



T81 1 024240081
TV80 1 024000403

T82

29



920A 10-11-12-13-14
15-16-17-18-19
20-21-22-23-24
26-27-30-32 mm
920ME 5-6-8-10-12 mm
920AN/125 125 mm
920AN/250 250 mm
920/25 305 mm
920/42 305 mm
920/55

4,1 kg

12"



T82 1 024240082
TV80 1 024000403

T83

24



920A 10-11-12-13-14
15-16-17-18-19
20-21-22-23-24
26-27-30-32 mm
920/21 125 mm
920/22 255 mm
920/25 305 mm
920/42 305 mm
920/55

3,6 kg

12"



T83 1 024240083
TV83 1 024000402

T85

81



861LP 0,5x3 - 0,6x4,5 - 0,8x5,5 - 1x5,5
- 1,2x6,5 - 1,2x8 - 1,6x8 mm
861PE 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
861PH PH0 - PH1 - PH2 - PH3
861PZ PZ1 - PZ2 - PZ3
861TX T6 - T7 - T8 - T9 - T10 - T15 - T20
- T25 - T27 - T30 - T40
861RTX T9 - T10 - T15 - T20 - T25 - T27 -
T30 - T40
861TRW 1-2-3-4-5-6 mm
861TQS 0 - 1 - 2 - 3 - 4 - 5 - 6 - 8 - 10 mm
861SP 4-6-8-10-12 mm
851SR 230 mm
900 4-4,5-5-5,5-6-7-8-9
10-11-12-13-14 mm
900/21 150 mm
900/25 41 mm
900BG/30 176 mm
900/42 115 mm
900/55 125 mm
194 1/4x5/16

1,0 kg

14"



T85 1 024240085
TV85 1 024000747

T91

25



900 4-4,5-5-5,5-6
7-8-9-10-11
12-13-14 mm
900ME 2,5-3-4-5-6-8 mm
900/20 50 mm
900/21 150 mm
900/25 150 mm
900BG/30 115 mm
900/42 115 mm
900/55

560 g

14"



T91 1 024240091
TV90 1 024000447

T92

22



910A 6-7-8-9-10-11-12-13
14-15-16-17-18-19
20-21-22 mm
910/21 125 mm
910/22 250 mm
910/25 250 mm
910/42 210 mm
910/55

1,5 kg

38"



T92 1 024240092
TV92 1 024000458



T99



- 920INOX-A 10-12-13-14-15-16-17
18-19-21-22-24-27
30-32mm
- 920/55INOX



2,7 kg

12"

T99	1	024240099
TV99	1	024249908

T100



- 920A 10-12-13-14-15
16-17-18-19-21
22-24 mm
- 920/21 125 mm
- 920/25
- 920/42 305 mm
- 920/55

2,1 kg

12"

T100	1	024240100
TV100	1	024000495

T101



- 920B 10-12-13-14-15
16-17-18-19-21
22-24 mm
- 920/21 125 mm
- 920/25
- 920/42 305 mm
- 920/55

2,1 kg

12"

T101	1	024240101
TV100	1	024000495

T102



- 920AS 3/8-7/16-1/2
9/16-5/8-11/16
3/4-13/16-7/8
15/16-1-1.1/16
- 920/21 125 mm
- 920/25
- 920/42 305 mm
- 920/55

2,1 kg

12"

T102	1	024240102
TV100	1	024000495

T103



- 900L 6-7-8-9-10-11-12 mm
- 920AL 13-14-16-17-18-19
21-22-24-27 mm

1,1 kg

14" 12"

T103	1	024240103
TV103	1	024000748

T105



- 928A 22-24-27-30-32-34
36-38-41-46-50 mm

4,9 kg

3/4"

T105	1	024240105
TV105	1	024000484

T106



- 928/21 200 mm
- 928/22 380 mm
- 928/42 450 mm
- 928/55

4,5 kg

3/4"

T106	1	024240106
TV106	1	024000485

T111



- 720 10-13-15-17-18-19-21
22-24-27-30-32 mm
- 720LC 17-19-21 mm
- 720/21 125 mm

2,7 kg

12"

T111	1	024240111
TV111	1	024000746

T112



- 861TX ● 1/4-T6+T15
- 866TX ● 5/16-T20+T55
- 895/1 ○ 1/4x□1/4
- 895/6 ○ 5/16x□1/2
- 900FTX □ 1/4-E4+E10
- 920FTX □ 1/2-E12+E24
- 920TX □ 1/2-T55L-T60-T70L

1,3 kg

14" 12"

T112	1	024240112
TV112	1	024000480

T113



- 920PE 5L-6L-7L-8L-10L
- 920TX T40L-T45L
T55L-T70L
- 920XZN M6L-M8L-M12L

1,5 kg

12"

T113	1	024240113
TV113	1	024000489

T122



- 666/20 40 - 200 Nm

1,2 kg

12"

T122	1	024240122
TV122	1	024000768

T123



- 1082G 160 mm
- 1150G 180 mm
- 1166G 160 mm

550 g

T123	1	024240123
TV135	1	024000762

T124



- 1082GBM 160 mm
- 1150GBM 180 mm
- 1166GBM 160 mm

640 g



T124 1 024240124
TV135 1 024000762

T135



- 1082MQ 160 mm
- 1150MQ 180 mm
- 1166MQ 160 mm

1000 V

750 g



T135 1 024240135
TV135 1 024000762

T136



- 1048MQ 250 mm
- 1777MQ/U 190 mm

1000 V

700 g



T136 1 024240136
TV136 1 024000438

T137



- 1084BM 160 mm
- 1150BM 180 mm
- 1166BM 160 mm

750 g



T137 1 024240137
TV130 1 024000451

T138



- 1084 160 mm
- 1150 180 mm
- 1166 160 mm

650 g



T138 1 024240138
TV130 1 024000451

T140



- 1032 140x0,9 - 180 mm
- 1034 170 mm
- 1036 140x1,3 - 175 mm
- 1038 175 mm
- 1084 160 mm
- 1128BM 145 mm

1,1 kg



T140 1 024240140
TV140 1 024000405

T144



- 1048N 250 mm
- 1052 240 mm
- 1112 250 mm
- 1150 180 mm

1,8 kg



T144 1 024240144
TV143 1 024000409

T145



- 1032 180 mm
- 1034 170 mm
- 1036 175 mm
- 1038 175 mm

640 g



T145 1 024240145
TV145 1 024000448

T146



- 1032 140x0,9 mm
- 1032 225 mm
- 1036 140x1,3 mm
- 1036 225 mm

700 g



T146 1 024240146
TV146 1 024000449

T151



- 1047 240 mm
- 1057A 240 mm

1,3 kg



T151 1 024240151
TV150 1 024000462

T153



- 1048N 250 mm
- 1052 240 mm

1,1 kg



T153 1 024240153
TV150 1 024000462

T156



- 1082 160 mm
- 1150 180 mm
- 1048N 250 mm

1 kg



T156 1 024240156
TV148 1 024000500

T157



- 1082BM 160 mm
- 1150BM 180 mm
- 1048BM 250 mm

1,1 kg



T157	1	024240157
TV148	1	024000500

T160



- 1290 3x75, 3x100, 4x100, 4x150, 5,5x100, 5,5x150, 6,5x150, 8x150, 10x200 mm
- 1290N 4x30, 6,5x30 mm

1,3 kg



T160	1	024240160
TV160	1	024000706

T161



- 1292 PH0x60, PH0x100, PH1x80, PH1x120, PH2x100, PH2x150, PH3x150 mm
- 1292N PH1x30, PH2x30 mm

1 kg



T161	1	024240161
TV161	1	024000707

T164



- 952 8-10-13-17-19 mm
- 959 16 mm (5/8") - 20,8 mm (13/16")
- 1260 3x75 - 4x100 - 5,5x100 - 6,5x150 - 10x200 mm
- 1262 PH0x60 - PH1x80 - PH2x100 - PH3x150 mm

5 kg



T164	1	024240164
TV61	1	024000721

T167



- 1260 3x75, 3x100, 4x100, 4x150, 5,5x100, 5,5x150, 6,5x150, 8x150, 10x200 mm
- 1260N 4x30, 6,5x30 mm

1,3 kg



T167	1	024240167
TV160	1	024000706

T168



- 1262 PH0x60, PH0x100, PH1x80, PH1x120, PH2x100, PH2x150, PH3x150 mm
- 1262N PH1x30, PH2x30 mm

1 kg



T168	1	024240168
TV161	1	024000707

T170



- 1290 2,5x50, 3x75, 3,5x100, 4x125, 5,5x100, 5,5x150, 6,5x150 mm

450 g



T170	1	024240170
TV170	1	024000741

T171



- 1290 8x150, 8x200, 10x200 mm
- 1290N 4x30, 6,5x30 mm

750 g



T171	1	024240171
TV171	1	024000742

T172



- 1292 PH0x60, PH0x100, PH1x80, PH1x120, PH2x100, PH2x150 mm

450 g



T172	1	024240172
TV172	1	024000743

T173



- 1292 PH3x150, PH4x200 mm
- 1292N PH1x30, PH2x30 mm

560 g



T173	1	024240173
TV173	1	024000744

T175



- 1297TX T6-T7-T8-T9, T10-T15-T20

410 g



T175	1	024240175
TV175	1	024000760

T176



- 1297TX T25-T27-T30, T40-T45

640 g



T176	1	024240176
TV176	1	024000761

T177



1298RTX T9-T10-T15
T20-T25-T27
T30-T40

680 g



T177 1 024240177
TV177 1 024000759

T180



1290 3x75
4x100
5,5x150
6,5x150 mm
1292 PH0x60
PH1x80
PH2x100 mm

480 g



T180 1 024240180
TV180 1 024000701

T183



1292L PH1x400-PH2x400 mm
1294L 3x300-4x400-5x400 mm

580 g



T183 1 024240183
TV183 1 024000497

T198



1260 3x75
4x100
5,5x150
6,5x150 mm
1269PZ P20 - PZ1 - P22

490 g



T198 1 024240198
TV180 1 024000701

T199



1260 2,5x50
3x75
3,5x100
4x125
5,5x100
5,5x150
6,5x150 mm

490 g



T199 1 024240199
TV170 1 024000741

T201



1260 8x200
10x150
10x200 mm
1260N 4x30
6,5x30 mm

680 g



T201 1 024240201
TV171 1 024000742

T202



1262 PH0x60
PH0x100
PH1x80
PH1x120
PH2x100
PH2x150 mm

490 g



T202 1 024240202
TV172 1 024000743

T204



1262 PH3x150
PH4x200 mm
1262N PH1x30
PH2x30 mm

610 g



T204 1 024240204
TV173 1 024000744

T205



1267TX T6-T7-T8-T9
T10-T15-T20

460 g



T205 1 024240205
TV175 1 024000760

T206



1267TX T25-T27-T30
T40-T45

710 g



T206 1 024240206
TV176 1 024000761

T207



1268RTX T9-T10-T15
T20-T25-T27-T30

760 g



T207 1 024240207
TV207 1 024000758

T208



1260 3x75
4x100
5,5x150
6,5x150 mm
1262 PH0x60
PH1x80
PH2x100 mm

530 g



T208 1 024240208
TV180 1 024000701

T209



- 1262L PH1x400-PH2x400 mm
- 1264L 3x300 - 4x400 - 5x400 mm

580 g



T209	1	024240209
TV183	1	024000497

T211



- 1201E 2,5x50
- 3x75
- 3,5x100
- 4x125
- 5,5x100
- 5,5x150
- 6,5x150 mm

490 g



T211	1	024240211
TV170	1	024000741

T213



- 1202E PH0x60
- PH1x80
- PH1x120
- PH2x100
- PH2x150
- PH3x150 mm

490 g



T213	1	024240213
TV212	1	024000440

T216



- 1207E/TX T6-T7-T8-T9
- T10-T15-T20

410 g



T216	1	024240216
TV175	1	024000760

T221



- 1201E 3x75
- 4x100
- 5,5x150
- 6,5x150 mm
- 1202E PH0x60
- PH1x80
- PH2x100 mm

530 g



T221	1	024240221
TV180	1	024000701

T226



- 1274MQ 3x100
- 4x100
- 5,5x125
- 6,5x150 mm
- 1272MQ PH0x60
- PH1x80
- PH2x100 mm

⚡ 1000 V

460 g



T226	1	024240226
TV180	1	024000701

T227



- 944BX 5-6-7-8-10-13 mm

490 g



T227	1	024240227
TV227	1	024000705

T228



- 1290INOX 3x75 - 4x100 -
- 5,5x150 - 6,5x150 mm
- 1292INOX PH0x60
- PH1x80 - PH2x100 mm



480 g



T228	1	024240228
TV180	1	024000701

T231



- 1370 400 g
- 1390 Ø 35 mm
- ▲ 1719BMA/T 200 mm
- 1719BMA/P 200 mm
- ▶ 1719BMA/M 200 mm

1,7 kg



T231	1	024240231
TV230	1	024000411

T233



- 35 100-200 mm
- 1370F 32 mm
- 1390 Ø 35 mm

1,3 kg



T233	1	024240233
TV232	1	024000452

T234



- 35 100-200 mm
- 1370 300 g
- 1390 Ø 35 mm

1,3 kg



T234	1	024240234
TV232	1	024000452

T236



- 1719BMA/Q 200 mm
- ▲ 1719BMA/T 200 mm
- 1719BMA/P 200 mm
- ▶ 1719BMA/M 200 mm
- 1719BMA/R 200 mm

870 g



T236	1	024240236
TV235	1	024000453

T239



31BM Ø 2-3-4-5-6-8 mm
32 Ø 4 mm



850 g



T239 1 024240239
TV239 1 024000439

T241



1500N/1
1500N/3
1516/1



4,2 kg



T241 1 024240241
TV241 1 024000414

T259



○ 96BP 2,5-3-4-5
6-8-10 mm
○ 96N 12 mm
● 861MIX/A31
○
+
+
+
+
895/1



950 g



T259 1 024240259
TV263 1 024000492

T264



1491 Ø 65+110 mm
■ 1494 ■ 10 mm
○ 1494E ○ 8 - 9 - 10 - 11 - 12 - 14 - 17 mm
○ 1494Q ○ 8-9,5-12-13 mm
△ 1494T Δ 9,5
○ 1494XZN ○ 16
1496C ■ 8x ■ 10 mm



2,1 kg



T264 1 024240264
TV264 1 024000466

T270



430 M3 - 4 - 5 - 6 - 7 - 8 - 9
10 - 12 - 14 - 16 - 18 - 20
433 M6x0,75 - M8x1 - M10x1,25
M12x1,5 - M14x1,5
M16x1,5 - M18x1,5
440 M3 - 4 - 5 - 6 - 7 - 8 - 9
440A M10 - 12 - 14 - 16 - 18 - 20
441 M6x0,75 - M8x1,0
441A M10x1,25 - M12x1,5
M14x1,5 - M16x1,5
M18x1,5

4,3 kg



T270 1 024240270
TV270 1 024000481

T271



1741 250 mm
1741RV2,9K 2,9x6 mm (100)
1741RV3,2K 3,2x8 mm (100)
1741RV3,8K 3,8x10 mm (100)
1741RV4K 4x12 mm (100)
1741RV4,8K 4,8x12 mm (100)



1,4 kg



T271 1 024240271
TV271 1 024000475

T273



435/1,5 M3+M12
435/3 M5+M21
436/1 □ 2,0+5,0 mm
(M3+M8)
436/2 □ 4,6+8 mm
(M5+M12)
444/1 Ø 25,4 mm
444/2 Ø 38,1 mm
1707 W 62+4x1"



2,1 kg



T273 1 024240273
TV272 1 024000482

T279



1112 250 mm
1128BM 145 mm
1726 400 mm
1728BM (x5)
1751N 200 cc

1,5 kg



T279 1 024240279
TV285 1 024000487

T284



1128BMX 147 mm
1130BMX 185 mm
■ 1719BMA...Q 200 mm
▲ 1719BMA...T 200 mm
■ 1719BMA...P 200 mm
▶ 1719BMA...M 200 mm
● 1719BMA...R 200 mm
1726BM 400 mm
1728BM
1771BM 170 mm
1778V18 185 mm

3,3 kg



T284 1 024240284
TV286 1 024249904

T291



1479RB/1
1479RB/2
1479RB/3



600 g



T291 1 024240291
TV291 1 024000472



T294



1692 5 m
1725CR
1771RL
1771 170 mm



590 g

T294	1	024240294
TV294	1	024000491

T297



1651DGTB
1682 300 mm
1691BM 5 m




490 g

T297	1	024240297
TV296	1	024000749

VP1 - VP2


ABS thermoformed trays with tote trays, for portable tool chests RSC22, RSC23, RSC23C



VP1	50	1	088880351
VP2	35	1	088880352

VP3 - VP4

ABS thermoformed trays with tote trays, for all models of, tool chests, mobile roller cabs and trolleys



VP3	50	1	088880353
VP4	35	1	088880354

VP5


ABS thermoformed tray with 2 tote trays



VP5	45	1	088880355
-----	----	---	-----------

VP6

ABS thermoformed tray with 6 tote trays



VP6	45	1	088880359
-----	----	---	-----------

VP7-C


ABS thermoformed tray with 3 tote trays, for mobile roller cabs C45PRO



VP7-C	45	1	088880361
-------	----	---	-----------

VP-3SC

ABS thermoformed tray with 3 tote tray, for mobile roller cab C04TSS-7



VP-3SC	45	1	088880356
--------	----	---	-----------

VP-LS

ABS thermoformed tray with tote tray, for mobile roller cab C04TSS-7



VP-LS	45	1	088880357
-------	----	---	-----------

8889P1


parallel partitions for item RSC22, RSC23, RSC23C e C27S
drawer 588x277 mm



8889P1/5	50 mm	1	088890005
8889P1/7	70 mm	1	088890007

8889C1

crossed partitions for item RSC22, RSC23, RSC23C and C27S
for drawer 588x277 mm



8889C1/5	50 mm	1	088890015
8889C1/7	70 mm	1	088890017

8889P2


parallel partitions for standard drawer 588x367 mm



8889P2/7	70 mm	1	088890107
----------	-------	---	-----------

8889C2

crossed partitions for standard drawer 588x367 mm



8889C2/7	70 mm	1	088890117
----------	-------	---	-----------

8889P3

parallel partitions for item RSC24AXL, RSC24AXLP/7, RSC24AXXL

for drawer 882x367 mm



8889P3/7	70 mm	1	088890207
----------	-------	---	-----------