

5988VU/M

059880356

30 Kg



14" 12"

Assortment of 214 tools in soft foam tray

Recommended with: RSC24 - RSC24A - RSC24AXL - RSC24AXLP/7 - RSC24AXXL - C37 - C39 - C39SM - C39MD - C58BC - RSC28 - C59 - RSC55 - RSC50 2.0

Quantity/Description	Beta N.	TR
22 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32-36 mm	42	M01
11 double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm	55	M30
11 double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm	90	M30
9 ball head offset hexagon key wrenches $\odot$ 1,5+10 mm	96BPC/SC9	M30
1 socket holder	895/1	M100
1 socket holder	895/3	M100
1 socket holder	895/6	M100
13 1/4" hexagon sockets $\odot$ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	900	M100
9 hexagon hand sockets, long series $\odot$ 5-6-7-8-9-10-11-12-13 mm	900L	M100
5 1/4" socket drivers for hexagon screws $\odot$ 3-4-5-6-7 mm	900ME	M100
4 socket drivers for slotted head screws $\bullet$ 0,8x4-1x5,5-1,2x6,5-1,2x8 mm	900LP	M100
4 socket drivers for cross head Phillips <sup>®</sup> screws $\bullet$ PH1-PH2-PH3-PH4	900PH	M100
7 socket drivers for Torx <sup>®</sup> head screws $\odot$ T10-T15-T20-T25-T27-T30-T40	900TX	M100
1 1/4" drive extension bar 50 mm	900/20	M100
1 1/4" drive extension bar 100 mm	900/20L	M100
1 1/4" drive extension bar 150 mm	900/21	M100
1 1/4" drive universal joint	900/25	M100
1 1/4" drive spinner handle	900BG/30	M100
1 1/4" drive swivel T-handle	900/42	M100
1 1/4" reversible ratchet $\oplus$	900/55	M100
21 1/2" square drive hexagon sockets $\odot$ 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm	920A	M100
1 adaptor, 1/2" female and 3/8" male drives 125 mm	920/15	M100
1 1/2" drive universal joint 250 mm	920/25	M100
1 1/2" wobble extension bar 125 mm	920AN/125	M100
1 1/2" wobble extension bar 250 mm	920AN/250	M100
1 1/2" drive sliding T-handle 305 mm	920/42	M100
1 1/2" drive reversible ratchet $\oplus$	920/55	M100
8 1/2" sockets for Torx <sup>®</sup> head screws $\odot$ 10-12-14-16-18-20-22-24 mm	920FTX	M100
11 hexagon hand sockets $\odot$ 10-12-13-14-15-16-17-18-19-21-22 mm	920AL	M100
1 circlip pliers straight, internal $\odot$ 180 mm	1032	M129
1 circlip pliers bent, internal $\odot$ 170 mm	1034	M129
1 circlip pliers straight, external $\bullet$ 175 mm	1036	M129
1 circlip pliers bent, external $\bullet$ 175 mm	1038	M129
1 slip joint pliers 250 mm	1048N	M129
1 self - locking pliers 240 mm	1052	M129
1 Diagonal cutting nippers $\ddagger$ 160 mm	1082BM	M129
1 construction worker's pincers 220 mm	1098	M129
1 tin snips 250 mm	1112	M129
1 electrician's scissors, straight blades	1128BM	M129
1 half-round needle nose pliers $\equiv$ 180 mm	1150BM	M129
1 Extra-long needle nose pliers $\bullet$ 160 mm	1166BM	M129
1 Extra-long bent needle nose pliers $\bullet$ 160 mm	1168BM	M129
6 screwdriver for slotted head screws $\bullet$ 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm	1201E	M213
1 screwdriver for slotted head screws, extra-short series $\bullet$ 4x30 mm	1201EN	M213
4 screwdriver for cross head Phillips <sup>®</sup> screws $\bullet$ PH0,60-PH1x80-PH2x100-PH3x150 mm	1202E	M213



M01



M30



M213



M230



M129



M100

- |  |             |      |
|--|-------------|------|
| 1 screwdriver for cross head Phillips <sup>®</sup> screws, extra-short series $\bullet$ PH1x30 mm                                | 1202EN      | M213 |
| 12 screwdrivers for Torx <sup>®</sup> head screws, with handles $\odot$ T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45 <sup>®</sup> | 1207E/TX    | M213 |
| 1 mains testing screwdriver $\bullet$  | 1253        | M213 |
| 3 drift punches 2-3-4 mm   | 30          | M230 |
| 6 pin punches 2-3-4-5-6-8  | 31          | M230 |
| 1 centre punch $\varnothing$ 4 mm  | 32          | M230 |
| 1 flat chisels 150 mm  | 34          | M230 |
| 2 flat chisels, ribbed type 200-250 mm   | 35          | M230 |
| 1 cape chisels, standard type 125 mm   | 36          | M230 |
| 1 engineer's hammer 500 g  | 1370        | M230 |
| 1 soft face hammer $\varnothing$ 35 mm   | 1390        | M230 |
| 1 measuring tape 3 m   | 1692        | M230 |
| 1 telescopic magnet with flexible head   | 1712TF      | M230 |
| 1 second-cut square files 200 mm   | 1719BMA...Q | M230 |
| 1 second-cut triangular files 200 mm   | 1719BMA...T | M230 |
| 1 second-cut flat files 200 mm   | 1719BMA...P | M230 |
| 1 second-cut half-round files 200 mm   | 1719BMA...M | M230 |
| 1 second-cut round files 200 mm  | 1719BMA...R | M230 |
| 1 steel wire brush   | 1737NX      | M230 |
| 1 snap - off blade utility knife 18 mm   | 1771        | M230 |

5904VU/1M

059041201

12 Kg



12"

Assortment of 90 tools in soft foam tray

Recommended with: RSC23T - RSC24 - RSC24A - RSC24AXL - RSC24AXLP/7 - RSC24AXXL - RSC24L/7 - RSC24L-CAB - RSC28 - C37 - C39 - C39T - C39SM - C39MD - RSC51 - RSC55 - RSC50 2.0 - C59 - C58BC

Quantity/Description	Beta N.	TR
16 combination wrenches 6+21 mm	42	M05
8 double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm	55	M33
9 offset hexagon key wrenches $\odot$ 1,5-2-2,5-3-4-5-6-8-10 mm	96/SC9	M33
6 drivers for Torx <sup>®</sup> head screws $\odot$ T8-T10-T15-T20-T25-T30	1267TX	M204
3 screwdrivers for slotted head screws $\bullet$ 3x75-4x100-6,5x150 mm	1260	M201
3 screwdrivers for cross head Phillips <sup>®</sup> screws $\bullet$ PH0x60-PH1x80-PH2x100 mm	1262	M201
8 offset hexagon key wrenches $\odot$ 2-2,5-3-4-5-6-7-8 mm	96T	M50
1 1/2" wobble extension bar 125 mm	920AN/125	M83
1 1/2" wobble extension bar 250 mm	920AN/250	M83
1 1/2" drive universal joint	920/25	M83
1 1/2" drive sliding T-handle	920/42	M83
1 1/2" drive reversible ratchet $\oplus$	920/55	M83
19 1/2" square drive hexagon sockets $\odot$ 10+24-26-27-30-32 mm	920A	M83
1 Heavy-duty diagonal cutting nippers $\ddagger$ 160 mm	1084	M137
1 combination pliers bright chrome-plated $\equiv$ 180 mm	1150	M137
1 Extra-long needle nose pliers $\bullet$ 160 mm	1166	M137
1 slip joint pliers, slip-proof PVC coated handles 250 mm	1048N	M153
1 self - locking pliers 240 mm	1052	M153
2 flat chisels, ribbed type 100 - 200 mm	35	M234
1 engineer's hammer 300 g	1370	M234
1 soft face hammer $\varnothing$ 35 mm	1390	M234
1 circlip pliers straight, internal $\odot$ 180 mm	1032	M145
1 circlip pliers bent, internal $\odot$ 170 mm	1034	M145
1 circlip pliers straight, external $\bullet$ 175 mm	1036	M145
1 circlip pliers bent, external $\bullet$ 175 mm	1038	M145



M05

M33

M204

M201



M50

M83



M137

M153

M234

M145

NEW ONLINE CONFIGURATOR

Create your own roller cab with your favourite tools and accessories



**M01**  
 024500001 4,5 Kg



42 6-7-8-9-10-11-12-13-14-15-16-17-18  
 19-20-21-22-24-27-30-32-36 mm

**M25**  
 024500025 5,1 Kg



42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27 mm  
 90 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm  
 123Q1/4  
 123Q3/8  
 123Q1/2  
 142 8-9-10-11-12-13-14-15-16-17-18-19 mm

**M30**  
 024500030 4,2 Kg



55 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm  
 90 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm  
 96BPC/SC9 1,5-2-2,5-3-4-5-6-8-10 mm

**M60**  
 024500060 1,9 Kg



○ 96T 2-2,5-3-4-5-6-7-8-10 mm  
 ○ 97BTX/SC8 T9-T10-T15-T20-T25-T27-T30-T40 mm  
 ○ 944BX 5-6-7-8-10-13 mm



**M63**  
 024500063 3,4 Kg



○ 952 7-8-10-12-13-14-17-19 mm

**M100**  
 024500100 6,7 Kg



895/1 - 895/3 - 895/6  
 ○ 900 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm  
 ○ 900L 5-6-7-8-9-10-11-12-13 mm  
 ○ 900ME 3-4-5-6-7 mm  
 ● 900LP 0,8x4-1x5,5-1,2x6,5-1,2x8 mm  
 ⊕ 900PH PH1-PH2-PH3-PH4  
 ⊕ 900TX T10-T15-T20-T25-T27-T30-T40  
 900/20 50 mm - 900/20L 100 mm  
 900/21 150 mm  
 900/25  
 900BG/30  
 900/42

⊗ 900/55  
 ○ 920A 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm  
 920/15 - 920/25  
 920AN/125 125 mm  
 920AN/250 250 mm  
 920/42  
 ⊗ 920/55  
 ⊗ 920FTX 10-12-14-16-18-20-22-24 mm  
 ○ 920AL 10-12-13-14-15-16-17-18-19-21-22 mm

**M105**

024500871 7,7 Kg



116


1/4" 3/8" 1/2"

- 900 4-4,5-5-5,5-6-7-8-9-10  
11-12-13-14 mm
- 900L 5-6-7-8-9-10-11-12-13 mm
- 96BPC/SC9 1,5-2-2,5-3-4-5-6-8-10 mm
- 895/1 - 895/3 - 895/6
- 900ME 3-4-5-6-7 mm
- 900LP 0,8x4-1x5,5-1,2x6,5-1,2x8 mm
- 900PH PH1-PH2-PH3-PH4
- 900TX T10-T15-T20-T25-T27-T30-T40
- 900/16 □ 1/4 - ■ 3/8
- 900/... 50-100-150 mm
- 900/25 - 900BG/30 - 900/42
- 900/55
- 910A 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
- 910/15 □ 3/8 - ■ 1/4
- 910/16 □ 3/8 - ■ 1/2
- 910/21 125 mm
- 910/22 250 mm
- 910/25 - 910/42
- 910/55
- 920A 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
- 920/15 □ 1/2 - ■ 3/8
- 920/25 125 - 250 mm
- 920AN 920/42
- 920/55
- 956E 16-17,8-20,8 mm

**M118**

024500118 8 Kg

FOR 140 mm DRAWERS



33

12"



REVERSIBLE  
IMPACT WRENCH  
1927P

- 1927P 1750 Nm
- 720L ○ 13-17-19-21-22-24 mm
- 720ME ○ 5-6-8-10-12-14-17-19 mm
- 720 ○ 10-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
- 720LC ○ 17-19-21 mm

**M120**

024500120 6,9 Kg



75

12"

- 920A 10-11-12-13-14-15-16-17-18-19-20-21-22-24-26-27-30-32 mm
- 920AN/125 125 mm
- 920AN/250 250 mm
- 920/25 - 920/42
- 920AL 10-12-13-14-15-16-17-18-19-22-24-27-30-32 mm
- 920FTX 10-12-14-16-18-20-22-24 mm
- 920/55
- 920PE 5-5L-6-6L-7-7L-8-8L-10-10L-12-12L-14-14L
- 920TX T20-T25-T27-T30-T40-T45-T50-T55-T60-T20L-T25L-T27L-T30L-T40L-T45L-T50L

**M129**

024500129 3,4 Kg



13

- 1032 180 mm
- 1034 170 mm
- 1036 175 mm
- 1038 175 mm
- 1048N 250 mm
- 1052 240 mm
- 1082BM 160 mm
- 1098 220 mm
- 1112 250 mm
- 1128BM 145 mm
- 1150BM 180 mm
- 1166BM 160 mm
- 1168BM 160 mm

**M213**

024500213 1,8 Kg



25

Beta evorx

- 1201E 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
- 1201EN 4x30 mm
- 1202E PH0x60-PH1x80-PH2x100-PH3x150 mm
- 1202EN PH1X30 mm
- 1207E/TX T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45
- 1253 3,5x100 mm

**M230**

024500230 3,2 Kg



25

- 30 Ø 2-3-4 mm
- 31 Ø 2-3-4-5-6-8 mm
- 32 Ø 4 mm
- 34 150 mm
- 35 200-250 mm
- 36 125 mm
- 1370 500 g
- 1390 Ø 35 mm
- 1692 3 m
- 1712TF
- 1719BMA/Q 200 mm
- ▲ 1719BMA/T 200 mm
- 1719BMA/P 200 mm
- 1719BMA/M 200 mm
- 1719BMA/R 200 mm
- 1737NX
- 1771 170 mm

**M320**

024500320 5 Kg

**NEW!**

FOR 140 mm DRAWERS



146



IMPACT DRILL 20V  
1972/K20V

- 410MIX/SEL19
- 861/C100
- 862F/A7
- 862XP/A16
- 1972/K20V-13BMC

## T01

024240001



42 6-7-8-10-11-12-13-14-16-17-18-19-21-22-24-27-30 mm

## T05

024240005



42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21 mm

## T06

024240006



42 22-24-27-30-32 mm

## T31

024240031



31 Ø 2-3-4-5-6 mm 32 Ø 4 mm  
55 6x7-8x9-10x11-12x13-14x15-16x17-18x19  
20x22-21x23-24x26-27x29-30x32 mm  
⊕ 96N/SC9 1,5÷10 mm

## T45

024240045



142 8-9-10-11-12-13-14-15-16-17-18-19 mm

## T50

024240050



⊕ 96T 2-2,5-3-3,5-4-4,5-5-6-7-8-10 mm

## T63

024240063



⊕ 952 7-8-10-12-13-14-17-19 mm

## T68

024240068



⊕ 951 2,5-3-4-5-6-8 mm

## T80

024240080



⊕ 920A 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm  
⊕ 920ME 5-6-8-10-12 mm  
920/21 125 mm 920/22 255 mm  
920/25 - 920/42 305 mm ⊕ 920/55

## T91

024240091



⊕ 900 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm  
⊕ 900ME 2,5-3-4-5-6-8 mm  
900/20 50 mm 900/21 150 mm  
900/25 - 900BG/30 - 900/42 115 mm ⊕ 900/55

## T92

024240092



⊕ 910A 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm  
910/21 125 mm 910/42 210 mm  
910/22 250 mm ⊕ 910/55  
910/25

## T137

024240137



⊕ 1084BM 160 mm  
⊕ 1150BM 180 mm  
⊕ 1166BM 160 mm

## T145

024240145



⊕ 1032 180 mm  
⊕ 1034 170 mm  
⊕ 1036 175 mm  
⊕ 1038 175 mm

## T221

024240221



⊕ 1201E 3x75-4x100-5,5x150-6,5x150 mm  
⊕ 1202E PH0x60-PH1x80-PH2x100 mm

## T234

024240234



35 100-200 mm  
1370 300 g  
1390 ø 35 mm

## T236

024240236



⊕ 1719BMA/Q 200 mm  
⊕ 1719BMA/T 200 mm  
⊕ 1719BMA/P 200 mm  
⊕ 1719BMA/M 200 mm  
⊕ 1719BMA/R 200 mm