



# SAFETY FOOTWEAR

## STANDARDS AND CLASSES

### WARNINGS

Before use make, sure that the footwear meets your use requirements and has a proper protection class, according to type and workplace. The footwear manufactured by Beta Utensili complies with current EUROPEAN STANDARDS.

The employer shall ensure that suitable personal protective equipment is provided to the employees who may be exposed to a risk (characteristics and category of PPE).

### EUROPEAN STANDARDS AND MEANINGS

#### COMPLIANCE WITH EN ISO 20344:2011

This standard specifies the test methods for footwear designed as PPE.

#### COMPLIANCE WITH EN ISO 20345:2011

This standard specifies basic and additional (optional) requirements for Safety Footwear for general purpose.

Footwear according to EN ISO 20345:2011 is marked "S" (= Safety), with toe caps resistant to an impact of 200 Joules.

#### COMPLIANCE WITH EN ISO 20346:2014

This standard specifies basic and additional (optional) requirements for Protective Footwear. Footwear according to EN ISO 20346:2011 is marked "P" (=Protective), with toe caps resistant to an impact of 100 Joules.

#### COMPLIANCE WITH EN ISO 20347:2012

This standard specifies basic and additional (optional) requirements for occupational footwear that is not exposed to any mechanical risks (impact or compression). Footwear according to EN ISO 20347:2012 is marked "O" (= Occupational). It shares quite the same characteristics as the above footwear, although neither toe caps nor penetration-proof insoles are required.

As well as the basic requirements under EN ISO 20345:2011, footwear may also meet some additional requirements, which must be identified with symbols or classes and stated on the label applied to the tongue of the footwear.

### CONFORMITY MARKING OF FOOTWEAR

- Mark: CE
- Footwear size: 42
- Name and address of manufacturer: Beta Utensili S.p.A. Via Volta, 18 20845 Sovico (MB) – Italy
- Date of production (month/year): 01/20
- Reference to international standard: EN ISO 20345:2011
- Protection class: S3

### CLASSIFICATION

I = Footwear made from leather and other materials, excluding rubber or polymeric footwear

II = All-rubber or all-polymeric footwear (boots)

### CLASS AND REQUIREMENTS

#### SB (I) Basic requirements

- Toe cap resistant to an **impact** of 200 Joules
- Outsole **slip** resistance (SRA and/or SRB)
- Minimum upper **height**
- One additional footwear requirement

#### S1 (I) Basic requirements plus:

- Closed **seat** region
- **Antistatic** properties (A)
- **Energy absorption** of seat region (E)

#### S2 (I) S1 requirements plus:

- Water penetration and **water absorption** resistant upper (WRU)

#### S3 (I) S2 requirements plus:

- **Penetration** resistance (P)
- **Cleated** outsole

#### S4 (II) SB requirements plus:

- **Antistatic** properties (A)
- **Energy absorption** of seat region (E)

#### S5 (II) S4 requirements plus:

- **Penetration** resistance (P)
- **Cleated** outsole

### SHELF LIFE

Due to several factors (storage humidity and modification of the structure of materials over time), the shelf life of footwear cannot be determined with certainty. Generally speaking, footwear with outsoles made entirely from polyurethane or with polyurethane bottoms are expected to have a shelf life of three years; whereas the other types of footwear are expected to have a shelf life of five years. Such shelf lives are applicable to new, packed footwear stored under controlled conditions – that is, avoiding sudden changes in temperature and relative humidity.

# BASIC REQUIREMENTS + ADDITIONAL REQUIREMENTS FOR FOOTWEAR

PROTECTION CLASS	EN ISO 20345:2011				EN ISO 20347:2012				EN ISO 20345:2011		EN ISO 20347:2012		MINIMUM REQUIRED VALUES	
	SB	S1	S2	S3	OB	O1	O2	O3	S4	S5	O4	O5		
	Closed seat region	O	X	X	X	O	X	X	X	X	X	X	X	
	Toe cap resistant to an impact of 200 Joules	X	X	X	X	-	-	-	-	X	X	-	-	
<b>A</b>	Antistatic footwear	O	X	X	X	O	X	X	X	X	X	X	X	Electrical resistance >100 kΩ, ≤1000 MΩ
<b>E</b>	Energy absorption of seat region	O	X	X	X	O	X	X	X	X	X	X	X	> 20 Joules
<b>WRU</b>	Water penetration and resistance of upper	O	-	X	X	O	-	X	X	-	-	-	-	Penetration: <0.2 g x 60 min Absorption: < 30% x 60 min.
<b>P</b>	Penetration resistance of outsole	O	O	-	X	O	O	-	X	O	X	O	X	> 1100 N
<b>CI</b>	Cold insulation	O	O	O	O	O	O	O	O	O	O	O	O	Temp. decrease of inner surface of sole: < 10° C
<b>HI</b>	Heat insulation	O	O	O	O	O	O	O	O	O	O	O	O	Temp. increase of inner surface of sole: < 22° C
<b>C</b>	Conductive footwear	O	-	-	-	O	-	-	-	-	-	-	-	< 100 kΩ
<b>HRO</b>	Heat resistance of outsole	O	O	O	O	O	O	O	O	O	O	O	O	Resistant up to 300°
<b>AN</b>	Ankle protection	O	O	O	O	O	O	O	O	O	O	O	O	Mean value <10 kN; Individual values <15 kN
<b>I</b>	Electrically insulating footwear	O	-	-	-	O	-	-	-	-	-	-	-	Electrical class: 00 ÷ 500 V a.c. Electrical class: 0 ÷ 1000 V a.
<b>WR</b>	Water resistance	O	O	O	O	O	O	O	O	-	-	-	-	Absorption: < 3 cm <sup>2</sup>
<b>M</b>	Metatarsal protection (only for EN ISO 20345:2011)	O	O	O	O	-	-	-	-	O	O	-	-	Free height after impact ≥ 40 mm. (size 41/42)
<b>CR</b>	Cut resistance of upper (only for EN ISO 20345:2011) (other than model A)	O	O	O	O	-	-	-	-	O	O	-	-	Cut resistance index ≥ 2,5
<b>FO</b>	Fuel oil resistance of outsole	O	X	X	X	O	O	O	O	X	X	O	O	Outsole volume increase < 12%
<b>WG</b>	Protection against molten metal splashes as found in foundries and welding	-	-	-	-	-	-	-	-	-	-	-	-	Min. 25 drops to get to a temperature of 40° C
<b>SRC</b>	Slip resistance of outsole	X	X	X	X	X	X	X	X					<b>SRA + SRB</b> requirement

<b>X</b>	<b>Mandatory</b> requirement for protection class
<b>O</b>	<b>Optional</b> requirement added to mandatory ones, if marked on marking
<b>-</b>	Not <b>mandatory</b> requirement, check footwear stamping

## Antistatic footwear:

Antistatic footwear must be used when there is the need to minimize the accumulation of electrostatic charges, so as to rule out the danger of combustion of flammable substances and vapours and in case the risk of electric shocks from live parts should persist. Antistatic footwear does not provide protection against electric shock, as it only creates an electrical resistance between the floor and the foot. If the danger of electric shock cannot be completely ruled out, additional precautions must be taken as part of a periodic plan for accident prevention in the workplace. For antistatic requirements to be met, the footwear must not be modified.

## Insulating footwear:

Insulating footwear provide electrical protection against accidental contacts with voltages up to 1000 V, provided that usage conditions are such as not to modify or alter electrical resistance under the influence of humidity. It should be pointed out that electrical resistance

only refers to the bottom, and not to the upper, of the footwear.

Electrical classes for footwear:  
Class 00 500V CA or 750V CC  
Class 0 1000V CA or 1500V CC

## Dissipative footwear for EPA environments:

Dissipative footwear, which is specially designed for EPA (ESDS) environments, allows electrostatic charges to be dissipated from the wearer's body in a continuous and controlled way, so as to protect electronic components and devices from electrostatic phenomena. The reference value of ground resistance according to CEI EN 61340-5-1: 2016, for wearer/footwear/floor, is <1 × 10<sup>9</sup> Ω.

**EN ISO 20345:2011 S1P SRC**

LINE	ITEM	REQUIREMENTS		RECOMMENDED SECTORS							📄
		ADDITIONAL REQUIREMENTS		AUTOMOTIVE	BUILDING	ELECTRICITY	INDUSTRY	SERVICE LOGISTICS	EATING & PLUMBING		
<b>BASIC PLUS</b> 	7210BKK			X	X	X	X	X	X	X	574
	7216BKK			X	X	X	X	X	X	X	574
<b>FLEX</b> 	7212FG			X	X		X	X	X	X	571
	7213FG			X	X		X	X	X	X	571
<b>FLEX LADY</b> 	7212LG			X	X		X	X	X	X	571
<b>FLEX EVOLUTION</b> 	7217FG			X	X		X	X	X	X	572
<b>EASY PLUS</b> 	7222PEK			X	X	X	X	X	X	X	569
	7223PEK			X	X	X	X	X	X	X	570
	7224PEK			X	X	X	X	X	X	X	570
	7225PEK			X	X	X	X	X	X	X	570
<b>BASIC</b> 	7241BK				X	X	X	X	X	X	566
	7243BK				X	X	X	X	X	X	566
	7246BK				X	X	X	X	X	X	568
	7247BK				X	X	X	X	X	X	568
<b>EASY</b> 	7246E				X		X	X	X	X	565
<b>TREKKING</b> 	7248GK				X		X	X	X	X	576
	7249GK	RS			X		X		X	X	576
<b>SNEAKERS</b> 	7314AF			X	X	X	X	X	X	X	577
	7317NA			X	X	X	X	X	X	X	578
<b>SNEAKERS PRO</b> 	7340B				X		X	X	X	X	583
	7340R				X		X	X	X	X	583
<b>0-GRAVITY</b> 	7352A	HRO		X	X		X	X	X	X	579
	7352B	HRO		X	X		X	X	X	X	579
	7353Y	HRO			X		X	X	X	X	580
	7352G	HRO		X	X		X	X	X	X	580
<b>0-GRAVITY LADY</b> 	7352LG	HRO		X	X		X	X	X	X	580

**EN ISO 20347:2012 O1 SRC**

<b>0-GRAVITY</b> 	7362B	FO HRO		X	X		X	X			582
----------------------	-------	--------	--	---	---	--	---	---	--	--	-----



**EN ISO 20345:2011 S3 SRC**

LINE	ITEM	REQUIREMENTS		RECOMMENDED SECTORS							📄	
		ADDITIONAL REQUIREMENTS		AGRICULTURE	AUTOMOTIVE	BUILDING	INDUSTRY	ELECTRICITY	SERVICE LOGISTICS	OIL & GAS		EATING & PLUMBING
<b>BASIC PLUS</b> 	7200BKK			X	X	X	X	X	X	X	X	573
	7201BKK			X	X	X	X	X	X	X	X	574
	7310CRK	RS HRO		X	X	X	X			X		574
<b>FLEX</b> 	7214FN			X	X		X	X	X		X	572
	7215FN			X	X		X	X	X		X	572
	7218FN	RS		X	X		X	X	X		X	573
<b>FLEX LADY</b> 	7214LN			X	X		X	X	X		X	572
<b>FLEX EVOLUTION</b> 	7219FY			X	X		X	X	X		X	573
<b>EASY PLUS</b> 	7220PEK			X	X	X	X	X	X	X	X	569
	7221PEK	RS		X	X	X	X	X	X	X	X	569
<b>TREKKING</b> 	7235BK				X		X	X		X	X	575
	7236BK	RS			X		X	X			X	575
	7238WR	RS HRO WR			X		X	X			X	575
<b>EASY</b> 	7241EN				X		X	X		X	X	565
	7243EN	RS			X		X	X			X	565
<b>BASIC</b> 	7241CK				X	X	X	X		X	X	566
	7243CK	RS			X	X	X	X			X	567
	7243CR	RS HRO			X		X	X		X	X	567
	7245BK	RS			X	X	X	X			X	567
<b>HEAVY DUTY</b> 	7293HM	HRO HI	X		X	X				X	X	584
	7293HN	HRO HI	X		X	X				X	X	585
	7294HM	HRO HI	X		X	X				X	X	585
	7294HMC	HRO HI CI WR	X		X	X				X	X	585
	7294HN	RS HRO HI	X		X	X				X	X	585
<b>SNEAKERS</b> 	7315AN			X	X	X	X	X	X	X	X	577
	7318AN			X	X	X	X	X	X	X	X	577
	7320NA			X	X	X	X	X	X	X	X	578
	7321NA	RS		X	X	X	X	X	X	X	X	578
	7322SA			X	X	X	X	X	X	X	X	578
	7323SA	RS		X	X	X	X	X	X	X	X	579
<b>SNEAKERS PRO</b> 	7341N				X		X	X	X	X	X	583
	7349RP	HRO		X	X	X	X	X	X	X	X	584
	7350RP	HRO		X	X	X	X	X	X	X	X	584
<b>0-GRAVITY</b> 	7354N	HRO		X	X		X	X	X	X	X	580
	7355V	HRO		X	X		X	X	X	X	X	581
	7356G	HRO		X	X		X	X	X	X	X	581
	7357G	HRO		X	X		X	X	X	X	X	582
	7356V	HRO		X	X		X	X	X	X	X	581
	7357V	HRO		X	X		X	X	X	X	X	582
<b>0-GRAVITY LADY</b> 	7356LN	HRO		X	X		X	X	X	X	X	581

**EN ISO 20347:2012 O2 SRC**

<b>BASIC</b> 	7243FT	FO			X	X		X			X	567
<b>0-GRAVITY</b> 	7363N	FO HRO			X		X	X			X	582

**EN ISO 20345:2011 S5 SRC**

<b>BASIC</b> 	7328EA				X	X	X			X	X	568
	7328EN				X	X	X			X	X	568

# EASY



## 7241EN

leather shoe, water-repellent

- Steel toe cap
- Elastic steel penetration proof insole

EU	UK	
35	2,5	1 072410835
36	3,5	1 072410836
37	4,5	1 072410837
38	5	1 072410838
39	6	1 072410839
40	6,5	1 072410840
41	7	1 072410841
42	8	1 072410842
43	9	1 072410843
44	10	1 072410844
45	10,5	1 072410845
46	11	1 072410846
47	12	1 072410847
48	13	1 072410848



CE

S3 SRC

EN ISO  
20345  
2011



## 7243EN

leather ankle shoe, water-repellent,  
with quick opening system

- Steel toe cap
- Elastic steel penetration proof insole

EU	UK	
35	2,5	1 072430835
36	3,5	1 072430836
37	4,5	1 072430837
38	5	1 072430838
39	6	1 072430839
40	6,5	1 072430840
41	7	1 072430841
42	8	1 072430842
43	9	1 072430843
44	10	1 072430844
45	10,5	1 072430845
46	11	1 072430846
47	12	1 072430847
48	13	1 072430848



CE

S3 RS SRC

EN ISO  
20345  
2011



## 7246E

suede shoe, perforated

- Steel toe cap
- Elastic steel penetration proof insole

EU	UK	
35	2,5	1 072460435
36	3,5	1 072460436
37	4,5	1 072460437
38	5	1 072460438
39	6	1 072460439
40	6,5	1 072460440
41	7	1 072460441
42	8	1 072460442
43	9	1 072460443
44	10	1 072460444
45	10,5	1 072460445
46	11	1 072460446
47	12	1 072460447
48	13	1 072460448



CE

S1P SRC

EN ISO  
20345  
2011



# BASIC



## 7241BK

leather shoe

- Steel toe cap
- Composite fibre penetration proof insole

EU	UK
35	2,5
36	3,5
37	4,5
38	5
39	6
40	6,5
41	7
42	8
43	9
44	10
45	10,5
46	11
47	12
48	13

Icon	Code
	1 072411235
	1 072411236
	1 072411237
	1 072411238
	1 072411239
	1 072411240
	1 072411241
	1 072411242
	1 072411243
	1 072411244
	1 072411245
	1 072411246
	1 072411247
	1 072411248



CE

S1P SRC

EN ISO  
20345  
2011



## 7241CK

leather shoe, water-repellent

- Steel toe cap
- Composite fibre penetration proof insole

EU	UK
35	2,5
36	3,5
37	4,5
38	5
39	6
40	6,5
41	7
42	8
43	9
44	10
45	10,5
46	11
47	12
48	13

Icon	Code
	1 072411535
	1 072411536
	1 072411537
	1 072411538
	1 072411539
	1 072411540
	1 072411541
	1 072411542
	1 072411543
	1 072411544
	1 072411545
	1 072411546
	1 072411547
	1 072411548



CE

S3 SRC

EN ISO  
20345  
2011



## 7243BK

leather ankle shoe

- Steel toe cap
- Composite fibre penetration proof insole

EU	UK
35	2,5
36	3,5
37	4,5
38	5
39	6
40	6,5
41	7
42	8
43	9
44	10
45	10,5
46	11
47	12
48	13

Icon	Code
	1 072431235
	1 072431236
	1 072431237
	1 072431238
	1 072431239
	1 072431240
	1 072431241
	1 072431242
	1 072431243
	1 072431244
	1 072431245
	1 072431246
	1 072431247
	1 072431248



CE

S1P SRC

EN ISO  
20345  
2011



### 7243CK

leather ankle shoe, water-repellent,  
with quick opening system

- Steel toe cap
- Composite fibre penetration proof insole

EU	UK	
35	2,5	1 072431335
36	3,5	1 072431336
37	4,5	1 072431337
38	5	1 072431338
39	6	1 072431339
40	6,5	1 072431340
41	7	1 072431341
42	8	1 072431342
43	9	1 072431343
44	10	1 072431344
45	10,5	1 072431345
46	11	1 072431346
47	12	1 072431347
48	13	1 072431348

CE



S3 RS SRC

EN ISO 20345 2011



### 7243CR

leather ankle shoe, waterproof,  
with durable rubber outsole  
and quick opening system

- Steel toe cap
- Elastic steel penetration-proof insole

EU	UK	
35	2,5	1 072430735
36	3,5	1 072430736
37	4,5	1 072430737
38	5	1 072430738
39	6	1 072430739
40	6,5	1 072430740
41	7	1 072430741
42	8	1 072430742
43	9	1 072430743
44	10	1 072430744
45	10,5	1 072430745
46	11	1 072430746
47	12	1 072430747
48	13	1 072430748

CE



S3 RS HRO SRC

EN ISO 20345 2011



### 7243FT

leather ankle shoe, waterproof,  
without toe cap and penetration proof insole

- Without toe cap
- Without penetration proof insole

EU	UK	
35	2,5	1 072430635
36	3,5	1 072430636
37	4,5	1 072430637
38	5	1 072430638
39	6	1 072430639
40	6,5	1 072430640
41	7	1 072430641
42	8	1 072430642
43	9	1 072430643
44	10	1 072430644
45	10,5	1 072430645
46	11	1 072430646
47	12	1 072430647
48	13	1 072430648

CE



O2 FO SRC

EN ISO 20347 2012



### 7245BK

lace-up leather ankle shoe, "welder" style, water-repellent, with  
quick opening system  
and front protection with strap closure

- Steel toe cap
- Composite fibre penetration proof insole

EU	UK	
35	2,5	1 072451235
36	3,5	1 072451236
37	4,5	1 072451237
38	5	1 072451238
39	6	1 072451239
40	6,5	1 072451240
41	7	1 072451241
42	8	1 072451242
43	9	1 072451243
44	10	1 072451244
45	10,5	1 072451245
46	11	1 072451246
47	12	1 072451247
48	13	1 072451248

CE



S3 RS SRC

EN ISO 20345 2011



**7246BK**  
suede shoe, perforated

- Steel toe cap
- Composite fibre penetration proof insole

EU	UK	
35	2,5	1 072461235
36	3,5	1 072461236
37	4,5	1 072461237
38	5	1 072461238
39	6	1 072461239
40	6,5	1 072461240
41	7	1 072461241
42	8	1 072461242
43	9	1 072461243
44	10	1 072461244
45	10,5	1 072461245
46	11	1 072461246
47	12	1 072461247
48	13	1 072461248



CE

S1P SRC



**7247BK**  
leather sandal, perforated

- Steel toe cap
- Composite fibre penetration proof insole

EU	UK	
35	2,5	1 072471235
36	3,5	1 072471236
37	4,5	1 072471237
38	5	1 072471238
39	6	1 072471239
40	6,5	1 072471240
41	7	1 072471241
42	8	1 072471242
43	9	1 072471243
44	10	1 072471244
45	10,5	1 072471245
46	11	1 072471246
47	12	1 072471247
48	13	1 072471248



CE

S1P SRC



**7328EA**  
safety boot, "Top Visibility"

- Steel toe cap
- Stainless steel penetration proof insole

EU	UK	
38	5	1 073280538
39	6	1 073280539
40	6,5	1 073280540
41	7	1 073280541
42	8	1 073280542
43	9	1 073280543
44	10	1 073280544
45	10,5	1 073280545
46	11	1 073280546
47	12	1 073280547



CE

S5 SRC



**7328EN**  
safety boot

- Steel toe cap
- Stainless steel penetration proof insole

EU	UK	
38	5	1 073280738
39	6	1 073280739
40	6,5	1 073280740
41	7	1 073280741
42	8	1 073280742
43	9	1 073280743
44	10	1 073280744
45	10,5	1 073280745
46	11	1 073280746
47	12	1 073280747



CE

S5 SRC



# EASY PLUS



## 7220PEK

leather shoe, water-repellent, with nylon inserts and anti-abrasion reinforcement in toe cap area

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK	
35	2,5	1 072200235
36	3,5	1 072200236
37	4,5	1 072200237
38	5	1 072200238
39	6	1 072200239
40	6,5	1 072200240
41	7	1 072200241
42	8	1 072200242
43	9	1 072200243
44	10	1 072200244
45	10,5	1 072200245
46	11	1 072200246
47	12	1 072200247
48	13	1 072200248

CE



S3 SRC

EN ISO 20345 2011



## 7221PEK

leather ankle shoe, water-repellent, with nylon inserts, anti-abrasion reinforcement in toe cap area and quick opening system

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK	
35	2,5	1 072210235
36	3,5	1 072210236
37	4,5	1 072210237
38	5	1 072210238
39	6	1 072210239
40	6,5	1 072210240
41	7	1 072210241
42	8	1 072210242
43	9	1 072210243
44	10	1 072210244
45	10,5	1 072210245
46	11	1 072210246
47	12	1 072210247
48	13	1 072210248

CE



S3 RS SRC

EN ISO 20345 2011



## 7222PEK

suede shoe, perforated, with highly breathable mesh inserts

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK	
35	2,5	1 072220135
36	3,5	1 072220136
37	4,5	1 072220137
38	5	1 072220138
39	6	1 072220139
40	6,5	1 072220140
41	7	1 072220141
42	8	1 072220142
43	9	1 072220143
44	10	1 072220144
45	10,5	1 072220145
46	11	1 072220146
47	12	1 072220147
48	13	1 072220148

CE



S1P SRC

EN ISO 20345 2011



### 7223PEK

suede shoe with highly breathable mesh inserts and anti-abrasion reinforcement in toe cap area

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK	
35	2,5	1 072230135
36	3,5	1 072230136
37	4,5	1 072230137
38	5	1 072230138
39	6	1 072230139
40	6,5	1 072230140
41	7	1 072230141
42	8	1 072230142
43	9	1 072230143
44	10	1 072230144
45	10,5	1 072230145
46	11	1 072230146
47	12	1 072230147
48	13	1 072230148

CE



S1P SRC



### 7224PEK

suede shoe, perforated, with anti-abrasion reinforcement in toe cap area

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK	
35	2,5	1 072240235
36	3,5	1 072240236
37	4,5	1 072240237
38	5	1 072240238
39	6	1 072240239
40	6,5	1 072240240
41	7	1 072240241
42	8	1 072240242
43	9	1 072240243
44	10	1 072240244
45	10,5	1 072240245
46	11	1 072240246
47	12	1 072240247
48	13	1 072240248

CE



S1P SRC



### 7225PEK

suede shoe, perforated


- Composite toe cap
- Composite fibre penetration proof insole

EU	UK	
35	2,5	1 072250135
36	3,5	1 072250136
37	4,5	1 072250137
38	5	1 072250138
39	6	1 072250139
40	6,5	1 072250140
41	7	1 072250141
42	8	1 072250142
43	9	1 072250143
44	10	1 072250144
45	10,5	1 072250145
46	11	1 072250146
47	12	1 072250147
48	13	1 072250148

CE



S1P SRC



# FLEX



## 7212FG

suede shoe, perforated, with anti-abrasion insert in toe cap area  
Extremely flexible and lightweight - approximate weight, size 42: 490 g  
Not recommended for heavy-duty use (building, agriculture, heavy industry)

- Composite toe cap
- Composite fibre penetration-proof insole

EU	UK	1	1
35	2,5	1	072120035
36	3,5	1	072120036
37	4,5	1	072120037
38	5	1	072120038
39	6	1	072120039
40	6,5	1	072120040
41	7	1	072120041
42	8	1	072120042
43	9	1	072120043
44	10	1	072120044
45	10,5	1	072120045
46	11	1	072120046
47	12	1	072120047
48	13	1	072120048



EN ISO 20345 2011



CE

S1P SRC

## 7212LG

women's suede shoe, perforated, with mesh inserts  
Extremely flexible and lightweight - approximate weight, size 38: 380 g  
Not recommended for heavy-duty use (building, agriculture, heavy industry)

- Composite toe cap
- Composite fibre penetration-proof insole

EU	UK	1	1
34	2	1	072120134
35	2,5	1	072120135
36	3,5	1	072120136
37	4,5	1	072120137
38	5	1	072120138
39	6	1	072120139
40	6,5	1	072120140
41	7	1	072120141
42	8	1	072120142



EN ISO 20345 2011



CE

S1P SRC

## 7213FG

suede shoe with highly breathable mesh inserts  
Extremely flexible and lightweight - approximate weight, size 42: 490 g  
Not recommended for heavy-duty use (building, agriculture, heavy industry)

- Composite toe cap
- Composite fibre penetration-proof insole

EU	UK	1	1
35	2,5	1	072130035
36	3,5	1	072130036
37	4,5	1	072130037
38	5	1	072130038
39	6	1	072130039
40	6,5	1	072130040
41	7	1	072130041
42	8	1	072130042
43	9	1	072130043
44	10	1	072130044
45	10,5	1	072130045
46	11	1	072130046
47	12	1	072130047
48	13	1	072130048



EN ISO 20345 2011



CE

S1P SRC

### 7214FN

Action nubuck shoe, waterproof, with anti-abrasion insert in toe cap area  
Extremely flexible and lightweight - approximate weight size 42: 500 g  
Not recommended for heavy-duty use (building, agriculture, heavy industry)

- Composite toe cap
- Composite fibre penetration-proof insole

EU	UK		
35	2,5	1	072140035
36	3,5	1	072140036
37	4,5	1	072140037
38	5	1	072140038
39	6	1	072140039
40	6,5	1	072140040
41	7	1	072140041
42	8	1	072140042
43	9	1	072140043
44	10	1	072140044
45	10,5	1	072140045
46	11	1	072140046
47	12	1	072140047
48	13	1	072140048



CE

S3 SRC



### 7214LN

women's suede shoe, waterproof, with anti-abrasion insert in toe cap area  
Extremely flexible and lightweight - approximate weight, size 38: 380 g  
Not recommended for heavy-duty use (building, agriculture, heavy industry)

- Composite toe cap
- Composite fibre penetration-proof insole

EU	UK		
34	2	1	072140134
35	2,5	1	072140135
36	3,5	1	072140136
37	4,5	1	072140137
38	5	1	072140138
39	6	1	072140139
40	6,5	1	072140140
41	7	1	072140141
42	8	1	072140142



CE

S3 SRC



### 7215FN

Action nubuck moccasin, waterproof, with anti-abrasion insert in toe cap area  
Extremely flexible and lightweight - approximate weight, size 42: 490 g  
Not recommended for heavy-duty use (building, agriculture, heavy industry)

- Composite toe cap
- Composite fibre penetration-proof insole

EU	UK		
35	2,5	1	072150135
36	3,5	1	072150136
37	4,5	1	072150137
38	5	1	072150138
39	6	1	072150139
40	6,5	1	072150140
41	7	1	072150141
42	8	1	072150142
43	9	1	072150143
44	10	1	072150144
45	10,5	1	072150145
46	11	1	072150146
47	12	1	072150147
48	13	1	072150148



CE

S3 SRC



### 7217FG

mesh shoe, highly breathable, with anti-abrasion insert in toe cap area  
Extremely flexible and lightweight - approximate weight, size 42: 490 g  
Not recommended for heavy-duty jobs (building, agriculture, heavy industry)

- Composite toe cap
- Composite fibre penetration-proof insole

EU	UK		
35	2,5	1	072170235
36	3,5	1	072170236
37	4,5	1	072170237
38	5	1	072170238
39	6	1	072170239
40	6,5	1	072170240
41	7	1	072170241
42	8	1	072170242
43	9	1	072170243
44	10	1	072170244
45	10,5	1	072170245
46	11	1	072170246
47	12	1	072170247
48	13	1	072170248



S1P SRC





## 7201BKK

full-grain leather ankle shoe, waterproof

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK	
35	2,5	1 072010435
36	3,5	1 072010436
37	4,5	1 072010437
38	5	1 072010438
39	6	1 072010439
40	6,5	1 072010440
41	7	1 072010441
42	8	1 072010442
43	9	1 072010443
44	10	1 072010444
45	10,5	1 072010445
46	11	1 072010446
47	12	1 072010447
48	13	1 072010448

CE



S3 SRC



## 7210BKK

soft suede shoe, perforated

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK	
35	2,5	1 072100335
36	3,5	1 072100336
37	4,5	1 072100337
38	5	1 072100338
39	6	1 072100339
40	6,5	1 072100340
41	7	1 072100341
42	8	1 072100342
43	9	1 072100343
44	10	1 072100344
45	10,5	1 072100345
46	11	1 072100346
47	12	1 072100347
48	13	1 072100348

CE



S1P SRC



## 7216BKK

soft suede sandal, with strap closure

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK	
35	2,5	1 072160335
36	3,5	1 072160336
37	4,5	1 072160337
38	5	1 072160338
39	6	1 072160339
40	6,5	1 072160340
41	7	1 072160341
42	8	1 072160342
43	9	1 072160343
44	10	1 072160344
45	10,5	1 072160345
46	11	1 072160346
47	12	1 072160347
48	13	1 072160348

CE



S1P SRC



## 7310CRK

lace-up black leather shoe, "welder" style, water-repellent, with quick opening system and front protection with strap fastening and flameproof seams. Hard-wearing rubber outsole and anti-abrasion insert in toe cap area

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK	
35	2,5	1 073100335
36	3,5	1 073100336
37	4,5	1 073100337
38	5	1 073100338
39	6	1 073100339
40	6,5	1 073100340
41	7	1 073100341
42	8	1 073100342
43	9	1 073100343
44	10	1 073100344
45	10,5	1 073100345
46	11	1 073100346
47	12	1 073100347
48	13	1 073100348

CE



S3 RS HRO SRC



# TREKKING



## 7235BK

Action Nubuck shoe, waterproof, with reinforcement polyurethane toe cap cover

- Steel toe cap
- Composite fibre penetration-proof insole

EU	UK	1	072350335
35	2,5	1	072350335
36	3,5	1	072350336
37	4,5	1	072350337
38	5	1	072350338
39	6	1	072350339
40	6,5	1	072350340
41	7	1	072350341
42	8	1	072350342
43	9	1	072350343
44	10	1	072350344
45	10,5	1	072350345
46	11	1	072350346
47	12	1	072350347
48	13	1	072350348

CE



S3 SRC

EN ISO 20345 2011



## 7236BK

Action Nubuck ankle shoe, waterproof, with quick opening system and reinforcement polyurethane toe cap cover

- Steel toe cap
- Composite fibre penetration-proof insole

EU	UK	1	072360335
35	2,5	1	072360335
36	3,5	1	072360336
37	4,5	1	072360337
38	5	1	072360338
39	6	1	072360339
40	6,5	1	072360340
41	7	1	072360341
42	8	1	072360342
43	9	1	072360343
44	10	1	072360344
45	10,5	1	072360345
46	11	1	072360346
47	12	1	072360347
48	13	1	072360348

CE



S3 RS SRC

EN ISO 20345 2011



## 7238WR

suede ankle shoe with nylon inserts, durable rubber outsole and quick opening system WR (water-resistant) footwear: after 1,000 steps in a tank with 3 cm of water, the wet internal surface has to be  $\leq 3 \text{ cm}^2$  (spot)

- Composite toe cap
- Composite fibre penetration-proof insole

EU	UK	1	072380235
35	2,5	1	072380235
36	3,5	1	072380236
37	4,5	1	072380237
38	5	1	072380238
39	6	1	072380239
40	6,5	1	072380240
41	7	1	072380241
42	8	1	072380242
43	9	1	072380243
44	10	1	072380244
45	10,5	1	072380245
46	11	1	072380246
47	12	1	072380247
48	13	1	072380248

CE



Endurance

S3 RS WR HRO SRC

EN ISO 20345 2011



## 7239B

nubuck ankle boot, water-repellent, with mesh inserts and reinforcement polyurethane toe cap cover

- Steel toe cap
- Composite fibre penetration proof insole

EU	UK		
39	6	1	072390339
40	6,5	1	072390340
41	7	1	072390341
42	8	1	072390342
43	9	1	072390343
44	10	1	072390344
45	10,5	1	072390345
46	11	1	072390346
47	12	1	072390347
48	13	1	072390348



CE

S3 SRC

EN ISO 20345 2011



## 7248GK

suede shoe with nylon inserts and reinforcement polyurethane toe cap cover

- Steel toe cap
- Composite fibre penetration-proof insole

EU	UK		
35	2,5	1	072480235
36	3,5	1	072480236
37	4,5	1	072480237
38	5	1	072480238
39	6	1	072480239
40	6,5	1	072480240
41	7	1	072480241
42	8	1	072480242
43	9	1	072480243
44	10	1	072480244
45	10,5	1	072480245
46	11	1	072480246
47	12	1	072480247
48	13	1	072480248



CE

S1P SRC

EN ISO 20345 2011



## 7249GK

suede ankle shoe with nylon inserts, quick opening system and reinforcement polyurethane toe cap cover

- Steel toe cap
- Composite fibre penetration-proof insole

EU	UK		
35	2,5	1	072490235
36	3,5	1	072490236
37	4,5	1	072490237
38	5	1	072490238
39	6	1	072490239
40	6,5	1	072490240
41	7	1	072490241
42	8	1	072490242
43	9	1	072490243
44	10	1	072490244
45	10,5	1	072490245
46	11	1	072490246
47	12	1	072490247
48	13	1	072490248



CE

S1P RS SRC

EN ISO 20345 2011



# Beta

# SNEAKERS



## 7314AF

suede shoe  
with nylon mesh and carbon inserts

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK	
35	2,5	1 073140235
36	3,5	1 073140236
37	4,5	1 073140237
38	5	1 073140238
39	6	1 073140239
40	6,5	1 073140240
41	7	1 073140241
42	8	1 073140242
43	9	1 073140243
44	10	1 073140244
45	10,5	1 073140245
46	11	1 073140246
47	12	1 073140247
48	13	1 073140248



CE

S1P SRC

EN ISO  
20345  
2011



## 7315AN

suede and microfibre shoe,  
water-repellent, with carbon inserts

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK	
35	2,5	1 073150535
36	3,5	1 073150536
37	4,5	1 073150537
38	5	1 073150538
39	6	1 073150539
40	6,5	1 073150540
41	7	1 073150541
42	8	1 073150542
43	9	1 073150543
44	10	1 073150544
45	10,5	1 073150545
46	11	1 073150546
47	12	1 073150547
48	13	1 073150548



CE

S3 SRC

EN ISO  
20345  
2011



## 7318AN

suede and microfibre ankle shoe,  
water-repellent, with carbon inserts

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK	
35	2,5	1 073180535
36	3,5	1 073180536
37	4,5	1 073180537
38	5	1 073180538
39	6	1 073180539
40	6,5	1 073180540
41	7	1 073180541
42	8	1 073180542
43	9	1 073180543
44	10	1 073180544
45	10,5	1 073180545
46	11	1 073180546
47	12	1 073180547
48	13	1 073180548



CE

S3 SRC

EN ISO  
20345  
2011



### 7317NA

suede shoe, perforated,  
with microfibre reinforcement in heel area

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK		
35	2,5	1	073170135
36	3,5	1	073170136
37	4,5	1	073170137
38	5	1	073170138
39	6	1	073170139
40	6,5	1	073170140
41	7	1	073170141
42	8	1	073170142
43	9	1	073170143
44	10	1	073170144
45	10,5	1	073170145
46	11	1	073170146
47	12	1	073170147
48	13	1	073170148

CE



S1P SRC



### 7320NA

nubuck shoe, water-repellent,  
with antiabrasion reinforcement in toe cap area

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK		
35	2,5	1	073200435
36	3,5	1	073200436
37	4,5	1	073200437
38	5	1	073200438
39	6	1	073200439
40	6,5	1	073200440
41	7	1	073200441
42	8	1	073200442
43	9	1	073200443
44	10	1	073200444
45	10,5	1	073200445
46	11	1	073200446
47	12	1	073200447
48	13	1	073200448

CE



S3 SRC



### 7321NA

nubuck shoe, water-repellent,  
with quick opening system and antiabrasion reinforcement in  
toe cap area

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK		
35	2,5	1	073210435
36	3,5	1	073210436
37	4,5	1	073210437
38	5	1	073210438
39	6	1	073210439
40	6,5	1	073210440
41	7	1	073210441
42	8	1	073210442
43	9	1	073210443
44	10	1	073210444
45	10,5	1	073210445
46	11	1	073210446
47	12	1	073210447
48	13	1	073210448

CE



S3 RS SRC



### 7322SA

fabric shoe, highly resistant to abrasion,  
with heel stability support

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK		
35	2,5	1	073220435
36	3,5	1	073220436
37	4,5	1	073220437
38	5	1	073220438
39	6	1	073220439
40	6,5	1	073220440
41	7	1	073220441
42	8	1	073220442
43	9	1	073220443
44	10	1	073220444
45	10,5	1	073220445
46	11	1	073220446
47	12	1	073220447
48	13	1	073220448

CE



S3 SRC



## 7323SA

fabric ankle shoe, highly resistant to abrasion, with quick opening system and heel stability support

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK	
35	2,5	1 073230435
36	3,5	1 073230436
37	4,5	1 073230437
38	5	1 073230438
39	6	1 073230439
40	6,5	1 073230440
41	7	1 073230441
42	8	1 073230442
43	9	1 073230443
44	10	1 073230444
45	10,5	1 073230445
46	11	1 073230446
47	12	1 073230447
48	13	1 073230448

CE



NewActive



S3 RS SRC

EN ISO 20345 2011



# O-GRAVITY



## 7352A

mesh fabric shoe, highly breathable, with TPU inserts  
Heel stability support, stretch slip-on collar and EVA outsole with durable nitrile rubber tread

- Composite toe cap
- Composite fibre penetration-proof insole
- REMARKABLY LIGHTWEIGHT: approximate weight, size 42: 450 g

EU	UK	
38	5	1 073520038
39	6	1 073520039
40	6,5	1 073520040
41	7	1 073520041
42	8	1 073520042
43	9	1 073520043
44	10	1 073520044
45	10,5	1 073520045
46	11	1 073520046
47	12	1 073520047
48	13	1 073520048

CE



S1P HRO SRC

EN ISO 20345 2011



## 7352B

mesh fabric shoe, highly breathable, with TPU inserts  
Heel stability support, stretch slip-on collar and EVA outsole with durable nitrile rubber tread

- Composite toe cap
- Composite fibre penetration-proof insole
- REMARKABLY LIGHTWEIGHT: approximate weight, size 42: 450 g

EU	UK	
38	5	1 073520138
39	6	1 073520139
40	6,5	1 073520140
41	7	1 073520141
42	8	1 073520142
43	9	1 073520143
44	10	1 073520144
45	10,5	1 073520145
46	11	1 073520146
47	12	1 073520147
48	13	1 073520148

CE



S1P HRO SRC

EN ISO 20345 2011



### 7352G

mesh fabric shoe, highly breathable, with TPU inserts  
Heel stability support, traditional lacing, wide fit.  
EVA outsole with durable nitrile rubber tread

- Composite toe cap
- Composite fibre penetration proof insole
- REMARKABLY LIGHTWEIGHT: approximate weight for size 42: 450 grams

EU	UK		
38	5	1	073520338
39	6	1	073520339
40	6,5	1	073520340
41	7	1	073520341
42	8	1	073520342
43	9	1	073520343
44	10	1	073520344
45	10,5	1	073520345
46	11	1	073520346
47	12	1	073520347
48	13	1	073520348



CE

S1P HRO SRC ESD

EN ISO 20345 2011



### 7352LG

women's mesh fabric shoe, highly breathable, with TPU inserts  
High-visibility reflective mesh upper  
Heel stability support, stretch slip-on collar and EVA outsole with durable nitrile rubber tread

- Fibreglass toe cap
- Composite fibre penetration proof insole
- REMARKABLY LIGHTWEIGHT: approximate weight for size 38: 390 grams

EU	UK		
34	2	1	073520234
35	2,5	1	073520235
36	3,5	1	073520236
37	4,5	1	073520237
38	5	1	073520238
39	6	1	073520239
40	6,5	1	073520240
41	7	1	073520241
42	8	1	073520242



lady



CE

S1P HRO SRC

EN ISO 20345 2011



### 7353Y

mesh fabric shoe, highly breathable, with TPU inserts  
High-visibility reflective mesh upper  
Heel stability support, stretch slip-on collar and EVA outsole with durable nitrile rubber tread

- Carbon fibre toe cap
- Composite fibre penetration-proof insole
- REMARKABLY LIGHTWEIGHT: approximate weight, size 42: 420 g

EU	UK		
38	5	1	073530038
39	6	1	073530039
40	6,5	1	073530040
41	7	1	073530041
42	8	1	073530042
43	9	1	073530043
44	10	1	073530044
45	10,5	1	073530045
46	11	1	073530046
47	12	1	073530047
48	13	1	073530048



CE

S1P HRO SRC

EN ISO 20345 2011



### 7354N

mesh fabric shoe, waterproof, with TPU inserts  
Heel stability support, stretch slip-on collar and EVA outsole with durable nitrile rubber tread

- Composite toe cap
- Composite fibre penetration-proof insole
- REMARKABLY LIGHTWEIGHT: approximate weight for size 42: 460 g

EU	UK		
38	5	1	073540038
39	6	1	073540039
40	6,5	1	073540040
41	7	1	073540041
42	8	1	073540042
43	9	1	073540043
44	10	1	073540044
45	10,5	1	073540045
46	11	1	073540046
47	12	1	073540047
48	13	1	073540048



CE

S3 HRO SRC

EN ISO 20345 2011



### 7355V

mesh fabric ankle shoe, waterproof, with TPU inserts  
Heel stability support, stretch slip-on collar and EVA outsole with durable nitrile rubber tread

• Composite toe cap • Composite fibre penetration-proof insole •  
REMARKABLY LIGHTWEIGHT: approximate weight for size 42: 465 g

EU	UK	W	L	Code
38	5			1 073550038
39	6			1 073550039
40	6,5			1 073550040
41	7			1 073550041
42	8			1 073550042
43	9			1 073550043
44	10			1 073550044
45	10,5			1 073550045
46	11			1 073550046
47	12			1 073550047
48	13			1 073550048



CE

S3 HRO SRC

EN ISO 20345 2011



### 7356G

microfibre shoe, water-repellent, with TPU inserts  
Heel stability support, stretch slip-on collar and EVA sole with durable nitrile rubber tread

• Composite toe cap  
• Composite fibre penetration proof insole  
• REMARKABLY LIGHTWEIGHT: approximate weight for size 42: 460 grams

EU	UK	W	L	Code
38	5			1 073560038
39	6			1 073560039
40	6,5			1 073560040
41	7			1 073560041
42	8			1 073560042
43	9			1 073560043
44	10			1 073560044
45	10,5			1 073560045
46	11			1 073560046
47	12			1 073560047
48	13			1 073560048



CE

S3 HRO SRC

EN ISO 20345 2011



### 7356V

microfibre shoe, water-repellent, with TPU inserts  
Heel stability support, stretch slip-on collar and EVA outsole with durable nitrile rubber tread

• Composite toe cap  
• Composite fibre penetration proof insole  
• REMARKABLY LIGHTWEIGHT: approximate weight for size 42: 460 grams

EU	UK	W	L	Code
38	5			1 073560138
39	6			1 073560139
40	6,5			1 073560140
41	7			1 073560141
42	8			1 073560142
43	9			1 073560143
44	10			1 073560144
45	10,5			1 073560145
46	11			1 073560146
47	12			1 073560147
48	13			1 073560148



CE

S3 HRO SRC

EN ISO 20345 2011



### 7356LN

women's microfibre shoe, water-repellent, with TPU inserts  
Heel stability support, stretch slip-on collar and EVA outsole with durable nitrile rubber tread

• Fibreglass toe cap  
• Composite fibre penetration proof insole  
• REMARKABLY LIGHTWEIGHT: approximate weight for size 38: 400 grams

EU	UK	W	L	Code
34	2			1 073560234
35	2,5			1 073560235
36	3,5			1 073560236
37	4,5			1 073560237
38	5			1 073560238
39	6			1 073560239
40	6,5			1 073560240
41	7			1 073560241
42	8			1 073560242



CE

S3 HRO SRC

EN ISO 20345 2011



### 7357G

microfibre ankle shoe, water-repellent, with TPU inserts  
 Heel stability support, stretch slip-on collar and EVA sole with durable nitrile rubber tread

- Composite toe cap
- Composite fibre penetration proof insole
- REMARKABLY LIGHTWEIGHT: approximate weight for size 42: 480 grams

EU	UK		
38	5	1	073570038
39	6	1	073570039
40	6,5	1	073570040
41	7	1	073570041
42	8	1	073570042
43	9	1	073570043
44	10	1	073570044
45	10,5	1	073570045
46	11	1	073570046
47	12	1	073570047
48	13	1	073570048



CE

S3 HRO SRC



### 7357V

microfibre ankle shoe, water-repellent, with TPU inserts  
 Heel stability support, stretch-slip on collar and EVA outsole with durable nitrile rubber tread

- Composite toe cap
- Composite fibre penetration proof insole
- REMARKABLY LIGHTWEIGHT: approximate weight for size 42: 480 grams

EU	UK		
38	5	1	073570138
39	6	1	073570139
40	6,5	1	073570140
41	7	1	073570141
42	8	1	073570142
43	9	1	073570143
44	10	1	073570144
45	10,5	1	073570145
46	11	1	073570146
47	12	1	073570147
48	13	1	073570148



CE

S3 HRO SRC



### 7362B

occupational shoe, made of mesh fabric, highly breathable, with TPU inserts  
 Heel stability support, stretch slip-on collar and EVA sole with durable nitrile rubber tread

- Without toe cap
- Without penetration-proof insole
- REMARKABLY LIGHTWEIGHT: approximate weight for size 42: 330 grams

EU	UK		
39	6	1	073620039
40	6,5	1	073620040
41	7	1	073620041
42	8	1	073620042
43	9	1	073620043
44	10	1	073620044
45	10,5	1	073620045
46	11	1	073620046
47	12	1	073620047
48	13	1	073620048



CE

O1 FO HRO SRC



### 7363N

occupational shoe, made of mesh fabric, water-repellent, with TPU inserts  
 Heel stability support, stretch slip-on collar and EVA sole with durable nitrile rubber tread

- Without toe cap
- Without penetration-proof insole
- REMARKABLY LIGHTWEIGHT: approximate weight for size 42: 330 grams

EU	UK		
39	6	1	073630039
40	6,5	1	073630040
41	7	1	073630041
42	8	1	073630042
43	9	1	073630043
44	10	1	073630044
45	10,5	1	073630045
46	11	1	073630046
47	12	1	073630047
48	13	1	073630048



CE

O2 FO HRO SRC



# SNEAKERS PRO



## 7340B

mesh fabric shoe, highly breathable,  
with high-frequency PU inserts and protective toe cap  
reinforcement made of crust suede.  
Extremely lightweight - approximate weight, size 42: 470 g

- Aluminium toe cap
- Composite fibre penetration-proof insole
- FixLock closing makes it easier to put and remove the shoe  
(traditional laces included)

**EN ISO  
20345  
2011**



EU	UK	
36	3,5	1 073400236
37	4,5	1 073400237
38	5	1 073400238
39	6	1 073400239
40	6,5	1 073400240
41	7	1 073400241
42	8	1 073400242
43	9	1 073400243
44	10	1 073400244
45	10,5	1 073400245
46	11	1 073400246
47	12	1 073400247



CE

S1P SRC

## 7340R

mesh fabric shoe, highly breathable,  
with high-frequency PU inserts and protective toe cap  
reinforcement made of crust suede.  
Extremely lightweight - approximate weight, size 42: 470 g

- Aluminium toe cap
- Composite fibre penetration-proof insole
- FixLock closing makes it easier to put and remove the shoe  
(traditional laces included)

**EN ISO  
20345  
2011**



EU	UK	
36	3,5	1 073400436
37	4,5	1 073400437
38	5	1 073400438
39	6	1 073400439
40	6,5	1 073400440
41	7	1 073400441
42	8	1 073400442
43	9	1 073400443
44	10	1 073400444
45	10,5	1 073400445
46	11	1 073400446
47	12	1 073400447



CE

S1P SRC

## 7341N

microsuede shoe, waterproof,  
with high-frequency PU inserts and protective toe cap  
reinforcement made of crust suede.  
Extremely lightweight - approximate weight, size 42: 470 g

- Aluminium toe cap
- Composite fibre penetration-proof insole
- FixLock closing makes it easier to put and remove the shoe  
(traditional laces included)

**EN ISO  
20345  
2011**



EU	UK	
36	3,5	1 073410236
37	4,5	1 073410237
38	5	1 073410238
39	6	1 073410239
40	6,5	1 073410240
41	7	1 073410241
42	8	1 073410242
43	9	1 073410243
44	10	1 073410244
45	10,5	1 073410245
46	11	1 073410246
47	12	1 073410247



CE

S3 SRC

### 7349RP

shoe made of Nubuck crust leather, waterproof with rubber outsole and soft PU ring

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK	
38	5	1 073490138
39	6	1 073490139
40	6,5	1 073490140
41	7	1 073490141
42	8	1 073490142
43	9	1 073490143
44	10	1 073490144
45	10,5	1 073490145
46	11	1 073490146
47	12	1 073490147



CE

S3 HRO SRC

EN ISO 20345 2011



### 7350RP

ankle shoe made of Nubuck crust leather, waterproof with rubber outsole and soft PU ring

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK	
38	5	1 073500138
39	6	1 073500139
40	6,5	1 073500140
41	7	1 073500141
42	8	1 073500142
43	9	1 073500143
44	10	1 073500144
45	10,5	1 073500145
46	11	1 073500146
47	12	1 073500147



CE

S3 HRO SRC

EN ISO 20345 2011



# HEAVY DUTY



### 7293HM

greased full-grain leather shoe, water-repellent, with high-performance VIBRAM® rubber tread, anti-abrasion insert on heel area and reinforcement polyurethane toe cap cover

- Fibreglass toe cap
- Composite fibre penetration proof insole

EU	UK	
39	6	1 072930639
40	6,5	1 072930640
41	7	1 072930641
42	8	1 072930642
43	9	1 072930643
44	10	1 072930644
45	10,5	1 072930645
46	11	1 072930646
47	12	1 072930647
48	13	1 072930648



Heritage



CE

S3 HRO HI SRC

EN ISO 20345 2011



## 7293HN

Nubuck shoe, waterproof,  
with SUPPORT SYSTEM for lateral ankle support  
Durable rubber tread and PU toe cap  
Wide body

- Steel toe cap
- Composite fibre penetration-proof insole

E	U	
39	6	1 072930839
40	6,5	1 072930840
41	7	1 072930841
42	8	1 072930842
43	9	1 072930843
44	10	1 072930844
45	10,5	1 072930845
46	11	1 072930846
47	12	1 072930847

CE



S3 HRO HI SRC



EN ISO  
20345  
2011



## 7294HM

greased full-grain leather ankle shoe, water-repellent,  
with high-performance VIBRAM® rubber tread, anti-abrasion insert  
on heel area  
and reinforcement polyurethane toe cap cover

- Fibreglass toe cap
- Composite fibre penetration proof insole

EU	UK	
39	6	1 072940639
40	6,5	1 072940640
41	7	1 072940641
42	8	1 072940642
43	9	1 072940643
44	10	1 072940644
45	10,5	1 072940645
46	11	1 072940646
47	12	1 072940647
48	13	1 072940648

CE



S3 HRO HI SRC



EN ISO  
20345  
2011



## 7294HMC

greased full-grain leather ankle shoe, water-repellent,  
with high-performance VIBRAM® rubber tread, anti-abrasion insert  
on heel area and reinforcement polyurethane toe cap cover.  
With Tepor membrane, waterproof, windproof, highly breathable

- Fibreglass toe cap
- Composite fibre penetration proof insole

EU	UK	
39	6	1 072940739
40	6,5	1 072940740
41	7	1 072940741
42	8	1 072940742
43	9	1 072940743
44	10	1 072940744
45	10,5	1 072940745
46	11	1 072940746
47	12	1 072940747
48	13	1 072940748

CE



S3 HRO HI CI WR SRC



EN ISO  
20345  
2011



## 7294HN

Nubuck ankle shoe, waterproof, with SUPPORT SYSTEM for  
lateral ankle support and quick opening system  
Durable rubber tread and PU toe cap  
Wide body

- Steel toe cap
- Composite fibre penetration-proof insole

EU	UK	
39	6	1 072940839
40	6,5	1 072940840
41	7	1 072940841
42	8	1 072940842
43	9	1 072940843
44	10	1 072940844
45	10,5	1 072940845
46	11	1 072940846
47	12	1 072940847

CE



S3 HRO HI RS SRC



EN ISO  
20345  
2011



# ACCESSORIES

## 7398 O/G

anatomically shaped underfoot covers made of EVA foam, with cushioning heel pad (spare part recommended for 0-Gravity footwear range)



EU	UK	1	2
38	5	1	073981238
39	6	1	073981239
40	6,5	1	073981240
41	7	1	073981241
42	8	1	073981242
43	9	1	073981243
44	10	1	073981244
45	10,5	1	073981245
46	11	1	073981246
47	12	1	073981247
48	13	1	073981248

## 7398T

anatomically shaped underfoot covers WINTHERM insulation. 70% aluminized polyester, 30% polyethylene, bonded to non-woven synthetic fibres. Antistatic, breathable, rapidly absorbing, anti-odour, antibacterial, antifungicide.



EU	UK	1	2
35	2,5	1	073981335
36	3,5	1	073981336
37	4,5	1	073981337
38	5	1	073981338
39	6	1	073981339
40	6,5	1	073981340
41	7	1	073981341
42	8	1	073981342
43	9	1	073981343
44	10	1	073981344
45	10,5	1	073981345
46	11	1	073981346
47	12	1	073981347
48	13	1	073981348

## 7398U

anatomically shaped underfoot covers made of TPR GEL with high cushioning effect, plantar arch support and heel pad



EU	UK	1	2
36 - 40	3,5 - 6,5	1	073980058
41 - 46	7 - 11	1	073980063

## 7398UP

anatomically shaped underfoot covers made of citrus-fragrant TPE GEL, with plantar arch support



EU	UK	1	2
36 - 40	3,5 - 6	1	073980076
41 - 46	7 - 11	1	073980081

## 7398GEL

anatomically shaped underfoot covers with gel insets



EU	UK	1	2
35	2,5	1	073980835
36	3,5	1	073980836
37	4,5	1	073980837
38	5	1	073980838
39	6	1	073980839
40	6,5	1	073980840
41	7	1	073980841
42	8	1	073980842
43	9	1	073980843
44	10	1	073980844
45	10,5	1	073980845
46	11	1	073980846
47	12	1	073980847
48	13	1	073980848

## 7398EF

anatomically shaped underfoot covers made of polyurethane foam, with cushioning heel lift



EU	UK	1	2
35	2,5	1	073981135
36	3,5	1	073981136
37	4,5	1	073981137
38	5	1	073981138
39	6	1	073981139
40	6,5	1	073981140
41	7	1	073981141
42	8	1	073981142
43	9	1	073981143
44	10	1	073981144
45	10,5	1	073981145
46	11	1	073981146
47	12	1	073981147
48	13	1	073981148

## 7399 A/N...

pack of 10 pairs of laces



cm	1	2
100	1	073990010
120	1	073990012
140	1	073990017

## 7421

knee-length socks made from elastic compression terry, with nylon and cotton reinforcements on toe and heel areas Soles made from hard-wearing, antimicrobial, breathable bamboo fibre



	EU	1	2
M	39-42	1	074210002
L	43-46	1	074210004

## 7423

elastic compression ankle-length socks with nylon and cotton reinforcements on toe and heel areas Soles made from hard-wearing, antimicrobial, breathable bamboo fibre



	EU	1	2
M	39-42	1	074230002
L	43-46	1	074230004

## 7425

ankle-length socks with breathable texture inserts and nylon/cotton reinforcements on toe and heel areas Soles made from nylon woven with hard-wearing, antimicrobial, breathable bamboo fibre



	EU	1	2
M	39-42	1	074250002
L	43-46	1	074250004

## 7427

maxi sneaker socks with protective, breathable inserts on shinbone and instep areas. Nylon and cotton reinforcements on toe and heel areas and soles made from hard-wearing, antimicrobial, breathable fibre



	EU	1	2
M	39-42	1	074270002
L	43-46	1	074270004

## 7429

maxi sneaker socks with breathable texture inserts and nylon/cotton reinforcements on toe and heel areas Soles made from nylon woven with hard-wearing, antimicrobial, breathable bamboo fibre



	EU	1	2
M	39-42	1	074290002
L	43-46	1	074290004

## 7431P

two pairs of sneaker socks with breathable texture inserts and nylon/cotton reinforcements on toe and heel areas

Soles made from nylon woven with hard-wearing, antimicrobial, breathable bamboo fibre. One pair in black/orange colour and one pair in black/grey colour.



	EU	1	2
M	39-42	1	074310102
L	43-46	1	074310104